ABC INDIA®

Regd. Trade Mark
MARK FOR PERFECTION
ESTD. 1958

Scientific Glass Apparatus

for Education, Research and Industry

Effective from April 2019



GMP CERTIFIED
GOOD MANUFACTURING PRACTICE

NABL

MSME
सूक्ष्म, लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES

ISO 9001 : 2015

THE LABORATORY GLASSWARE CO.

An ISO 9001:2015 Certified Company

Certificate

This is to Certify that Good Manufacturing Practice of the

THE LABORATORY GLASSWARE CO.

Office Address :- 3612, Timber Market, Ambala Cantt., Haryana, India - 133001.
Works Address:- 73, HSIIDC, Industrial Estate, Ambala Cantt., Haryana, India - 133001.

Has been assessed and found to be in accordance with the requirements standard detailed below

GMP

This Certificate is valid for the following scope

Manufacturer, Exporter & Supplier of Scientific Glass Apparatus & Instruments For Education, Research Institutes and Industries.

Certificate No : GMP-XIX-09-6425
NACE : DI-26.21
Issue Date : 03-SEP-2019
Valid Until : 02-SEP-2022

A.dpanghal
Authorised Signatory
WRG Certification

This certificate remains the property of American International Accreditation Organization-Bureau of Accredited Registrars, (USA)

Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the WRG Certification Organization, India Aditya Corporate Hub, Raj Nagar, ghaziabad-201002 (U.P.) India, E-mail : wrgcert@gmail.com, website : www.wrgcert.com, www.aiao-bar.org

National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)

CERTIFICATE OF ACCREDITATION

THE LABORATORY GLASSWARE CO.

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

73, INDUSTRIAL ESTATE AMBALA CANTT, AMBALA, HARYANA, INDIA

in the field of

CALIBRATION

Certificate Number: CC-3038

Issue Date: 28/08/2019 **Valid Until:** 27/08/2021

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Signed for and on behalf of NABL

N. Venkateswaran
Chief Executive Officer

MECHANICAL CALIBRATION

Global Assessment
"Let's Certify"

Certificate of Compliance

Issued to:

THE LABORATORY GLASSWARE CO.

Carried out at following site:

OFFICE : 3612, TIMBER MARKET, AMBALA CANTT. - 133 001 (HARYANA) (INDIA)
&
WORKS : 73, HSIIDC, INDUSTRIAL ESTATE, AMBALA CANTT. (HARYANA) (INDIA)

for their:

QUALITY MANAGEMENT SYSTEM ISO 9001 : 2015

SCOPE of Activities covered by this Certificate:

MANUFACTURER, EXPORTER & SUPPLIER OF SCIENTIFIC GLASS APPARATUS & INSTRUMENTS FOR EDUCATION, RESEARCH INSTITUTES AND INDUSTRIES

Certificate no. : EAS/QMS/B1010
Issued on : 21/02/2018
Validity Date : 20/02/2021

1st Surveillance Due On : 21/01/2019
2nd Surveillance Due On : 21/01/2020

The validity of certificate is subject to regular surveillance audit on or before above mentioned dates and it's only valid after successful surveillance with continuation letter issued by GA

EUROPEAN ACCREDITATION SERVICES EAS
Acc No.:- EUAC106

Global Assessment Registered Your Partner in Continual Improvement

Authorized Signatory
Global Assessment

www.theglobalassessment.com

This is multi site certification

Registered Office - HU 1023 Budapest, Becsi ut 3-5. Hungary

The certificate remains the property of Global Assessment Kft and shall be returned immediately upon request.

An ISO 9001 : 2015 Certified Company

SCIENTIFIC GLASS APPARATUS

FOR EDUCATION-RESEARCH AND INDUSTRY

MAILING ADDRESS
3612, Timber Market
Ambala Cantt 133 001

PHONES :
91-171-4000378

GST NO. :
06AABPO6520A1ZB

e-mail : labco_co@yahoo.in,
maillabco@gmail.com
Web : www.labco.biz

THE LABORATORY GLASSWARE CO.

3612, Timber Market, Ambala Cantt-133 001 (INDIA)
Factory: 73, Industrial Estate, Ambala Cantt.

Foreward

We thank to all our worthy patrons & clients who put their faith in our **'LABCO'** brand products for the last six decades which encouraged us in presenting herewith our latest Catalogue cum price list.

Chemical Properties : Our Glassware products are fabricated from low alkali borosilicate type 3.3 glass having chemical composition S_iO_2 : 81%, B_2O_3 : 13%, Na_2O/K_2O : 4%, Al_2O_3 : 2% approx by weight except particularly mentioned.

Thermal Properties : Coefficient of linear expansion : 32.5 x 10^{-7} cm/cm/°C, Strain point : 515°C, Annealing point : 565°C, Softening point : 820°C, Specific heat : 0.2 & Thermal conductivity (Cal/cm^3/°C/Sec) : 0.0027

Though said Catalogue covers a long range of our manufactured products, yet we welcome to cater products not listed & of special requirement.

Proper infrastructure, Latest machinery, Volumetric Calibration equipments & well experienced technical staff is engaged to prepare world class glass equipments.

Our's is **ISO 9001 : 2015 & GMP certified Organization, having NABL (National Accreditation Board for testing & Calibration Laboratories)** for Mechanical Calibration of Glassware. We are also Regd. as **SSI** Unit with GM Industry, Govt. of Haryana, Ambala vide **Regn. No. AMB/SC/24/I dt. 11.05.1961.**

Moreover our unit is **Regd. as MSME** unit having **UAM Regn. No. HR01B0004268.**

On conclusion, we like to add that we value all our worthy customers suggestion, Guarantee & Warantee for all our manufactured items. We emboss our trademark **'LABCO'** on the products which are strictly tested before dispatch. We undertake special care for packing to avoid breakage in transit.

While placing your valued orders, please do mention our Catalogue numbers, minimum **Qty/Pack** alongwith description.

The Laboratory Glassware Company

3612,Timber Market, Ambala Cantt.- 133001

INDEX

A

Absorption Bulb 94
Absorption Pipette 110
Absorption Vessel 103
Adapters Various 42-47,49-50,100,114
Agate Mortar & Pestle Black 110
Air Condensers 28
Air Leak Tube 50
Albuminometer Esbash 88
Allihan Condenser 30
Aluminium Foil 98
Aluminium Test Tube Stands 128
All Quartz Glass Distillation Apparatus 66
Amber Glass Vials 27
Ammonia Distillation 69
Ampoules (Various) 92
Anderson Pipette 98
Anaerobic Culture Jar 112
Apron (Disposable) 142
Arsenic App. (Various) 103
Artificial Insemination Pipette 15
Asbestos Gloves 142
Aspirator Bottles 86 & 140
Assemblies Various 63-66
Autoclaves 127
Automatic Burettes 6-9
Auto Variac 120
Automizer Bulb 135

B

Barometer Digital 108
Beakers (Plain & Graduated) 81,114,138
Beakers (Philips) 81
Beakers for Karlfisher 81
Bechman's Freezing Point 98
Beckman's for Molecular Weight 98
Blood Sugar Tubes 88
B.O.D. Bottles 85
Bottles Various 82-87,114,138
Bottles General Purpose (Ordinary) 86-87
Bottle Wide Mouth Pouring Ring 85
Bottles Gas Washing 95
Bottle Top Dispensers 113,114
Boiling Point App. (Beckman) 98
Boiling Tube S Micro 110
Boss Heads 129
Buchhi Flask Evaporator 116
Buchhi Flasks 37
Buchner Funnel 60-61,137
Buchner Flasks 36 & 39
Bulk Density Cylinders (Vankle's) 23
Bunte Gas Burette 94
Burette Various 1-9
Burettes Automatic for (K.F. Apparatus) 9
Burette Clamp (Plastic) 139
Burettes With Telfon Plugged Staopcock 3-4
Burners 131
Burette Cleaning Brushes 9
Burette Clamps (Mettalic) 129
Butyrometers (Various) 105

C

Calcium Chloride Tubes 93-94
Calcium Chloride Tower 94
Caloemel Electrodes 97
Carbaryl Content Determination Apparatus 65
Carbon Burette 103
Carbon/Sulphur Glass Parts 103-104
Cavett Flasks for Blood Test 69
Centrifuge Tubes 24-25, 114, 140, 141
Centrifuge Machine 119
Chromatography Columns & App. 74-76
Chromatography Sprayers 101-102
Chloroform Bulb With Net 9
Chloroscope 89
Clamps Various 128-129
Claisen Head Sloping 48
Clevenger App. 71
Clinical Laboratory App. 88-89
Co-Agglulation tubes (Melting Point Tubes) 88
Coil Condenser 28-30
Coil Finger Condensor 30
Colony Counter 118
Columns Fractionating 58
Column Storage Cabinet 103
Cones (Imhoff) 23
Cones (Male Part of Joint) 42-43
Congealing Temperature Apparatus 64
Continuous Extraction Apparatus 73
Condensers All Types 28-30
Conical Flasks 36,39-41
Conical Flasks Wide Mouth 40
C.O.D. Digestion App. 126
Concavity Slides 90
Conductivity Cum TDS Meter 124
Conductivity Cell 124
Connecting Tubes 101
Coplin Jars 141

INDEX

Conway Diffussion Unit 91
Counting Chamber 89
Cover Slips 90
Cottrel Brown Boiling Poing App. 98
Cork Boring Machine 131
Cork Borers 131
Crude Fibre Estimation App. 118
Crow Receiver 23
Cryo Vials & Boxes 141
Crucible Sintered 60
Crucible Tongs 130
Crucible Sleeves for Glass Filtering 135
Crystallizing Dishes 41
Culture Tubes (Plain & Amber Colour) 27
Culture Flasks (Various) 91
Cyanide Distillation App. 65
Cylinders Graduated 19-22,139
Cylinder Rain Measure 23

D

Davies Condensor 29
Dean & Stark App. 70
Delivery Tubes 111
Demineraliser 67
Dewar Vaccum Flasks 101
Dessicators 102,139
Digestion Tubes 88,102
Dilatometers 99
Diamond Point Pencil 98
Digital Temperature Controller Unit 124
Digital Thermometer 106
Digital Pipettes 113
Digital PH Meter 124
Dirt Correction App. 98
Dissolution Vessels 35
Distillation Electrical (Heater in Glass) NPL Design 67
Distillation App. (Quartz) 66
Distillation Assemblies 63-69
Distillation Fractionation 65
Distillation of Water App. 63,66-67,124
Distillation App.Parts 28-50
Distillation Reflux 64-65
Distillation Flasks 38
Draining Basket 140
Dreyer's Aggulation Tubes 88
Dropping Bottles 85-86,110,138
Dropper (Glass) 110
Dropper (Disposable) 141
Dropping Funnels 55-57
Dry Bath Incubator 121
Drying Tray 41
Drying Tubes 50
Dumas Bulb 99
Durham's Tubes 88

E

Ear Plug 143
Ear Moff 143
Electrical Distillation (Heater Embedded in Glass App.) 67
Electrodes 97
Electrodes for Ph Meter 97
Elements (Spare) 143
Equilising Funnels (Pressure) 57-58
E.S.R.Tubes 15,88
Essential Oil Determination App. 71
Erlenmeyer Flask Graduated Wide Mouth 40
Evaporating Basin Glass 41
Evaporating Basin (Porcelain) 137
Extraction Soxhlet's 73
Expansion Adapters 45

F

Face Mask 142,143
Fermentation Vessel 104
Filter App. Various 60-62
Filter Holder Assembly (S.S) 62
Filter Pump 100
Filter Papers 111
Filter Paper Sheets (18"x22") 111
Filteration Flasks 36-39
Filter Holder (Manifold Type) 62
Filter Tubes 101
First Aid Box 143
Flasks Evapoator 116
Flask for Buchhi App. 37
Flask Cleaning Brushes 41
Flasks Measuring Various 16-18
Flasks All Type With Joints 31-41
Flask Graduated Conical 40
Flask Haffkine 40
Flask Stand (Plastic) 139
Fluoride Distillation app. 63
Forceps 131
Formaldehyde Content Determination Apparatus 66
Franz Diffusion Cell 97
Freeze Drying ampoules 92
Fractionating Columns 58
Fractionation Assemblies 65

INDEX

Frill Cap (Disposable) 142
Funnel Filtering 100 & 139
Fused Silica Laboratory Ware 112

G

Gas Analysis App. 96
Gas Collecting Tubes 94-95
Gas Delivery Tubes 111
Gas Desorber 93
Gas Jars 95
Gas Washing Bottles 95
Gas Taps 136
General Utility Sets 66
Glass Beads 59
Glass Cell (Cuvette) 112
Glass Engraving Pen, Battery operated 98
Disposable Syringes 89
Glassware Dryer 121
Gloves (Various) 142
Goggles (Safety) 142
Ground Joints Interchangeable 42-43
Graduated Test Tubes 26
Grip Clamps 43
Guides & Glands 52

H

Haemoglobin Tube 89
Haemoglobin Pipette 89
Hand Vaccum Pump 62
Heamocytometers 89
Heat Exchanger for Distillation 69
Haemometer Tube 89
Haemometer Set 89
Haemoglobinometer (Sahil's) 89
Hemple Gas Burette 94
Heating Elements 143
Heating Mantles 118
High Pressure Manometer 104
Hoffman Voltmeters 97
Hoffman Screw Clips 136
Hot Plates 119
Homogenisers 90
Human Thermometer 107
Hydrometer All Types 108 & 109
Hydroxypropoxy Determination Apparatus 65

I

Imhoff Cones 23
Imhoff Cone Stand (Perspex) 23
Infrared Thermometer 107
Inspection Card Viewing Strip 59
Impinger Tubes 93
Incubators 126
Inoculation Loop With Holder 110
Insemination Pippettes 15
Instrument Cover (Plexi Glass) 76
Interchangeable Ground Assemblies 63-68
Iodine Flasks 40

J

Jacketed Coil Condensors 28-29
Jacks for Laboratory 136
Jar Rectangular Museum 83-84
Jars Various Acrylic 84
Joints Standard 42 & 43
Junge's Melting Pt. App. 99

K

Kahn's Antigen Dilution Tubes 88
Kettles Resin Reaction 31
Khan Test Tube 88
Kemmer Hellet Nitrogen Distillation Apparatus 72
K.F. Burette (Automatic) 9
Kipp's Apparatus 96,111,139
Kjeldhal Bulb 98
Kjeldhal Distillation Assembly 71
Kjeldhal Distillation & Digestion Apparatus 116-118
Kjeldhal Reaction Vessel 127
Kjeldhal Flasks 36 & 40
Kjeldhal Digestion Unit 116-117
Kjeldhal Absorption Traps 72
Kjeldhal Digestion Tubes 102
Kjeldhal Distillation Unit 117
Kohlrausch Flasks 18
Kozelka & Hine Blood Test Apparatus 69
Kunderna Danish Evaporators 65

L

Lactometer 105
Landsberger App. 98
Lab Coat 142-143
Laboratory Stands, Clamps 128-130
Laboratory Safety Products 142-143
Laboratory Telfon Wares 114
Le-Chattlier Flasks 18
Leighton Tubes 27
Leibig's Condensors 28
Lock Stoppers 105

INDEX

M

Mac-Cortney Bottles 88
Majjonier Flasks 105
Magnifying Glass various 111
Magnetic Stirrers 120
Mancozeb Content Assembly 65
Manometers Various 97
Markham Semi Distillation Unit 72
Measuring Cylinders 19-22,139
Measuring Cylinders (Single Mark) 23
Measuring Flasks 16-18
Measuring Jugs 140
Mecoy's App. 98
Media Bottle (Jam Bottle) 87
Melting Pt. Tube (Theils) 99
Melting Point App. 120
Melting Pt. App (Glass) 99
Memo Glass 59
Melting Point Capillary 59
Mercury Distillation Assembly 65
Mercury Seal Glands & Guides 52
Methoxy Determination Assembly 65
Micro Kjeldhal Distillation 71-72
Micro Nitrogen Determinaion 72
Micro Pipette (Automatic) 113
Microscopic Slides 90
Micropipette Stand 113
Milk Pipette 15
Milk Testing App. 105
Millipore Membrane Filter Holder Assembly 61
Molecular Weight Determination App. 98
Moisture Determination App. 70
Mortar & Pestle (Porcelain) 137
Mortar & Pestle (Agate) 110
Mud Flasks 18
Murphy Drips 88
Multiple Adapters 45
Muffle Furnace (Liht Weight) 124

N

Nessler Cylinders (Plain & Stoppered) 22-23
Nessler Tube Stand 128
Nickle Crucibles 111
Nitrometers Lunge's 94
Nitrogen Determination App. 71-72

O

Occular Micrometer Disc 89
Oil Centrifuge Tubes 25
Oil Bath (High temp.) 123
Oil Free Portable Vaccum Pumps 62
Organ Tubes 89
Orsats Gas Analysis App. 96
Osmotic Pressure App. 104
Ovens 125
Ovens (Vaccum) 125-126
Oxygen Determination Assembly 96
Oxygen Purifying Assembly 104
Oxygen Combustion Flasks 98
Oxygen Tubes 89

P

Paking for Columns 59
Packing Support 59
Particle Size Determination App. 98
Paper Chromatography Cabinet 115
Pasteur Pipettes 15
Pear Shapped Flasks (All Type) 37-38
Perkin'sTriangle 47
Pestle & Mortar (Porcelain) 137
Petri Dishes 91,141
Petri Dishes (Poly) 141
Photosynthesis App. 104
Ph Meter 124
Ph Meter (Glass) 97
Pipette Box (Plastic) 139
Pipette Washers 119
Pipette Various 10-15
Pipettes Bulbs Rubber 15 & 135
Pipette Can (Metallic) 128
Pipette Pump 140
Pipette Stand 138
Plant Physiology App. 104
Platinum Wire Fused 110
Plasticware 138-141
Polarimeters Tubes 100
Polenske's Apparatus 105
Police Man Silicon Rubber 135
Porecelain Ware 137
Pollution Apparatus 93
Potometer Various 104
Preparation Assembly 63
Pressure Equalising Funnels 57-58
Propiptor (Natural) 135
Propiptor (Silicon) 135
Psychrometer 108
P.V.C.Rubber tubing 134
Pyknometers 99

INDEX

Q

Quartz Distillation App. 66
Quartz Cell 112

R

Rasching Rings 59
R.B.C. Pipette 89
Reaction Assemblies 64
Reaction Vessel (Kjeldhal) 127
Reactor Glass 31
Reagent Bottles 84-85
Receiver Adapters 46-47
Recovery Bend Sloping 47
Recovery Assemblies 64
Reduction Adapters 44,114
Reflux Assemblies 64-65
Reichert Wolleny's App. 105
Reservoir for Chromatography Column 76
Respirometer 104
Respiroscope 104
Retort Stand (Plastic) 138
Retorts 100
Retorts Rings 130
Ria Vials 141
R.M.Value App. 105
Root Pressure App. 104
Rotary Vaccum Evaporators 116
Rotary High Vaccum Pumps 127
Rotary Flask Shakers 121
Roux Culture Bottles 86
Rubber Sleeve Glands 52
Rubber Sheet 136
Rubber Tubes 133
Rubber Teat for Dropper 135
Rubber Corks 136
Rubber Cones for Filteration Flasks 135

S

Sampler (Glass) 35
Sampling Spoon (S.S) 131
Schoinger Flasks 98
Scissor 131
Screw Clips (Hoffman) 136
Sealing Machine (Polythene Sealing) 76
Sealing Machine (Vial Sealing & Desealing) 76
Sedimentation Pipettes 98
Sedimentation Cylinders 23
Semi Micro Analysis App. 110-111
Separating Funnels 53-58
Separating Funnels With Telfon Stopcock 53-54
Shaking Machines 121
Shoe Cover (Disposable) 142
Sintered Glassware 60-62
Silicon Cork for Mojjonier Flask 105
Silica Basins 112
Silica Crucible 112
Silicon Pipette Filler (Bulb) 15
Silicon Rubber Tubing 133
Silicon Rubber Cork 134
Silicon Rubber, Safety Rider for Vol. Flask 18
Silicon Vaccum Greese 98
Sintered Crucibles 60
Slides (Microscopic) 90
Sockets (Female Parts) 42-43
Soil Survey Instrument 108
Solid Changing Funnel 100
Solvents Recovery Assemblies 65
Soxhlet's Extraction App. 73
Soxhlet's Heating Unit 118
Soil Moisture Gauge 70
Spatula 102,110,114,130 & 131
Specific Gravity Bottles 83
Specimen Jars 102
Speed Regular Box (For Mechanical Stirrers) 120
Spiral Condensors 28-30
Spirit Lamp 111
Splash Heads 48
Splash Head Adapters for Rotavaps 37
Spherical Joints 43
Spreader (Glass) 89
Spreader (Poly) 141
Stage Micrometer 89
Stalaganometer 99
Stands & Clamps 128-130
Steam Distillation Heads 48
Steam Distillation Assemblies 63
Sterility Tubes & Stand 26
Storage Boxes (Poly) 140
Storage Vials 141
Shaking Machines 121
Stirrers Various 51-52,114,120
Stirrers Guides 52
Stirring Rods 51,114
Stirrers & Magnetic Stirrers 120
Still Heads 47
Stoppers Various 43-44,114
Stopcocks All Types 77-80
Stuffing Box Glands 52
Suba Seal Stopper 134-135
Suba Seal Stopper (Turnover Flange Septa) 134-135

INDEX

Sugar Flasks (Percentage) 18
Sulphur Burette 103
Sulphur Dioxide Assembly 64
Sulphonation Flask 18
Swan Neck Adapters 45
Swan Neck Taps 131
Syphon 100
Syringe (Disposable) 89
Syringe Stand 89

T

Tap Funnels 53-58
TDS Meter 124
Telfon Coated Magnetic Beeds 114
Telfon Bladed Stirrers 51
Telfon Blade for Stirrers (Spare) 51
Telfon Stopcocks 78-79
Temperature Control Unit (Digital) 124
Test Tube Graduated 25-26
Test Tube With or Without Stoppers 25-26
Test Tube All Types 25-27,114
Test Tube Holder (S.M) 110
Test Tube Baskets 140
Test Tube Brushes 110
Test Tubes Stands (Alluminum) 128
Test Tube Stand (Plexi Glass) 128
Test Tubes Shaker (Electrically Operated) 121
Thermometers Pockets 50
Thermometer All Types 106-108
Theil's Tube Melting Pt. 99
Thistle Funnels 100
Tissue Homogeniser 90.110
Tilt Measure 15
T.L.C Apparatus 115
T.L.C. Chamber 76
Titer Test Apparatus 65
Tongs Various 130-131
Trays (Enameled) 132
Trays (Poly) 140
Tripod Stands 130
Transport Number App. 97
Tubes Various 24-27,114
Tutwiler Gas Burette 98-94
Trysinising Flasks 91

U

Ultraviolet Inspection Cabinet 115
Ureometers 88
Utility Sets As Per Quikfit & Quartz 66

V

Vaccum Distillation Assemblies 63-64
Vaccum Drying Pistol 65
Vaccum Flasks 36 & 39
Vaccum Fractionation 65
Vaccum Oven 125-126
Vaccum Stopcocks 79-80
Vaccum Receiver Adapters 46
Vaccum Sublimation 65
Vaccum Pump for Filteration 62,100
Vaccum Pumps (Elctrically Operated) 62,127
Vacustat Gauge (Mc-Leod Gauge) 97
Variac Auto Transformer Various 120
Vapour Density App. 98
V.D.R.L. Bottles 88
V.D.R.L. Concavity Slides 90
V.D.R.L. Rotator 121
Vertical Autoclaves 127
Vials (Various) 27,87,88,141
Vial cabinet (Perspex) 59
Vidal Tubes 88
View Bulb 104
Victor Meyer App. 98
Viscometers 99
Volumetric Flasks 16-18
Voltameter Water (Hoffman) 97
Volatile Acid Determination App. 105
Vortex Shaker 121

W

Wash Bottle (Glass) 99
Wash Bottles Plastic 138
Watch Glass 111
Water Baths 111,122-123
Water Stills (Metal) 124
Water Still (All Glass)(Silica Sheathed Heaters) 68
Water Distillation App. (All Glass) 66-68
Water Softener 67
Wasserman Tubes 88
Weighing Bottles 82-83
Weight Boxes 132
Willmout Bubbler 104
Wintrode Tubes 88
Wire Gauze 111
Wilt's Filtering App. 60
Weighing Scoops 102
Weight Thermometer 99
Working Tray (S.S) 59
Woulf's Bottles 87
W.B.C. Pipette 89

VOLUMETRIC / GRADUATED GLASSWARE

BURETTES

501. **Burettes with Pinch Cock,** "LABCO", Rubber tubing and glass jet, Accuracy as per Class 'B' of I.S. 1997 : 2008.

Cat.No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./pack	Price/Piece Rs.
501/1	**10	0.05	0.05	10	220-00
501/2	25	0.10	0.10	10	200-00
501/3	50	0.10	0.10	10	205-00
501/4	100	0.20	0.20	10	210-00

502. **Burettes with Straight Bore Glass Key Stopcock,** "LABCO", Accuracy as per Class 'A' of I.S. 1997 : 2008 with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./pack	Price/Piece Rs.
502/1	**1	0.01	0.006	2	1050-00
502/2	**2	0.02	0.010	2	1050-00
502/3	**5	0.02	0.010	2	950-00
502/4	**10	0.05	0.020	2	845-00
502/5	25	0.10	0.050	2	750-00
502/5a	25	0.05	0.030	2	920-00
502/6	50	0.10	0.050	2	760-00
502/7	100	0.20	0.100	2	780-00

** with Cup Top

502L. **Burettes with Straight Bore Glass Key Stopcock,** "LABCO", Accuracy as per Class 'A' of I.S. 1997 : 2008 with NABL certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
502L/1	**1	0.01	0.006	1675-00
502L/2	**2	0.02	0.010	1675-00
502L/3	**5	0.02	0.010	1675-00
502L/4	**10	0.05	0.020	1675-00
502L/5	25	0.10	0.050	1625-00
502L/6	50	0.10	0.050	1675-00
502L/7	100	0.20	0.100	1650-00

** with Cup Top, + Not Covered in IS.

502M **Amber Colour Burettes, With Straight Bore Glass Key Stopcock,** "LABCO", accuracy as per Class 'A' of I.S. 1997 : 2008

Cat. no.	Cap. ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
502M/1	1	0.01	4	1050-00
502M/2	2	0.02	4	1050-00
502M/3	5	0.05	4	1050-00
502M/4	10	0.05	4	1050-00
502M/5	25	0.10	4	1100-00
502M/6	50	0.10	4	1160-00
502M/7	100	0.20	4	1200-00

* With cup top.





502ML

503



504

505

502ML Amber Colour Burettes, "LABCO", With Straight Bore Glass Key Stopcock. Accuracy as per I.S. 1997 : 2008 **Class 'A'** with NABL Certificate.

Cat. no.	Cap. ml.	Sub Div ml.	Tolerance ± ml.	Class A Glass key	Class A PTFE key
502ML/1	1	0.01	0.006	1775-00	1950-00
502ML/2	2	0.02	0.01	1775-00	1950-00
502ML/3	5	0.05	0.01	1775-00	1950-00
502ML/4	10	0.05	0.02	1775-00	1950-00
502ML/5	25	0.10	0.05	1700-00	1900-00
502ML/6	50	0.10	0.05	1775-00	1950-00
502ML/7	100	0.20	0.10	1775-00	2000-00

*** With cup top.**

503. Burettes with Straight Bore Glass Key Stopcock, "LABCO", Accuracy as per **Class 'B'** of I.S. 1997 : 2008

Cat No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
503/1	**1	0.01	0.01	6	470-00
503/2	**2	0.02	0.02	6	470-00
503/3	**5	0.02	0.02	6	370-00
503/4	**10	0.05	0.05	6	370-00
503/5	25	0.10	0.10	10	355-00
503/6	50	0.10	0.10	10	370-00
503/7	100	0.20	0.20	6	450-00

**** with Cup Top**

504. Burettes with Straight Bore Glass Key Stopcock, "LABCO", Accuracy as per **Class 'B'** of I.S. 1997 : 2008. Routine Quality (Light Wall).

Cat No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
504/1	25	0.10	0.10	10	295-00
504/2	50	0.10	0.10	10	330-00
504/3	100	0.20	0.20	10	410-00

505. Burettes with Screw Type Rotaflow Stopcock with PTFE key, "LABCO", Accuracy as per **Class 'A'** of I.S. 1997 : 2008.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
505/1	**1	0.01	0.006	2	1000-00
505/2	**2	0.02	0.010	2	1000-00
505/3	**5	0.02	0.010	2	925-00
505/4	**10	0.05	0.020	2	800-00
505/5	25	0.10	0.050	2	710-00
505/5a	25	0.05	0.030	2	900-00
505/6	50	0.10	0.050	2	725-00
505/7	100	0.20	0.100	2	750-00

**** with Cup Top**

505L. Burettes with Screw Type, PTFE Needle Valve Stopcock, "LABCO", Accuracy as per **Class 'A'** of I.S. 1997 : 2008. with NABL certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
505L/1	**1	0.01	0.006	1675-00
505L/2	**2	0.02	0.010	1675-00
505L/3	**5	0.02	0.010	1675-00
505L/4	**10	0.05	0.020	1675-00
505L/5	25	0.10	0.050	1625-00
505L/6	50	0.10	0.050	1675-00
505L/7	100	0.20	0.100	1650-00

**** with Cup Top, + Not Covered in IS.**

506. Burette with Screw Type Rotaflow Stopcock with PTFE key, "LABCO", Accuracy as per **Class 'B'** of I.S. 1997 : 2008. (Medium wall heavy type)

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
506/1	**1	0.01	0.01	6	460-00
506/2	**2	0.02	0.02	6	460-00
506/3	**5	0.02	0.02	6	365-00
506/4	**10	0.05	0.05	6	365-00
506/5	25	0.10	0.10	10	355-00
506/6	50	0.10	0.10	10	370-00
506/7	100	0.20	0.20	6	425-00

**** with Cup Top**

507. Burettes with Screw Type Rotaflow Stopcock with PTFE key, "LABCO", Accuracy as per **Class 'B'** of I.S 1997 : 2008. Routine Quality (Light Wall).

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
507/1	25	0.10	0.10	10	295-00
507/2	50	0.10	0.10	10	330-00
507/3	100	0.20	0.20	10	410-00

508. Burettes with Straight Bore PTFE key Stopcock, "LABCO", Accuracy as per **Class 'A'** of I.S. 1997 : 2008 with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
508/1	**1	0.01	0.006	2	1200-00
508/2	**2	0.02	0.010	2	1200-00
508/3	**5	0.02	0.010	2	1050-00
508/4	**10	0.05	0.020	2	940-00
508/5	25	0.10	0.050	2	890-00
508/5a	25	0.05	0.030	2	1050-00
508/6	50	0.10	0.050	2	900-00
508/7	100	0.20	0.100	2	925-00

**** with Cup Top**



505L



506



507

508



508L. Burettes with Straight Bore PTFE key Stopcock, "LABCO", Accuracy as per **Class 'A'** of I.S. 1997 : 2008 with NABL certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
508L/1	**1	0.01	0.006	1870-00
508L/2	**2	0.02	0.010	1870-00
508L/3	**5	0.02	0.010	1870-00
508L/4	**10	0.05	0.020	1870-00
508L/5	25	0.10	0.050	1870-00
508L/6	50	0.10	0.050	1870-00
508L/7	100	0.20	0.100	1950-00

**** with Cup Top, + Not Covered in IS.**

508M Amber Colour Burettes, With Straight Bore PTFE Key Stopcock, "LABCO", accuracy as per **Class 'A'** of I.S. 1997 : 2008

Cat. no.	Cap. ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
508M/1	1	0.01	2	1300-00
508M/2	2	0.01	2	1300-00
508M/3	5	0.02	2	1300-00
508M/4	10	0.05	2	1300-00
508M/5	25	0.10	2	1350-00
508M/6	50	0.10	2	1425-00
508M/7	100	0.20	2	1550-00

*** With cup top.**

508ML Amber Colour Burettes, With Straight Bore PTFE Key Stopcock, "LABCO", accuracy as per **Class 'A'** of I.S. 1997 : 2008 with NABL Certificate.

Cat. no.	Cap. ml.	Sub Div ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
508ML/1	1	0.01	0.006	2	1945-00
508ML/2	2	0.02	0.01	2	1945-00
508ML/3	5	0.05	0.01	2	1945-00
508ML/4	10	0.05	0.02	2	1945-00
508ML/5	25	0.10	0.05	2	1945-00
508ML/6	50	0.10	0.05	2	1945-00
508ML/7	100	0.20	0.10	2	2025-00

*** With cup top.**

509. Burettes with Straight Bore PTFE Key Stopcock, "LABCO", Accuracy as per **Class 'B'** of IS 1997 : 2008.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
509/1	**1	0.01	0.01	2	610-00
509/2	**2	0.02	0.02	2	610-00
509/3	**5	0.02	0.02	2	610-00
509/4	**10	0.05	0.05	2	610-00
509/5	25	0.10	0.10	2	575-00
509/6	50	0.10	0.10	2	590-00
509/7	100	0.20	0.20	2	675-00

**** with Cup Top**

510. Burettes, Double Oblique Bore Stopcock, 3-way, "LABCO", Accuracy as per **Class 'A'** of IS 1997 : 2008, with work certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
510/1	10	0.05	0.02	900-00
510/2	25	0.10	0.05	800-00
510/3	50	0.10	0.05	810-00
510/4	100	0.20	0.10	860-00

511. Burettes, Double Oblique Bore Stopcock, 3-way, "LABCO", Accuracy as per **Class 'B'** of IS 1997 : 2008.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
511/1	10	0.05	0.05	470-00
511/2	25	0.10	0.10	440-00
511/3	50	0.10	0.10	450-00
511/4	100	0.20	0.20	525-00

512. Burettes, Double Bore Screw type Rotaflow Stopcock with PTFE Keys, "LABCO", Accuracy as per **Class 'A'** of IS 1997 : 2008, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
512/1	10	0.05	0.02	925-00
512/2	25	0.10	0.05	900-00
512/3	50	0.10	0.05	925-00
512/4	100	0.20	0.10	990-00

513. Burettes, Double Bore Screw type Rotaflow Stopcock with PTFE Keys, "LABCO", Accuracy as per **Class 'B'** of I.S. 1997 : 2008.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
513/1	10	0.05	0.05	610-00
513/2	25	0.10	0.10	575-00
513/3	50	0.10	0.10	610-00
513/4	100	0.20	0.10	700-00

514. Burettes, Double Oblique Bore PTFE Key Stopcock, 3-way, "LABCO", Accuracy as per **Class 'A'** of I.S. 1997 : 2008 with works certificates.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
514/1	10	0.05	0.02	1350-00
514/2	25	0.10	0.05	1350-00
514/3	50	0.10	0.05	1375-00
514/4	100	0.20	0.10	1400-00

NOTE : 1 ml., 2 ml. and 5 ml. Burettes to Cat. No. 510 to 514 can also be supplied at the prices of 10 ml. burettes in respective Cat. Nos.

515. Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore Stopcock, 3-way, Accuracy as per **Class 'A'** of IS 1997 : 2008 with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
515/1	10	0.05	0.02	1150-00
515/2	25	0.10	0.05	1150-00
515/3	50	0.10	0.05	1200-00
515/4	100	0.20	0.10	1275-00









516. Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore Stopcock, 3-way, Accuracy as per **Class 'B'** of IS 1997 : 2008, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
516/1	10	0.05	0.05	725-00
516/2	25	0.10	0.10	725-00
516/3	50	0.10	0.10	790-00
516/4	100	0.20	0.20	840-00

517. Burettes, Over Flow Cup, Automatic Zero, Double Bore Screw type Rotaflow Stopcock with PTFE Keys, 3-way, Accuracy as per **Class 'A'** of IS 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
517/1	10	0.05	0.02	1300-00
517/2	25	0.10	0.05	1300-00
517/3	50	0.10	0.05	1325-00
517/4	100	0.20	0.10	1450-00

518. Burettes, Over Flow Cup, Automatic Zero, Double Bore Screw type Rotaflow Stopcock with PTFE Keys, 3-way, Accuracy as per **Class 'B'** of IS 1997 : 2008, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
518/1	10	0.05	0.05	910-00
518/2	25	0.10	0.10	910-00
518/3	50	0.10	0.10	940-00
518/4	100	0.20	0.20	1000-00

519. Burettes, Over Flow Cup, Automatic Zero, Double Oblique Bore PTFE Key Stopcock, 3-way, Accuracy as per **Class 'A'** of IS 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
519/1	10	0.05	0.02	1950-00
519/2	25	0.10	0.05	1950-00
519/3	50	0.10	0.05	2000-00
519/4	100	0.20	0.10	2050-00

520. Burettes, Micro, Automatic Filling Device with Reservoir, Accuracy as per **Class 'A'** of IS 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
520/1	1	0.01	0.006	1550-00
520/2	2	0.02	0.010	1550-00
520/3	5	0.02	0.010	1550-00
520/4	10	0.05	0.020	1550-00

521. Burettes, Automatic Zero, mounted on Reservoir, Accuracy as per **Class 'A'** of I.S. 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
521/1	10	0.05	0.02	5000-00
521/2	25	0.10	0.05	6000-00
521/2a	25	0.05	0.03	7350-00
521/3	50	0.10	0.05	6300-00
521/4	100	0.20	0.10	6600-00

521L. Burettes, Automatic Zero, "LABCO", mounted on Reservoir, glass key stopcock. Accuracy as per **Class 'A'** of I.S. 1997 : 2008, with NABL certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
521L/1	10	0.05	0.02	5650-00
521L/2	25	0.10	0.05	6850-00
521L/3	50	0.10	0.05	7000-00
521L/4	100	0.20	0.10	7400-00

521M Amber Colour Burettes, "LABCO", Automatic zero, mounted on Reservoir, glass key stopcock. accuracy as per I.S. 1997 : 2008 with rubber bellow.

Cat. no.	Cap. ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
521M/1	10	0.05	1	7000-00
521M/2	25	0.10	1	7400-00
521M/3	50	0.10	1	8475-00
521M/4	100	0.20	1	8800-00

Note : Reservoir Capacity 500 ml. for 10 ml. burette and 2000 ml. for 25,50 and 100 ml. burettes.

521ML Amber Colour Burettes, "LABCO", Automatic zero, with glass key Stopcock, mounted on Reservoir, with accuracy as per I.S. 1997 : 2008 **Class 'A'** with NABL Certificate.

Cat. no.	Cap. ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
521ML/1	10	0.05	1	7700-00
521ML/2	25	0.10	1	8050-00
521ML/3	50	0.10	1	9100-00
521ML/4	100	0.20	1	9550-00

522. Burettes, Automatic Zero, mounted on Reservoir, Accuracy as per **Class 'B'** of IS 1997 : 2008, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
522/1	10	0.05	0.05	4300-00
522/2	25	0.10	0.10	5000-00
522/3	50	0.10	0.10	5200-00
522/4	100	0.20	0.20	5600-00

523. Burettes, Automatic Zero, mounted on Reservoir, with screw type Rotaflow Stopcock with PTFE Key, Accuracy as per **Class 'A'** of IS 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
523/1	10	0.05	0.02	5000-00
523/2	25	0.10	0.05	6000-00
523/3	50	0.10	0.05	6300-00
523/4	100	0.20	0.10	6600-00





523L



523M



524



525

525L

523L. Burettes, Automatic Zero, "LABCO", mounted on Reservoir, with screw type PTFE Needle Valve Stopcock, Accuracy as per **Class 'A'** of I.S. 1997 : 2008, with NABL certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
523L/1	10	0.05	0.02	5650-00
523L/2	25	0.10	0.05	6850-00
523L/3	50	0.10	0.05	7000-00
523L/4	100	0.20	0.10	7400-00

523M Amber Colour Burettes, "LABCO", Automatic Zero, Screw Type PTFE needle valve stopcock mounted on reservoir, accuracy as per **Class 'A'** of I.S. 1997:2008, ISO 385:2005 with work certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
523M/1	10	0.05	0.02	7000-00
523M/2	25	0.10	0.05	7400-00
523M/3	50	0.10	0.05	8500-00
523M/4	100	0.20	0.10	8800-00

524. Burettes, Automatic Zero, mounted on Reservoir, with screw type Rotaflow Stopcock with PTFE Key, Accuracy as per **Class 'B'** of IS 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
524/1	10	0.05	0.05	4300-00
524/2	25	0.10	0.10	5000-00
524/3	50	0.10	0.10	5200-00
524/4	100	0.20	0.20	5600-00

525. Burettes, Automatic Zero, mounted on Reservoir, with PTFE Key Stopcock, Accuracy as per **Class 'A'** of I.S. 1997 : 2008, with works certificate, **"LABCO".**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
525/1	10	0.05	0.02	5400-00
525/2	25	0.10	0.05	6400-00
525/3	50	0.10	0.05	6600-00
525/4	100	0.20	0.10	6900-00

525L. Burettes, Automatic Zero, "LABCO", mounted on Reservoir, with PTFE Key Stopcock, Rubber Bellow. Accuracy as per **Class 'A'** of I.S. 1997 : 2008, with NABL certificate..

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
525L/1	10	0.05	0.02	6100-00
525L/2	25	0.10	0.05	7000-00
525L/3	50	0.10	0.05	7200-00
525L/4	100	0.20	0.10	7600-00

525M **Amber Colour Burettes, "LABCO",** Automatic Zero, with PTFE Key stopcock mounted on reservior, accuracy as per I.S. 1997:2008, ISO 385:2005, **Class 'A'.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
525M/1	10	0.05	0.02	7250-00
525M/2	25	0.10	0.05	7800-00
525M/3	50	0.10	0.05	8850-00
525M/4	100	0.20	0.10	9200-00

525ML **Amber Colour Burettes Automatic Zero, with PTFE Key stopcock, "LABCO",** mounted on reservior, accuracy as per **Class 'A'** of I.S. 1997:2008 with NABL works certificate

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
525ML/1	10	0.05	0.02	8000-00
525ML/2	25	0.10	0.05	8450-00
525ML/3	50	0.10	0.05	9300-00
525ML/4	100	0.20	0.10	9850-00

526 **Burette Automatic For K.F. Apparatus** - With Automatic zero device at top & syphon type return for overflow, complete with Calcium Chloride tube & Amber Coloured reservoir of Capacity 500 ml. Provided with two high vaccum PTFE leakproof stopcocks Class 'A' with works certificate.

Cat. No.	Cap. ml	Sub Div. ml	Tolerance ± ml	Teflon Key
526/1	10	0.05	0.02	5800-00
526/2	25	0.05	0.02	6800-00

527 **Rubber Bellow with cotton net for Automatic Burettes** 385-00

528 **Burette Cleaning Brush 30" long,** Nylon (Pack of 10pcs) 675-00



525M

525ML



526



527

528

PIPETTES



540. **Pipettes Transfer Volumetric,** "LABCO", with one mark, Accuracy as per Class 'A' of I.S. 1117 : 1975 with works certificate, Supplied with colour code.

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
540/1	1	0.006	6	180-00
540/2	2	0.010	6	180-00
540/3	3	0.010	6	180-00
540/4	4	0.010	6	180-00
540/5	5	0.015	6	185-00
540/6	10	0.020	6	185-00
540/7	15	0.030	6	225-00
540/8	20	0.030	6	225-00
540/9	25	0.030	6	230-00
540/10	50	0.050	4	300-00
540/11	100	0.080	4	425-00

540L. **Pipettes Transfer Volumetric,** "LABCO", with one mark, Accuracy as per Class 'A' of I.S. 1117 : 1975 with NABL certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
540L/1	1	0.006	10	450-00
540L/2	2	0.010	10	450-00
540L/3	3	0.010	10	450-00
540L/4	4	0.010	10	450-00
540L/5	5	0.015	10	450-00
540L/6	6	0.015	10	450-00
540L/7	7	0.015	10	450-00
540L/8	8	0.020	10	450-00
540L/9	9	0.020	10	450-00
540L/10	10	0.020	10	450-00
540L/11	15	0.030	10	450-00
540L/12	20	0.030	10	475-00
540L/13	25	0.030	10	475-00
540L/14	50	0.050	10	500-00
540L/15	100	0.080	10	550-00

540M **Amber Coloured Pipettes Transfer Volumetric,** "LABCO", with one mark, Accuracy as per Class 'A' of I.S. 1117 : 1975.

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
540M/1	1	0.006	5	225-00
540M/2	2	0.01	5	225-00
540M/3	5	0.015	5	225-00
540M/4	10	0.02	5	250-00
540M/5	20	0.03	5	280-00
540M/6	25	0.05	5	280-00
540M/7	50	0.05	5	390-00
540M/8	100	0.08	5	485-00

540ML Amber Coloured Pipettes Transfer Volumetric, "LABCO", with one mark, Accuracy as per **Class 'A'** of I.S. 1117:1975, with NABL works certificate

Cat No.	Capacity ml.	Tolerance ±	Min. Qty./Pack	Price/Piece Rs.
540ML/1	1	0.006	2	555-00
540ML/2	2	0.010	2	555-00
540ML/3	5	0.015	2	555-00
540ML/4	10	0.02	2	560-00
540ML/5	20	0.03	2	600-00
540ML/6	25	0.05	2	600-00
540ML/7	50	0.05	2	660-00
540ML/8	100	0.08	2	710-00

540a. Pipettes Transfer Volumetric, "LABCO", with one mark, Accuracy as per **Class 'A' USP (US Pharmacopeia) with Certificate.**

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
540a/1	1	0.006	6	190.00
540a/2	2	0.006	6	190.00
540a/3	3	0.01	6	190.00
540a/4	4	0.01	6	190.00
540a/5	5	0.01	6	195.00
540a/6	6	0.01	6	200.00
540a/7	7	0.01	6	200.00
540a/8	8	0.02	6	210.00
540a/9	9	0.02	6	210.00
540a/10	10	0.02	6	215.00
540a/11	15	0.03	6	215.00
540a/12	20	0.03	6	260.00
540a/13	25	0.03	6	265.00
540a/14	30	0.03	6	270.00
540a/15	40	0.05	6	350.00
540a/16	50	0.05	6	375.00
540a/17	100	0.08	6	470.00

541. Pipettes Transfer, "LABCO", Volumetric, with one mark, Medium wall. Accuracy as per **Class 'B'** of I.S. 1117 : 1975.

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
541/1	1	0.015	6	110-00
541/2	2	0.020	6	110-00
541/3	3	0.020	6	110-00
541/4	4	0.020	6	110-00
541/5	5	0.030	6	110-00
541/6	10	0.040	6	115-00
541/7	15	0.040	6	125-00
541/8	20	0.060	6	130-00
541/9	25	0.060	6	130-00
541/10	50	0.100	4	185-00
541/11	100	1.160	4	240-00

Note :For Safety Bulb for Cat. No.540, 541 & 542 Rs. 2.00 extra.



540ML

540a

541



542. **Pipettes Transfer, "LABCO",** Volumetric, with one mark, Light wall. Accuracy as per **Class 'B'** of I.S. 1117 : 1975.

Cat. No.	Capacity ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
542/1	1	0.015	10	84-00
542/2	2	0.020	10	88-00
542/3	5	0.030	10	93-00
542/4	10	0.040	10	95-00
542/5	20	0.060	10	110-00
542/6	25	0.060	10	115-00
542/7	50	0.100	6	160-00
542/8	100	1.160	6	225-00

543. **Pipettes, Measuring, Graduated, Serological, "LABCO",** Accuracy as per **Class 'A'** of I.S / ISO 835 : 2007 with works certificate. (These pipettes are graduated to tip and calibrated to deliver their total capacity when the last drop is blown out) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
543/1	0.1	0.01	0.006	6	220-00
543/2	0.2	0.01	0.006	6	220-00
543/3	0.5	0.02	0.006	6	220-00
543/4	1.0	0.01	0.006	6	220-00
543/5	1.0	0.10	0.006	6	220-00
543/6	2.0	0.02	0.010	6	220-00
543/7	2.0	0.10	0.010	6	220-00
543/8	5.0	0.05	0.030	6	220-00
543/9	5.0	0.10	0.050	6	220-00
543/10	10.0	0.10	0.050	6	220-00
543/11	25.0	0.20	0.100	6	310-00

543L. **Pipettes, Measuring, Graduated, Serological, "LABCO",** Accuracy as per **Class 'A'** of I.S / ISO 835 : 2007 with NABL certificate. (These pipettes are graduated to deliver from any Graduation line down to zero at the jet, with last drop expelled by blowing) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
543L/1	1.0	0.01	0.006	500-00
543L/2	1.0	0.10	0.006	500-00
543L/3	2.0	0.02	0.010	500-00
543L/4	2.0	0.10	0.010	500-00
543L/5	5.0	0.05	0.030	500-00
543L/6	5.0	0.10	0.050	500-00
543L/7	10.0	0.10	0.050	500-00
543L/8	25.0	0.20	0.100	530-00

543M **Amber Coloured Pipettes, Measuring, Graduated, Serological, "LABCO",** Accuracy as per **Class 'A'** of I.S / ISO 835 : 2007.

Cat. No.	Capacity ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
543M/1	0.1	0.01	2	300-00
543M/2	0.2	0.01	2	300-00
543M/3	0.5	0.02	2	300-00
543M/4	1.0	0.01	2	300-00
543M/5	1.0	0.10	2	300-00
543M/6	2.0	0.02	2	300-00
543M/7	2.0	0.10	2	300-00
543M/8	5.0	0.10	2	300-00
543M/9	5.0	0.05	2	300-00
543M/10	10.0	0.10	2	300-00
543M/11	25.0	0.20	2	350-00

543ML **Amber Coloured Pipettes, Measuring, Graduated, Serological, "LABCO",** Accuracy as per **Class 'A'** with NABL certificate. of I.S / ISO 835 : 2007.

Cat. No.	Capacity ml. ml.	Sub Div Rs.	Price/Piece
543ML/1	1.0	0.01	580-00
543ML/2	1.0	0.10	580-00
543ML/3	2.0	0.02	580-00
543ML/4	2.0	0.10	580-00
543ML/5	5.0	0.10	580-00
543ML/6	5.0	0.05	580-00
543ML/7	10.0	0.10	580-00
543ML/8	25.0	0.20	600-00

544. **Pipettes, Measuring, Graduated, Serological, "LABCO",** Accuracy as per **Class 'B'** (These pipettes are graduated to tip and calibrated to deliver their total capacity when the last drop is blown out.) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
544/1	0.1	0.01	0.01	12	130-00
544/2	0.2	0.01	0.01	12	130-00
544/3	0.5	0.02	0.01	12	130-00
544/4	1.0	0.01	0.01	12	130-00
544/5	1.0	0.10	0.01	12	130-00
544/6	2.0	0.02	0.02	12	130-00
544/7	2.0	0.10	0.02	12	130-00
544/8	5.0	0.05	0.05	12	130-00
544/9	5.0	0.10	0.10	12	130-00
544/10	10.0	0.10	0.10	12	130-00
544/11	25.0	0.20	0.20	12	150-00

545. **Pipettes, Measuring, Graduated, Mohr type, "LABCO",** Accuracy as per **Class 'A'** of I.S. /ISO 835:2007 with works certificate. (These pipettes are graduated for the delivery from zero mark to the graduation mark.) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
545/1	0.1	0.01	0.006	6	220-00
545/2	0.2	0.01	0.006	6	220-00
545/3	0.5	0.02	0.006	6	220-00
545/4	1.0	0.01	0.006	6	220-00
545/5	1.0	0.10	0.006	6	220-00
545/6	2.0	0.02	0.010	6	220-00
545/7	2.0	0.10	0.010	6	220-00
545/8	5.0	0.05	0.030	6	220-00
545/9	5.0	0.10	0.030	6	220-00
545/10	10.0	0.10	0.050	6	220-00
545/11	25.0	0.20	0.100	6	310-00



543M 543ML



545 544



545M 545L



545ML 546

545L. Pipettes, Measuring, Graduated, Mohr type, "LABCO", Accuracy as per **Class 'A'** of I.S. / ISO 835:2007 with NABL certificate. (These pipettes are calibrated to the delivery from zero at top to graduation mark.) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
545L/1	0.1	0.01	0.006	500-00
545L/2	0.2	0.01	0.006	500-00
545L/3	0.5	0.02	0.006	500-00
545L/4	1.0	0.01	0.006	500-00
545L/5	1.0	0.10	0.006	500-00
545L/6	2.0	0.02	0.010	500-00
545L/7	2.0	0.10	0.010	500-00
545L/8	5.0	0.05	0.030	500-00
545L/9	5.0	0.10	0.030	500-00
545L/10	10.0	0.10	0.050	500-00
545L/11	25.0	0.20	0.100	530-00

545M Amber Colour Pipettes, Graduated, Mohr's type "LABCO", accuracy as per **Class 'A'** of I.S. / ISO 835:2007.

Cat. No.	Capacity ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
545M/1	0.1	0.01	2	300-00
545M/2	0.2	0.01	2	300-00
545M/3	0.5	0.02	2	300-00
545M/4	1.0	0.01	2	300-00
545M/5	1.0	0.10	2	300-00
545M/6	2.0	0.02	2	300-00
545M/7	2.0	0.10	2	300-00
545M/8	5.0	0.10	2	300-00
545M/9	5.0	0.05	2	300-00
545M/10	10.0	0.10	2	300-00
545M/11	25.0	0.20	2	350-00

545ML Amber Colour Pipettes, Measuring Graduated, Mohr's type, "LABCO", accuracy as per **Class 'A'** of I.S / ISO 835 : 2007 with NABL works Certificate.

Cat. No.	Capacity ml. ml.	Sub Div Rs.	Price/Piece
545ML/1	1.0	0.01	580-00
545ML/2	1.0	0.10	580-00
545ML/3	2.0	0.02	580-00
545ML/4	2.0	0.10	580-00
545ML/5	5.0	0.10	580-00
545ML/6	5.0	0.05	580-00
545ML/7	10.0	0.10	580-00
545ML/8	25.0	0.20	600-00

546. Pipettes, Measuring, Graduated, Mohr type, "LABCO", Accuracy as per **Class 'B'** of I.S. 4162 : 1985. (These pipettes are graduated for delivery from zero mark to the graduation mark.) **Colour coded.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
546/1	0.1	0.01	0.01	12	130-00
546/2	0.2	0.01	0.01	12	130-00
546/3	0.5	0.02	0.01	12	130-00
546/4	1.0	0.01	0.01	12	130-00
546/5	1.0	0.10	0.01	12	130-00
546/6	2.0	0.02	0.02	12	130-00
546/7	2.0	0.10	0.02	12	130-00
546/8	5.0	0.05	0.05	12	130-00
546/9	5.0	0.10	0.10	12	130-00
546/10	10.0	0.10	0.10	12	130-00
546/11	25.0	0.20	0.20	12	150-00

549. **Automatic Pipettes, "LABCO", with Overflow Cup. Class 'A'** with works certificate.

Cat. No.	Capacity ml. ± ml.	Tolerance Rs.	Price/Piece
549/1	5	0.06	650-00
549/2	10	0.08	650-00
549/3	20	0.10	700-00
549/4	25	0.12	700-00
549/5	50	0.15	750-00
549/6	100	0.25	750-00

551. **Pipettes Automatic "LABCO",** Quick acting for rapid work of approximate accuracy **(Tilt Measure)** Complete with Conical Flask and interchangeable joint.

Cat. No.	Capacity ml. ml.	Reservoir Cap. Rs.	Price/Piece
551/1	1	100	560-00
551/2	2	100	560-00
551/3	5	250	600-00
551/4	10	250	600-00
551/5	20	500	630-00
551/6	25	500	630-00

552. **Pipettes for Milk Testing "LABCO",** 10.75 ml. as per I.S. pecification No. 1223 (Part II) : 1972. 110-00

553. -do- Class A with works certificate, **"LABCO".** 158-00

553L -do- Class A with NABL works certificate, **"LABCO"** 460-00

554. **Pipette for Milk Test "LABCO",** Bacteriological Graduated as per I.S. Specifications No. 2025 : 1962.

Cat. No.	Capacity ml.	Marked at ml.	Tolerance ± ml.	Price/Piece Rs.
554/1	1.1	0.5, 1 & 1.1	0.025	145-00
554/2	2.2	1.0, 2.0, 2.1 & 2.2	0.040	155-00

555. **Pipette Alcohal, "LABCO",** 1 ml., one mark. 54-00

556. **Pipette E.S.R. "LABCO",** 200 mm. graduation, 300 mm long. 70-00

560. **Pipette, Artificial Insemination, Cattle, Taper Tip.** Neutral Hard Glass, 450mm. long. 68-00

561. **Pipette, Pasteur, Borosilicate Glass w/o teat**
Length 145 mm. 14-00
Length 230 mm. 16-00

562 **Silicon Pipette Filler (Bulb)**

Cat. No.	Size ml.	Capacity ± ml.	Minimum Qty / Pack	Price/Piece Rs.
562/1	Small	5	5	34-00
562/2	Medium	10	5	44-00
562/3	Large	15	5	50-00
562/4	X. Large	20	5	69-00
562/5	Oval Shape	25	5	160-00
562/6	XX. Large	50	5	320-00
562/7	XXX. Large	100	5	440-00



MEASURING / VOLUMETRIC FLASKS



580

580. **Flask Volumetric (Measuring)** "LABCO", with interchangeable stopper, accuracy as per Class 'A' of I.S. 915 : 2012, with works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Min. Qty./Pack	Price/Piece Rs.
580/1	*1	0.010	10/15	2	400-00
580/2	*2	0.015	10/15	2	400-00
580/3	5	0.025	10/15	2	380-00
580/4	10	0.025	10/15	2	385-00
580/5	15	0.025	10/15	2	385-00
580/5a	20	0.040	10/15	2	345-00
580/6	25	0.040	10/15	2	345-00
580/7	30	0.040	10/15	2	345-00
580/8	50	0.060	10/15	2	350-00
580/9	75	0.060	14/15	2	360-00
580/10	100	0.100	14/15	2	365-00
580/11	150	0.100	14/15	2	490-00
580/12	200	0.150	14/15	2	490-00
580/13	250	0.150	14/15	2	490-00
580/14	300	0.150	14/15	2	640-00
580/15	500	0.250	19/20	2	800-00
580/16	1000	0.400	19/20	2	1175-00
580/17	1500	0.600	24/25	2	1850-00
580/18	2000	0.600	24/25	2	2100-00
580/19	5000	1.200	34/35	1	11000-00

*** 1 ml. and 2 ml. Volumetric Flasks are of Test Tube shape.**



580L

580L. **Flask Volumetric (Measuring)** "LABCO", with interchangeable stopper, accuracy as per Class 'A' of I.S. 915 : 2012 with NABL certificate.

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Price/Piece Rs.
580L/1	*1	0.010	10/15	615-00
580L/2	*2	0.015	10/15	615-00
580L/3	5	0.025	10/15	620-00
580L/4	10	0.025	10/15	630-00
580L/5	20	0.040	10/15	600-00
580L/5a	25	0.040	10/15	580-00
580L/6	50	0.060	10/15	550-00
580L/7	100	0.100	14/15	540-00
580L/8	200	0.150	14/15	760-00
580L/9	250	0.150	14/15	760-00
580L/10	500	0.250	19/20	1000-00
580L/11	1000	0.400	19/20	1475-00
580L/12	2000	0.600	24/25	2375-00

***1 ml. and 2 ml. Volumetric Flasks are of Test Tube shape.**

580M **Amber Colour Flasks Volumetric, "LABCO",** With interchangeable stopper, accuracy as per I.S. 915 : 2012 Class 'A'

Cat. No.	Capacity ml.	Tolerance ± ml	Stopper Size	Minimum Qty./Pack	Price/Piece Rs.
580M/1	*1	0.010	10/15	2	470-00
580M/2	*2	0.015	10/15	2	470-00
580M/3	5	0.025	10/15	2	475-00
580M/4	10	0.025	10/15	2	480-00
580M/5	15	0.025	10/15	2	490-00
580M/5a	20	0.040	10/15	2	460-00
580M/6	25	0.040	10/15	2	470-00
580M/7	30	0.040	10/15	2	525-00
580M/8	50	0.060	10/15	2	455-00
580M/9	75	0.060	14/15	2	500-00
580M/10	100	0.100	14/15	2	485-00
580M/11	150	0.100	14/15	2	535-00
580M/12	200	0.150	14/15	2	630-00
580M/13	250	0.150	14/15	2	630-00
580M/14	300	0.150	14/15	2	640-00
580M/15	500	0.250	19/20	2	980-00
580M/16	1000	0.400	19/20	2	1450-00
580M/17	1500	0.600	24/25	2	2950-00
580M/18	2000	0.600	24/25	2	2700-00
580M/19	5000	1.200	34/35	1	15700-00

**** 1 ml and 2 ml sizes are of Test Tube shape.***

580ML **Amber Colour Flask Volumetric (Measuring)** **"LABCO",** With interchangeable Glass stopper, accuracy as per **Class 'A'** of I.S. 915 : 2012, with NABL works certificate.

Cat. No.	Capacity ml.	Tolerance ± ml	Stopper Size	Minimum Qty./Pack	Price/Piece Rs.
580ML/1	1	0.025	10/15	2	645-00
580ML/2	2	0.025	10/15	2	645-00
580ML/3	5	0.025	10/15	2	645-00
580ML/4	10	0.025	10/15	2	645-00
580ML/5	20	0.04	10/15	2	675-00
580ML/5a	25	0.04	10/15	2	675-00
580ML/6	50	0.06	10/15	2	725-00
580ML/7	100	0.10	14/15	2	800-00
580ML/8	200	0.15	14/15	2	945-00
580ML/9	250	0.15	14/15	2	945-00
580ML/10	500	0.25	19/20	2	1400-00
580ML/11	1000	0.40	19/20	2	1925-00
580ML/12	2000	0.60	24/25	2	3400-00

**** 1 ml and 2 ml sizes are of Test Tube shape.***

580U **Flask Volumetric (Measuring)** **"LABCO",** interchangeable stopper. Accuracy tolerance as per **USP** standard. **Class 'A'** with works certificate

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Min. Qty./Pack	Price/Piece Rs.
580U/3	5	0.02	10/15	2	475-00
580U/4	10	0.02	10/15	2	485-00
580U/5	20	0.03	10/15	2	385-00
580U/5a	25	0.03	10/15	2	385-00
580U/6	50	0.05	10/15	2	385-00
580U/7	100	0.08	14/15	2	400-00
580U/8	200	0.12	14/15	2	540-00
580U/9	250	0.12	14/15	2	545-00
580U/10	500	0.15	19/20	2	875-00
580U/11	1000	0.30	19/20	2	1200-00
580U/12	2000	0.50	24/25	2	2300-00



580M



580ML



580U



581. **Flask Volumetric (Measuring)** "LABCO", with interchangeable stopper, accuracy as per Class 'B' of I.S. 915 : 2012

Cat. No.	Capacity ml.	Tolerance ± ml.	Stopper Size	Min. Qty./Pack	Price/Piece Rs.
581/1	*1	0.02	10/15	2	145-00
581/2	*2	0.03	10/15	2	145-00
581/3	5	0.05	10/15	2	155-00
581/4	10	0.05	10/15	2	160-00
581/5	20	0.05	10/15	2	150-00
581/5a	25	0.08	10/15	2	150-00
581/6	50	0.12	10/15	2	180-00
581/7	100	0.20	14/15	2	210-00
581/8	200	0.30	14/15	2	240-00
581/9	250	0.30	14/15	2	240-00
581/10	500	0.50	19/20	2	380-00
581/11	1000	0.60	19/20	2	600-00
581/12	2000	1.20	24/25	2	1150-00

*** 1 ml. and 2 ml. Volumetric Flasks are of Test Tubeshape.**

582. **Flasks Volumetric** "LABCO", **Sugar estimation** with two marks without stopper,

Cat. No.	Capacity Circle marked at ml.	Class 'A' Rs/Piece	Class 'B' Rs/Piece
582/1	50 & 55	320-00	180-00
582/2	100 & 110	360-00	250-00
582/3	200 & 220	440-00	290-00

584. **Kohlraush Flasks (Mud Flask)** "LABCO", with cup at top

Cat. No.	Capacity ml.	Min. Qty./Pack	Class 'A' Rs/Piece	Class 'B' Rs/Piece
584/1	50	2	350-00	200-00
584/2	100	2	390-00	250-00
584/3	200	2	515-00	350-00

588. **Lechatelier Flask,** "LABCO", for Sp.Gr. Test, Bulb Capacity approx. 250ml, neck graduation from 0 to 1ml and 18 to 24ml in 0.1ml 1300-00

589. - do - Class 'A' 1875-00

590 **Sulphonation Flask** with neck graduated 0 to 10 ml. and figured to 100% as per ASTM or I.P. 835-00

590A **Silicon Rubber, Safety Rider,** Hexagonal Shape for Volumetric Flask

Cat. No.	Colour	Suitable for	Minimum Qty./Pack	Price/Piece Rs.
590A/1	Yellow	5ml-25ml	10	33-00
590A/2	Green	50ml	10	38-00
590A/3	Blue	100ml-250ml	10	62-00
590A/4	Orange	500ml	10	175-00
590A/5	Red	1000 ml	10	265-00

MEASURING CYLINDERS

598. **Measuring Cylinder "LABCO",** with break resistant collar & spout, Class 'A', IS 878 : 2008, with works Certificate, **Hexagonal Base**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
598/1	5	0.1	0.05	2	295-00
598/2	10	0.2	0.10	2	325-00
598/3	25	0.5	0.25	2	350-00
598/4	50	1.0	0.50	2	440-00
598/5	100	1.0	0.50	2	540-00
598/6	250	2.0	1.00	2	820-00
598/7	500	5.0	2.50	1	1180-00
598/8	1000	10.0	5.00	1	1400-00
598/9	2000	20.0	10.00	1	2300-00

598L. **Measuring Cylinder "LABCO",** with break resistant collar & spout, Class 'A', IS 878 : 2008, with NABL Certificate, **Hexagonal Base**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
598L/1	5	0.1	0.05	690-00
598L/2	10	0.2	0.10	710-00
598L/3	25	0.5	0.25	730-00
598L/4	50	1.0	0.50	800-00
598L/5	100	1.0	0.50	880-00
598L/6	250	2.0	1.00	1075-00
598L/7	500	5.0	2.50	1475-00
598L/8	1000	10.0	5.00	1750-00
598L/9	2000	20.0	10.00	2800-00

598M **Amber Colour Cylinders, "LABCO",** with break resistant collar & spout, Class 'A', IS 878 : 2008, & Hexagonal base.

Cat. No.	Capacity ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
598M/1	5	0.1	2	385-00
598M/2	10	0.2	2	410-00
598M/3	25	0.5	2	495-00
598M/4	50	1.0	2	555-00
598M/5	100	1.0	2	685-00
598M/6	250	2.0	2	1025-00
598M/7	500	5.0	1	1500-00
598M/8	1000	10.0	1	2100-00
598M/9	2000	20.0	1	3400-00

598ML **Amber Colour Measuring Cylinder "LABCO",** with break resistant collar & spout, Hexagonal Base, Accuracy as per, Class 'A', I.S 878 : 2008, with NABL works Certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
598ML/1	5	0.1	0.05	2	750-00
598ML/2	10	0.2	0.10	2	750-00
598ML/3	25	0.5	0.25	2	800-00
598ML/4	50	1.0	0.50	2	880-00
598ML/5	100	1.0	0.50	2	940-00
598ML/6	250	2.0	1.00	2	1275-00
598ML/7	500	5.0	2.50	2	1750-00
598ML/8	1000	10.0	5.00	2	2340-00





598a. **Measuring Cylinder "LABCO",** with spout, Hexagonal Base, **as per ASTM, Class 'A' USP (US Pharmacopeia)"** with certificate. Accuracy as per ASTM E1272

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
598a/1	5	0.1	0.05	2	310-00
598a/2	10	0.2	0.10	2	350-00
598a/3	25	0.5	0.17	2	375-00
598a/4	50	1	0.25	2	470-00
598a/5	100	1	0.50	2	575-00
598a/6	250	2	1.00	2	885-00
598a/7	500	5	2.00	2	1275-00
598a/8	1000	10	3.00	2	1550-00
598a/9	2000	20	6.00	2	2500-00

598b. **Measuring Cylinder "LABCO",** with spout, Hexagonal Base, Accuracy as per **Class 'B',** IS 878 : 2008.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
598b/1	5	0.1	0.10	2	195-00
598b/2	10	0.2	0.20	2	200-00
598b/3	25	0.5	0.50	2	240-00
598b/4	50	1	1.00	2	265-00
598b/5	100	1	1.00	2	310-00
598b/6	250	2	2.00	2	545-00
598b/7	500	5	5.00	2	750-00
598b/8	1000	10	10.00	2	1125-00
598b/9	2000	20	20.00	2	2100-00

599. **Measuring Cylinder "LABCO",** with interchangeable stopper, **Class 'A',** of IS 878 : 2008, with works Certificate, **Hexagonal Base**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
599/1	5	0.1	0.05	2	400-00
599/2	10	0.2	0.10	2	410-00
599/3	25	0.5	0.25	2	455-00
599/4	50	1.0	0.50	2	610-00
599/5	100	1.0	0.50	2	710-00
599/6	250	2.0	1.00	2	1140-00
599/7	500	5.0	2.50	2	1825-00
599/8	1000	10.0	5.00	2	2200-00
599/9	2000	20.0	10.00	2	3375-00

599L. **Measuring Cylinder "LABCO",** with interchangeable stopper, **Class 'A',** of IS 878 : 2008, with NABL Certificate, **Hexagonal Base**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Price/Piece Rs.
599L/1	5	0.1	0.05	755-00
599L/2	10	0.2	0.10	775-00
599L/3	25	0.5	0.25	800-00
599L/4	50	1.0	0.50	900-00
599L/5	100	1.0	0.50	950-00
599L/6	250	2.0	1.00	1250-00
599L/7	500	5.0	2.50	1900-00
599L/8	1000	10.0	5.00	2100-00
599L/9	2000	20.0	10.00	3600-00

599M **Amber Colour Cylinders, Graduated, "LABCO", Class 'A',** with interchangeable stopper Accuracy as per I.S. 878 : 2008 **Hexagonal Base**

Cat. No.	Capacity ml.	Sub Div ml.	Min. Qty./Pack	Price/Piece Rs.
599M/1	5	0.1	2	535-00
599M/2	10	0.2	2	550-00
599M/3	25	0.5	2	590-00
599M/4	50	1.0	2	775-00
599M/5	100	1.0	2	915-00
599M/6	250	2.0	2	1400-00
599M/7	500	5.0	2	2180-00
599M/8	1000	10.0	2	2950-00
599M/9	2000	20.0	2	4500-00

599ML **Amber Colour Measuring Cylinder "LABCO",** with interchangeable stopper Hexagonal Base, Accuracy as per, **Class 'A',** of I.S 878 : 2008, with NABL works Certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
599ML/1	5	0.1	0.05	2	850-00
599ML/2	10	0.2	0.10	2	875-00
599ML/3	25	0.5	0.25	2	910-00
599ML/4	50	1.0	0.50	2	1050-00
599ML/5	100	1.0	0.50	2	1200-00
599ML/6	250	2.0	1.00	2	1700-00
599ML/7	500	5.0	2.50	2	2500-00
599ML/8	1000	10.0	5.00	2	3300-00

600 **Measuring Cylinders, "LABCO",** with break resistant collar & spout, Round Base, Accuracy as per **Class 'A',** of I.S 878 : 2008, with works certificate.

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
600/1	5	0.1	0.05	2	180-00
600/2	10	0.2	0.10	2	190-00
600/3	25	0.5	0.25	2	240-00
600/4	50	1.0	0.50	2	325-00
600/5	100	1.0	0.50	2	390-00
600/6	250	2.0	1.00	2	725-00
600/7	500	5.0	2.50	2	1300-00
600/8	1000	10.0	5.00	2	1450-00
600/9	2000	20.0	10.0	2	2275-00

601a **Measuring Cylinder, "LABCO",** with spout and break resistant coller, **Class 'B',** (Light wall)

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
601a/1	5	0.1	0.1	2	115-00
601a/2	10	0.2	0.2	2	120-00
601a/3	25	0.5	0.5	2	155-00
601a/4	50	1.0	1.0	2	190-00
601a/5	100	1.0	1.0	2	235-00
601a/6	250	2.0	2.0	2	455-00
601a/7	500	5.0	5.0	2	685-00
601a/8	1000	10.0	10.0	2	1100.00
601a/9	2000	20.0	20.0	2	1925-00





601b



602



603





605

605a

601b **Measuring Cylinder, "LABCO", with spout and break resistant coller, Class 'B'** (Medium wall)

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min Qty./Pack	Price/Piece Rs.
601b/1	5	0.1	0.1	2	140-00
601b/2	10	0.2	0.2	2	150-00
601b/3	25	0.5	0.5	2	190-00
601b/4	50	1.0	1.0	2	210-00
601b/5	100	1.0	1.0	2	255-00
601b/6	250	2.0	2.0	2	510-00
601b/7	500	5.0	5.0	2	725-00
601b/8	1000	10.0	5.0	2	1150-00
601b/9	2000	20.0	20.0	2	2000-00

602 **Measuring Cylinders, "LABCO", with interchangeable stopper, Class 'A', of IS 878 : 2008, with works certificate.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
602/1	5	0.1	0.05	2	270-00
602/2	10	0.2	0.10	2	275-00
602/3	25	0.5	0.25	2	325-00
602/4	50	1.0	0.50	2	390-00
602/5	100	1.0	0.50	2	470-00
602/6	250	2.0	1.00	2	855-00
602/7	500	5.0	2.50	2	1570-00
602/8	1000	10.0	5.00	2	1770-00
602/9	2000	20.0	20.0	2	2550-00

603 **Measuring Cylinder, "LABCO", with interchangeable stopper, Class 'B'**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
603/1	5	0.1	0.1	2	180-00
603/2	10	0.2	0.2	2	195-00
603/3	25	0.5	0.5	2	260-00
603/4	50	1.0	1.0	2	300-00
603/5	100	1.0	1.0	2	400-00
603/6	250	2.0	2.0	2	650-00
603/7	500	5.0	5.0	2	1000-00
603/8	1000	10.0	10.0	2	1400-00
603/9	2000	20.0	20.0	2	2400-00

605. **Nessler Cylinder, "LABCO", for colour comparison Class 'A', with works certificate, graduated as per I.S. 4161 : 1967.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
605/1	50	25 to 50	0.4	2	180-00
605/2	100	50 & 100	0.8	2	260-00

605a **Nessler Cylinder, "LABCO", for colour comparison with interchangeable stopper Class 'A', with works certificate, graduated as per I.S. 4161 : 1967.**

Cat. No.	Capacity ml.	Sub. Div. ml.	Tolerance ± ml.	Stopper Size	Min. Qty./Pack	Price/Piece Rs.
605a/1	50	25 to 50	0.4	19/20	12	290-00
605a/2	100	50 & 100	0.8	19/20	12	370-00

606. **Nessler Cylinder,** "LABCO", for colour comparison graduated as per I.S. 4161 : 1967.

Cat. No.	Capacity ml.	Sub. Div. ml.	Min. Qty./Pack	Price/Piece Rs.
606/1	50	25 & 50	2	115-00
606/2	100	50 & 100	2	150-00

607. **Crow Receiver,** "LABCO", **Class 'B'**

Cat. No.	Capacity ml.	Min. Qty./Pack	Plain	With Stopper Interchangeable
607/1	50	2	380-00	440-00
607/2	100	2	500-00	570-00

608. **Crow Receiver,** "LABCO", accuracy as per **Class 'A',** with certificate

Cat. No.	Capacity ml.	Min. Qty./Pack	Plain	With Stopper Interchangeable
608/1	50	2	485-00	625-00
608/2	100	2	590-00	760-00

609. **Cylinder** "LABCO", With single graduation mark at 1000 ml for Sedimentation of sand. 1025-00

610. **Bulk Density Cylinder (Vankle's Design)** As per USP Specs, Hexa Round base 2 790-00

611 **Cylinder, Rain Measure** "LABCO", Metric Scale graduated as per I.S. 4849 : 1992.

Cat. No.	Size mm	Collector Area Cm^2	Sub. Div. ml.	Tolerance ± ml.	Min. Qty./Pack	Price/Piece Rs.
611/1	20	200	0.2	0.05	12	875-00
611/2	100	100	0.2	0.10	12	750-00

IMHOFF CONES

615 **Cones, Imhoff, Sediment, Sharp Tip,** "LABCO", Graduated from 0 to 1 ml in 0.1 ml division, 1 to 10 ml in 0.5 ml and 10 to 40 ml in 1 ml, Also marked at 1000 ml approx. Total height 454 mm, approx. Top dia 100 mm. 3900-00

616 **Cones, Imhoff, Sediment, Blunt Tip,** "LABCO", Graduated from 0 to 1 ml in 0.1 ml division, 1 to 10 ml in 0.5 ml and 10 to 40 ml in 1 ml, approx Top Dia 100 mm 3900-00

617 **Stand for cone,** Imhoff 3150-00



606



607



608



609



615

611



617

TUBES











625 **Centrifuge Tube "LABCO",** Conical bottom plain.

Cat No.	Capacity ml.	Ht. x O.D. mm.	Min. Qty./Pack	Price/Piece Rs.
625/1	3	76 x 10	25	20-00
625/2	5	100 x 13	25	24-00
625/3	10	110 x 15	25	30-00
625/4	12	110 x 16	25	30-00
625/5	15	120 x 17	25	33-00
625/6	25	125 x 22	6	88-00
625/7	50	125 x 28	6	112-00

626 **Centrifuge Tube, "LABCO",** Conical bottom graduated.

Cat No.	Capacity ml.	Ht. x O.D. mm.	Min. Qty./Pack	Price/Piece Rs.
626/1	5	100 x 13	25	52-00
626/2	10	110 x 15	25	58-00
626/3	15	120 x 17	25	66-00
626/4	25	125 x 22	6	108-00
626/5	50	125 x 28	6	134-00

627 **Centrifuge Tube, "LABCO",** Plain with interchangeable stopper conical or round bottom.

Cat No.	Capacity ml.	Size Approx. mm.	Min. Qty./Pack	Price/Piece Rs.
627/1	3	76 x 10	10	74-00
627/2	5	100 x 13	10	80-00
627/3	12	110 x 16	10	86-00
627/4	15	120 x 17	10	90-00
627/5	25	125 x 22	6	136-00

628 **Centrifuge Tube, "LABCO",** Conical bottom Graduated with interchangeable stopper.

Cat No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
628/1	5		10	99-00
628/2	10		10	105-00
628/3	15		10	115-00
628/4	25		6	178-00
628/5	50		6	220-00

629 **Centrifuge Tube, "LABCO",** with Screw Cap, Plain.

Cat No.	Capacity ml.	Ht. x O.D. mm.	Min. Qty./Pack	Price/Piece Rs.
629/1	10	110 x 15	10	72-00
629/2	15	120 x 17	10	75-00

630 **Centrifuge Tube, "LABCO",** with Screw Cap, Graduated.

Cat No.	Capacity ml.	Ht. x O.D. mm.	Min. Qty./Pack	Price/Piece Rs.
630/1	10	110 x 15	10	105-00
630/2	15	120 x 17	10	115-00

631 **Centrifuge Tube, "LABCO",** Round bottom, Graduated.

Cat No.	Capacity ml.	Size mm.	Min. Qty./Pack	Price/Piece Rs.
631/1	12	16 x 110	10	75-00
631/2	30	24 x 110	6	85-00
631/3	40	28 x 110	6	105-00
631/4	50	30 x 110	6	115-00
631/5	100	45 x 110	6	330-00
631/6	200	55 x 116	6	400-00

634 **Centrifuge Tubes, Oil "LABCO",** fully graduated 0 to 0.5ml. in 0.05 ml div., 0.5 to 2 ml in 0.1 ml div., 2 ml to 3 ml in 0.2 ml div., 3 ml to 5 ml in 0.5 ml div. 5ml to 10 ml in 1 ml div., 10 ml to 25 ml in 5 ml div. Graduations are marked at 50, 75 and 100 ml. 790-00

635 **Centrifuge Tubes, Oil "LABCO",** the lower stem is graduated 0 to 1.5 ml in 0.1 ml div., the body is graduated 1.5 ml to 5 ml div. in 0.5 ml div., from 5 ml to 10 ml in 1 ml div., Graduations are also marked at15,20,25,50and100ml. 800-00

637 **Test Tubes, "LABCO",** Round bottom **with Rim**, plain. Made from Boro 3.3 Exp. Glass

Cat No.	Capacity ml.	O.D. x L mm.	Min. Qty./Pack	Price/Piece Rs.
637/1	3	10 x 75	100	6-70
637/2	5	12 x 75	100	6-90
637/3	8	12 x 100	100	8-70
637/4	10	15 x 125	100	12-75
637/5	15	15 x 150	100	13-75
637/6	25	18 x 150	100	15-50
637/7	35	25 x 100	50	19-50
637/8	50	25 x 150	50	23-50
637/9	75	25 x 200	50	28-50
637/10	100	32 x 200	25	48-00
637/11	175	38 x 200	25	58-00

637a **Test Tubes, "LABCO",** Round bottom **without Rim**, plain. Made from Boro 3.3 Exp. Glass

Cat No.	Capacity ml.	O.D. x L mm.	Min. Qty./Pack	Price/Piece Rs.
637a/1	3	10 x 75	100	6-70
637a/2	5	12 x 75	100	6-90
637a/3	8	12 x 100	100	8-70
637a/4	10	15 x 125	100	12-75
637a/5	15	15 x 150	100	13-75
637a/6	25	18 x 150	100	15-50
637a/7	35	25 x 100	50	19-50
637a/8	50	25 x 150	50	23-50
637a/9	75	25 x 200	50	28-50
637a/10	100	32 x 200	25	48-00
637a/11	175	38 x 200	25	58-00

638 **Test Tubes, "LABCO",** Round bottom **with Rim,** Made from Boro 3.3 Exp. Glass **Graduated.**

Cat No.	Capacity ml.	O.D. x L x Wt. mm.	Min. Qty./Pack	Price/Piece Rs.
638/1	3	10 x 75 x 1.0	10	33-00
638/2	5	12 x 75 x 1.0	10	35-00
638/3	8	12 x 100 x 1.0	10	42-00
638/4	10	15 x 125 x 1.2	10	45-00
638/5	25	18 x 150 x 1.2	10	58-00
638/6	50	25 x 150 x 1.2	10	68-00
638/7	75	25 x 200 x 1.2	10	78-00


631

634


637


635


637a

638


638a


638b


639


640


641a


642


643

638a **Sterility tubes "LABCO",** for Sterlization purpose, heavy type Rimless 200mm length 110-00

638b **--- do ---** same as above but with **Teflon liner** screw cap. 225-00

638c **Sterility tube stand "LABCO",** made from S.S. 304, nicely finished & polished, for 12 tubes 1650-00

639 **Test Tubes, "LABCO",** Neutral Hard Glass, Round Bottom,

Cat No.	Size. Approx. mm.	Pack of 100 pcs.
639/1	10 x 75	305-00
639/2	12 x 75	350-00
639/3	12 x 100	385-00
639/4	15 x 100	440-00
639/5	15 x 125	560-00
639/6	15 x 150	675-00
639/7	18 x 150	800-00
639/8	25 x 150	1175-00
639/9	25 x 200	1425-00

640 **Pressure Test Tubes, "LABCO",** Penicilin type 20mm neck, 18 x 150mm. 105-00

641 **Stoppers for above Pressure Test Tubes** (Suba Seals). 58-00

641a **Heat Stability tubes "LABCO",** Both ends open with silicon corks 72-00

642 **Test Tubes, "LABCO",** with interchangeable Stopper.

Cat No.	Length x Dia mm.	Stopper Size	Min. Qty./Pack	Price/Piece Rs.
642/1	100 x 12	B 10	10	65-00
642/2	125 x 15	B 10	10	75-00
642/3	150 x 18	B 14	10	88-00
642/4	150 x 25	B 19	10	105-00
642/5	200 x 25	B 19	10	130-00
642/6	200 x 32	B 24	10	180-00
642/7	200 x 38	B 24	10	205-00

643 **Test Tubes, "LABCO",** Graduated with interchangeable stopper.

Cat. No.	Size mm.	Capacity ml.	Stopper size	Min. Qty./Pack	Price/Piece Rs.
643/1	13 x 100	5	B 10	10	96-00
643/2	15 x 125	10	B 10	10	106-00
643/3	18 x 160	20	B 14	10	130-00
643/4	22 x 150	25	B 19	10	155-00
643/5	25 x 155	30	B 19	10	170-00
643/6	25 x 200	50	B 19	10	190-00
643/7	32 x 230	100	B 24	10	245-00

644. **Tubes, Culture, Media, "LABCO",** Round Bottom, with Screw Cap and **Teflon liner.**

Cat. No.	Capacity ml.	O.D. x Length mm.	Min. Qty./Pack	Transparant Price/Piece	Amber Coloured Price/Piece
644/1	5	16 x 75	25	34-00	62-00
644/2	10	16 x 125	25	42-00	72-00
644/3	15	16 x 150	25	45-00	75-00
644/4	25	18 x 150	25	48-00	90-00
644/5	30	25 x 100	25	52-00	92-00
644/6	45	25 x 150	25	56-00	112-00
644/7	60	25 x 200	25	64-00	140-00
644/8	100	32 x 200	25	135-00	225-00
644/9	150	38 x 200	25	230-00	320-00

645. **Tubes, Culture, Media, "LABCO",** Round Bottom, with Screw Cap and **Rubber liner.**

Cat. No.	Capacity ml.	O.D. x Length mm.	Min. Qty./Pack	Transparant Price/Piece	Amber Coloured Price/Piece
645/1	5	16 x 75	25	26-00	48-00
645/2	10	16 x 125	25	30-00	52-00
645/3	15	16 x 150	25	35-00	60-00
645/4	25	18 x 150	25	39-00	66-00
645/5	30	25 x 100	25	42-00	72-00
645/6	45	25 x 150	25	48-00	78-00
645/7	60	25 x 200	25	49-00	82-00
645/8	100	32 x 200	25	112-00	188-00
645/9	150	38 x 200	25	210-00	285-00

646 **Tubes, Culture, Media, "LABCO",** Flat Bottom, with Screw Cap and **Teflon liner.**

Cat. No.	Capacity ml.	O.D. x Length mm.	Min. Qty./Pack	Transparant Price/Piece	Amber Coloured Price/Piece
646/1	5	16 x 50	25	32-00	62-00
646/2	15	25 x 57	25	41-00	80-00
646/3	30	25 x 95	25	47-00	92-00
646/4	40	25x 145	25	64-00	135-00

647. **Tubes, Culture, Media, "LABCO",** Flat Bottom, with Screw Cap and **Rubber liner.**

Cat. No.	Capacity ml.	O.D. x Length mm.	Min. Qty./Pack	Transparant Price/Piece	Amber Coloured Price/Piece
647/1	5	16 x 50	25	26-00	45-00
647/2	15	25 x 57	25	31-00	57-00
647/3	30	25 x 95	25	39-00	66-00
647/4	40	25 x 145	25	45-00	90-00

648. **Leighton Tubes, "LABCO",** for Culture work, plain top, with Cover slip.

Cat. No.	Length mm.	O.D. mm.	Min. Qty./Pack	Window Size mm.	Price/Piece Rs.
648/1	125	16	10	11 x 37	46-00
648/2	150	16	10	11 x 37	54-00

649 **Leighton Tubes, "LABCO",** for Culture work, with Screw Cap and Cover slip.

Cat. No.	Length mm.	O.D. mm.	Min. Qty./Pack	Window Size mm.	Price/Piece Rs.
649/1	125	16	10	11 x 37	68-00
649/2	150	16	10	11 x 37	72-00

650 **M.B.R. Tubes "LABCO",** with two graduated marks. Size 15x150mm 36-00

651 **Hungat Vial "LABCO",** with inner siliconised septa & bakelite Cap.
Capacity 10 ml. 72-00 Ea



DISTILLATION APPARATUS PARTS (CONDENSERS)



660



661



662

660. Air Condensers, "LABCO"

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
660/1	B 14	B 14	200	166-00
660/2	B 19	B 19	200	195-00
660/3	B 24	B 24	250	270-00
660/4	B 19	B 19	400	300-00
660/5	B 24	B 24	500	380-00
660/6	B 34	B 34	500	750-00
660/7	B 19	B 19	600	340-00
660/8	B 24	B 24	750	510-00
660/9	-	B 19	750	200-00
660/10	-	B 24	750	210-00
660/11	-	B 19	1000	235-00
660/12	-	B 24	1000	260-00

661. Liebig Condensers, "LABCO"

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
661/1	B 14	B 14	150	240-00
661/2	B 19	B 19	200	275-00
661/3	B 24	B 24	200	320-00
661/4	B 19	B 19	300	330-00
661/5	B 24	B 24	300	375-00
661/6	B 19	B 19	350	390-00
661/7	B 24	B 24	350	400-00
661/8	B 19	B 19	400	400-00
661/9	B 24	B 24	400	415-00
661/10	B 24	B 24	500	500-00
661/11	B 24	B 24	600	560-00
661/12	B 24	B 24	750	825-00
661/13	B 34	B 34	500	925-00
661/14	B 34	B 34	600	1025-00
661/15	B 34	B 34	750	1100-00
661/16	B 34	B 34	900	1300-00
661/17	-	B 19	300	315-00
661/18	-	B 24	350	375-00
661/19	-	B 34	250	395-00

662. Coil Condensers, "LABCO", Graham, Coiled Distillate Type.

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
662/1	B 14	B 14	150	490-00
662/2	B 19	B 19	200	525-00
662/3	B 19	B 19	250	540-00
662/4	B 24	B 24	250	585-00
662/5	B 19	B 19	300	600-00
662/6	B 24	B 24	300	660-00
662/7	B 24	B 24	400	750-00
662/8	B 24	B 24	500	780-00
662/9	B 34	B 34	500	1050-00
662/10	B 34	B 34	600	1150-00

663. Coil Condensers, "LABCO", Graham, Jacket Distillate Type.

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
663/1	B 14	B 14	150	500-00
663/2	B 19	B 19	200	525-00
663/3	B 19	B 19	250	550-00
663/4	B 24	B 24	250	585-00
663/5	B 19	B 19	300	600-00
663/6	B 24	B 24	300	665-00
663/7	B 24	B 24	400	750-00
663/8	B 24	B 24	500	775-00
663/9	B 34	B 34	500	1050-00
663/10	B 34	B 34	600	1100-00

664. Reversible Type Condensers, "LABCO".

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
664/1	-	B 19 & B 24	150	585-00
664/2	-	B 24 & B 24	150	635-00
664/3	-	B 24 & B 34	150	700-00

665. Double Coil Condensers, "LABCO", with common inlet.

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
665/1	B 19	B 19	200	1250-00
665/2	B 24	B 24	200	1290-00
665/3	B 34	B 34	350	3050-00
665/4	B 34	B 34	450	4600-00
665/5	B 34	B 34	600	5350-00

666. Davies Condensers, "LABCO", (Double Surface).

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
666/1	B 19	B 19	150	585-00
666/2	B 24	B 24	150	600-00
666/3	B 19	B 19	200	660-00
666/4	B 24	B 24	200	675-00
666/5	B 29	B 29	200	685-00
666/6	-	B 19	200	615-00
666/7	-	B 24	200	620-00
666/8	-	B 34	200	660-00
666/9	-	B 19	250	650-00
666/10	B 19	B 19	250	690-00
666/11	B 24	B 24	250	700-00
666/12	B 19	B 19	300	785-00
666/13	B 24	B 24	300	800-00
666/14	B 24	B 24	400	900-00
666/15	B 24	B 24	500	1275-00
666/16	B 34	B 34	500	1365-00
666/17	B 34	B 34	600	1580-00



663



664



665



666









667. Jacketed Coil Condensers, "LABCO".

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
667/1	B 19	B 19	150	675-00
667/2	B 24	B 24	150	690-00
667/3	-	B 34	150	675-00
667/4	-	B 40	150	740-00
667/5	B 19	B 19	200	740-00
667/6	B 24	B 24	200	750-00
667/7	B 19	B 19	300	870-00
667/8	B 24	B 24	300	880-00
667/9	B 24	B 24	400	1050-00
667/10	B 34	B 34	400	1150-00
667/11	B 34	B 34	500	1675-00

668. Inland Revenue Condensers, "LABCO".

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
668/1	B 19	B 19	200	880-00
668/2	B 24	B 24	200	900-00

669. Allihan Condensers, "LABCO", (Bulb Condenser).

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
669/1	-	B 19	200	418-00
669/2	-	B 24	200	435-00
669/3	-	B 29	200	435-00
669/4	-	B 34	200	418-00
669/5	-	B 40	200	475-00
669/6	-	B 50	200	615-00
669/7	-	B 50	250	725-00
669/8	B 19	B 19	200	415-00
669/9	B 24	B 24	200	465-00
669/10	B 19	B 19	300	520-00
669/11	B 24	B 24	300	540-00
669/12	B 24	B 24	400	630-00
669/13	B 24	B 24	500	775-00
669/14	B 34	B 34	500	865-00
669/15	B 34	B 34	600	925-00
669/16	B 34	B 34	750	1675-00

670. Friedrich Condensers, "LABCO".

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
670/1	B 19	B 19	100	1700-00
670/2	B 19 or B 24	B 19 or B 24	200	1825-00
670/3	B 19 or B 24	B 19 or B 24	250	1975-00

671. Ether Condensers, "LABCO".

Cat. No.	Socket	Cone	Effective Length mm.	Price/Piece Rs.
671/1	B 19	B 24	150	2250-00
671/2	B 19 or B 24	B 24	200	2400-00
671/3	B 19 or B 24	B 24	250	2550-00

672. Cold Finger Condensers "LABCO", 130mm. immersion, Cone B 19. 195-00

673 Water filled bulb type Condensor 575-00

674. Condensers, "LABCO", Bulb shape, suitable for 1000ml., spoutless, Tall form, Beaker. 640-00

FLASKS

685. **Flasks Reaction, "LABCO",** Wide Mouth, Flat flange 100 mm. I.D., 150 mm. O.D.

Cat. No.	Capacity (ml)	Price/Piece Rs.
685/1	1000	2125-00
685/2	2000	3050-00
685/3	3000	3800-00
685/4	5000	5125-00
685/5	10000	7900-00
685/6	20000	13900-00



685

686. **Lids For Reaction Flasks, "LABCO",** Flat flange 100 mm. I.D., 150 mm. O.D., with multiple Sockets.

Cat. No.	Central	Parallel	5^0	10^0	15^0	Price/Piece Rs.
686/1	B 19	B 19	B 24	B 19	-	3750-00
686/2	B 19	B 14	B 14	B 14	B 29	3785-00
686/3	B 29	B 14	B 14	B 14	B 29	3950-00



686

687. **Stainless Steel Clips,** with wing nuts for holding 100 mm. flat flanges. 600-00



687

688. **Teflon Gaskets,** for 100 mm. flat flange. 700-00

688a **Kettles, Resin Reaction, "LABCO".**

Cat No.	Capacity ml.	Price/Piece Rs.
688a/1	500 ml.	8900-00
688a/2	1000 ml.	9500-00
688a/3	2000 ml.	12500-00
688a/4	4000 ml.	14500-00



688a

689M **Amber colour Flask Flat or Round Bottom "LABCO",** Short or Medium Neck with Interchangeable socket.

Cat. No.	Capacity Qty./Pack	Minimum Rs.	Price/Piece
689M/1	25ml.	12	310-00
689M/2	50ml.	12	325-00
689M/3	100ml.	12	475-00
689M/4	150ml.	12	550-00
689M/5	250ml.	12	620-00
689M/6	500ml.	12	885-00
689M/7	1000ml.	6	1050-00
689M/8	2000ml.	6	1850-00

Note:- While Ordering, do mention Flask required flat or round bottom.



689M



689



689

689. Flasks Flat or Round Bottom, "LABCO", Short or Medium neck with socket.

Cat. No.	Capacity ml.	Socket Size	Min. Qty./Pack	Price/Piece Rs.
689/1	5	B 10	10	88-00
689/2	5	B 14	10	88-00
689/3	10	B 10	10	88-00
689/4	10	B 14	10	88-00
689/5	25	B 14	10	116-00
689/6	25	B 19	10	116-00
689/7	25	B 24	10	128-00
689/8	50	B 14	10	138-00
689/9	50	B 19	10	138-00
689/10	50	B 24	10	138-00
689/11	50	B 29	10	138-00
689/12	50	B 34	10	148-00
689/13	100	B 14	10	154-00
689/14	100	B 19	10	154-00
689/15	100	B 24	10	154-00
689/16	100	B 29	10	154-00
689/17	100	B 34	2	154-00
689/18	150	B 19	10	168-00
689/19	150	B 24	10	168-00
689/20	150	B 29	2	168-00
689/21	150	B 34	2	168-00
689/22	250	B 19	10	188-00
689/23	250	B 24	10	188-00
689/24	250	B 29	2	188-00
689/25	250	B 34	2	188-00
689/26	500	B 19	2	265-00
689/27	500	B 24	2	265-00
689/28	500	B 29	2	265-00
689/29	500	B 34	2	265-00
689/30	1000	B 24	2	385-00
689/31	1000	B 29	2	385-00
689/32	1000	B 34	2	385-00
689/33	2000	B 24	2	1080-00
689/34	2000	B 29	2	1080-00
689/35	2000	B 34	2	1080-00
689/36	3000	B 24	1	1975-00
689/37	3000	B 34	1	1975-00
689/38	3000	B 40	1	1975-00
689/39	5000	B 24	1	3075-00
689/40	5000	B 34	1	3075-00
689/41	5000	B 40	1	3075-00
689/42	5000	B 45	1	3075-00
689/43	5000	B 50	1	3075-00
689/44	10000	B 34	1	5550-00
689/45	10000	B 40	1	5550-00
689/46	10000	B 45	1	5550-00
689/47	10000	B 50	1	5550-00
689/48	10000	B 55	1	5550-00
689/49	20000	B 40	1	10800-00
689/50	20000	B 50	1	10800-00
689/51	20000	B 55	1	10800-00

Note:- While Ordering, do mention Flask required flat or round bottom.

690. Flasks Round Bottom, Two Neck "LABCO", either angle or parallel.

Cat. No.	Capacity ml.	Centre Socket	Side Socket	Price/Piece Rs.
690/1	25	B 19	B 14	220-00
690/2	25	B 24	B 19	220-00
690/3	50	B 19	B 14	230-00
690/4	50	B 24	B 19	230-00
690/5	100	B 24	B 14	225-00
690/6	250	B 24	B 14	300-00
690/7	250	B 24	B 19	300-00
690/8	500	B 24	B 14	425-00
690/9	500	B 24	B 19	425-00
690/10	1000	B 34	B 14	675-00
690/11	1000	B 34	B 19	675-00
690/12	1000	B 24	B 14	675-00
690/13	1000	B 24	B 19	675-00
690/14	2000	B 34	B 19	1375-00
690/15	2000	B 34	B 24	1375-00
690/16	2000	B 24	B 19	1375-00
690/17	2000	B 24	B 24	1375-00
690/18	3000	B 34	B 24	2475-00
690/19	3000	B 34	B 19	2475-00
690/20	3000	B 34	B 14	2475-00
690/21	3000	B 24	B 24	2475-00
690/22	3000	B 24	B 19	2475-00
690/23	3000	B 24	B 14	2475-00
690/24	5000	B 40	B 24	3675-00
690/25	5000	B 40	B 19	3675-00
690/26	5000	B 40	B 14	3675-00
690/27	5000	B 34	B 24	3675-00
690/28	5000	B 34	B 19	3675-00
690/29	5000	B 34	B 14	3675-00
690/30	5000	B 24	B 24	3675-00
690/31	5000	B 24	B 19	3675-00
690/32	5000	B 24	B 14	3675-00
690/33	10000	B 55	B 34	6300-00
690/34	10000	B 55	B 24	6300-00
690/35	10000	B 55	B 19	6300-00
690/36	10000	B 50	B 34	6300-00
690/37	10000	B 50	B 24	6300-00
690/38	10000	B 50	B 19	6300-00
690/39	20000	B 55	B 34	11000-00
690/40	20000	B 55	B 24	11000-00
690/41	20000	B 55	B 19	11000-00
690/42	20000	B 50	B 34	11000-00
690/43	20000	B 50	B 24	11000-00
690/44	20000	B 50	B 19	11000-00

Note:- While Ordering, do mention necks at Flask required angle or at Parallel.



690



690



691



691

691. Flask Round Bottom, "LABCO", Three neck, side neck, either angle or parallel.

Cat. No.	Capacity ml.	Centre Socket	Side Sockets	Price/Piece Rs.
691/1	100	B 24	B 14	310-00
691/2	250	B 24	B 14	400-00
691/3	250	B 24	B 19	400-00
691/4	500	B 24	B 14	600-00
691/5	500	B 24	B 19	600-00
691/6	500	B 34	B 24	710-00
691/7	1000	B 24	B 14	830-00
691/8	1000	B 24	B 19	830-00
691/9	1000	B 34	B 19	830-00
691/10	2000	B 24	B 19	1535-00
691/11	2000	B 34	B 19	1535-00
691/12	2000	B 34	B 24	1535-00
691/13	3000	B 34	B 19	3150-00
691/14	3000	B 34	B 24	3150-00
691/15	5000	B 34	B 19	4350-00
691/16	5000	B 40	B 19	4350-00
691/17	5000	B 50	B 19	4350-00
691/18	5000	B 55	B 19	4350-00
691/19	5000	B 34	B 24	4350-00
691/20	5000	B 40	B 24	4350-00
691/21	5000	B 50	B 24	4350-00
691/22	5000	B 55	B 24	4350-00
691/23	10000	B 34	B 19	7400-00
691/24	10000	B 40	B 19	7400-00
691/25	10000	B 50	B 19	7400-00
691/26	10000	B 55	B 19	7400-00
691/27	10000	B 34	B 24	7400-00
691/28	10000	B 50	B 24	7400-00
691/29	10000	B 55	B 24	7400-00
691/30	20000	B 34	B 19	13900-00
691/31	20000	B 50	B 19	13900-00
691/32	20000	B 55	B 19	13900-00
691/33	20000	B 34	B 19	13900-00
691/34	20000	B 34	B 24	13900-00
691/35	20000	B 50	B 24	13900-00
691/36	20000	B 55	B 24	13900-00

Note:- While Ordering, do mention necks at Flask required angle or at Parallel.

691A. Flask Round Bottom, Four neck "LABCO", side neck, either angled or parallel.

Cat. No.	Capacity ml.	Centre Socket	Side Sockets	Price/Piece Rs.
691A/1	100	B 24	B 14	475-00
691A/2	100	B 24	B 19	475-00
691A/3	250	B 24	B 14	625-00
691A/4	250	B 24	B 19	625-00
691A/5	500	B 24	B 14	900-00
691A/6	500	B 24	B 19	900-00
691A/7	500	B 24	B 24	900-00
691A/8	500	B 34	B 24	900-00
691A/9	1000	B 24	B 14	1125-00
691A/10	1000	B 24	B 19	1125-00
691A/11	1000	B 24	B 24	1125-00
691A/12	1000	B 34	B 24	1125-00
691A/13	2000	B 24	B 14	1880-00
691A/14	2000	B 24	B 19	1880-00
691A/15	2000	B 34	B 19	1880-00
691A/16	2000	B 34	B 24	1880-00
691A/17	3000	B 34	B 19	3475-00
691A/18	3000	B 34	B 24	3475-00
691A/19	5000	B 34	B 19	4950-00
691A/20	5000	B 34	B 24	4950-00
691A/21	10000	B 55	B 24	9550-00
691A/22	20000	B 55	B 24	14400-00

Note:- While Ordering, do mention necks at Flask required angle or at Parallel.



691A



691A

691B Glass Sampler Boro 3.3 Exp. Glass, 1 meter long made from heavy 19 tube tapered from both ends. 575-00

Note : Rs. 125-00 Ea. will be charged extra for printing any chemical/ solvent name in above glass sampler.



691C

691C Dissolution Vessels 'LABCO'

Cat. No.	Capacity	Price/Piece Rs.
691C/1	1000ml.	2150-00
691C/2	2000ml.	2600-00



691M

691M Dissolution Vessels Amber Coloured 'LABCO'

Cat. No.	Capacity	Price/Piece Rs.
691M/1	1000ml.	3400-00
691M/2	2000ml.	3900-00



692



693



694

692. Flask Conical, "LABCO", Erlenmeyer.

Cat. No.	SocketCapacity ml.	Price/Piece Rs.	
692/1	B 14	25	130-00
692/2	B-19	25	130-00
692/3	B 14	50	135-00
692/4	B 19	50	135-00
692/5	B 19	100	170-00
692/6	B 24	100	170-00
692/7	B 19	150	180-00
692/8	B 24	150	180-00
692/9	B 19	250	195-00
692/10	B 24	250	195-00
692/11	B 29	250	195-00
692/12	B 34	250	240-00
692/13	B 19	500	280-00
692/14	B 24	500	280-00
692/15	B 29	500	285-00
692/16	B 34	500	295-00
692/17	B 24	1000	545-00
692/18	B 29	1000	545-00
692/19	B 34	1000	545-00
692/20	B 24	2000	1075-00
692/21	B 34	2000	1075-00

693. Flasks Buchner, "LABCO", Filteration.

Cat. No.	SocketCapacity ml.	Price/Piece Rs.	
693/1	B 19	100	285-00
693/2	B 24	250	500-00
693/3	B 24	500	600-00
693/4	B 24	1000	1020-00
693/5	B 34	1000	1040-00
693/6	B 34	2000	1925-00

694. Flasks Kjeldhal "LABCO".

Cat. No.	SocketCapacity ml.	Price/Piece Rs.	
694/1	B 19	50	200-00
694/2	B 19	100	235-00
694/3	B 24	100	235-00
694/4	B 24	300	340-00
694/5	B 24	500	580-00
694/6	B 24	800	675-00
694/7	B 29	800	675-00

694A **Flask Boiling, Pear Shape "LABCO",** Suitable for Rotary Vaccum Evaporator with interchangeable socket

Cat. No.	Capacity ml.	Socket Size	Minimum Qty./Pack	Price/Piece Rs.
694A/1	50	B 24	2	285-00
694A/2	100	B 24	2	360-00
694A/3	300	B 24	2	560-00
694A/4	500	B 24	2	630-00
694A/5	800	B 24	2	925-00
694A/6	1000	B 24	2	1050-00
694A/7	2000	B 24	2	2300-00
694A/8	50	B 29	2	350-00
694A/9	100	B 29	2	445-00
694A/10	300	B 29	2	595-00
694A/11	500	B 29	2	770-00
694A/12	800	B 29	2	1050-00
694A/13	1000	B 29	2	1200-00
694A/14	2000	B 29	2	2500-00



694A

694B **Splash Head Adapters, "LABCO",** for Rotavaps Anticlamp without return hole.

Cat. No.	Bulb Cap. ml.	Socket Size	Cone Size	Price/Piece Rs.
694B/1	100	B 29	B 14	465-00
694B/2	100	B 29	B 19	465-00
694B/3	100	B 29	B 24	465-00
694B/4	250	B 29	B 14	620-00
694B/5	250	B 29	B 19	620-00
694B/6	250	B 29	B 24	620-00
694B/7	500	B 29	B 14	875-00
694B/8	500	B 29	B 19	875-00
694B/9	500	B 29	B 24	875-00



694B

695. **Flasks Pear Shaped, "LABCO",** Single neck.

Cat. No.	SocketCapacity ml.	Price/Piece Rs.	
695/1	B 10	5	99-00
695/2	B 10/B14	10	108-00
695/3	B 10/B 14	25	130-00
695/4	B 14/B 19	50	178-00
695/5	B 14/B 19/B 24	100	250-00

Note:- While Ordering, do mention size of Socket required.



695

696. **Flasks Pear Shaped, "LABCO",** Two necks, side neck at angle.

Cat. No.	Centre Neck	Side Neck	Capacity ml.	Price/Piece Rs.
696/1	B 14	B 14	25	220-00
696/2	B 14	B 14	50	285-00
696/3	B 14	B 14	100	310-00



696



697



698



699



700



701



702

697. Flasks Pear Shaped, "LABCO", Three necks one side neck at angle and other neck parallel.

Cat. No.	Socket	Cone	Capacity ml.	Price/Piece Rs.
697/1	B 14	B 14	25	340-00
697/2	B 14	B 14	50	360-00
697/3	B 14	B 14	100	385-00

698. Flasks Vigreux, "LABCO", Claisen Type.

Cat. No.	Socket	Cone	Capacity ml.	Price/Piece Rs.
698/1	B 14	B 14	10	360-00
698/2	B 14	B 14	25	370-00
698/3	B 14	B 14	50	370-00
698/4	B 14	B 14	100	490-00

699. Flasks Vigreux, "LABCO", with side neck.

Cat. No.	Socket	Cone	Capacity ml.	Price/Piece Rs.
699/1	B 14	B 14	10	360-00
699/2	B 14	B 14	25	370-00
699/3	B 14	B 14	50	370-00
699/4	B 14	B 14	100	490-00

700. Flasks Claisen Pear Shaped, "LABCO".

Cat. No.	Socket	Cone	Capacity ml.	Price/Piece Rs.
700/1	B 14	B 14	10	320-00
700/2	B 14	B 14	25	340-00
700/3	B 14	B 14	50	360-00
700/4	B 14	B 14	100	440-00

701. Flasks Distillation Pear Shaped, "LABCO".

Cat. No.	Socket	Cone	Capacity ml.	Price/Piece Rs.
701/1	B 14	B 14	10	180-00
701/2	B 14	B 14	25	220-00
701/3	B 14	B 14	50	280-00
701/4	B 14	B 14	100	325-00

702. Flasks Distillation, "LABCO', with side Tube.

Cat. No.	Capacity ml.	Price/Piece Rs.
702/1	25	135-00
702/2	50	150-00
702/3	100 or 125	220-00
702/4	250	265-00
702/5	500	315-00
702/6	1000	475-00

Note : Flasks above 250 ml. will be of short neck.

703. Flasks Buchner, "LABCO", Filtration Bolt Neck.

Cat. No.	Capacity ml.	Price/Piece Rs.
703/1	50	170-00
703/2	100	230-00
703/3	250	410-00
703/4	500	510-00
703/5	1000	885-00
703/6	2000	1500-00
703/7	5000	5250-00
703/8	10000	9450-00
703/9	20000	15900-00

Note:The flasks in Cat. No. 703 are made from Heavy Wall and suitable for High Vacuum.



703

704. Flasks Conical, "LABCO", with Teflon liner Screw Cap.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
704/1	25		2	140-00
704/2	50		2	165-00
704/3	100		2	200-00
704/4	150		2	230-00
704/5	250		2	260-00
704/6	500		2	340-00
704/7	1000		2	580-00
704/8	2000		2	1190-00
704/9	5000		2	3675-00



704

705. Flasks Conical, "LABCO", with interchangeable stopper.

Cat. No.	Capacity ml.	Socket Size	Min. Qty./Pack	Price/Piece Rs.
705/1	25	B 14	12	160-00
705/2	50	B 19	12	180-00
705/3	100	B 24	12	230-00
705/4	100	B 19	12	230-00
705/5	100	B 29	12	230-00
705/6	150	B 24	12	250-00
705/7	250	B 24	12	265-00
705/8	250	B 29	12	265-00
705/9	500	B 24	12	365-00
705/10	1000	B 24	12	565-00
705/11	2000	B 34	6	1190-00



705

705M Amber Colour Flasks Conical, "LABCO", with interchangeable stopper.

Cat. No.	Capacity ml.	Socket Size	Min. Qty./Pack	Price/Piece Rs.
705M/1	25	B 14	12	235-00
705M/2	50	B 19	12	255-00
705M/3	100	B 24	12	325-00
705M/4	100	B 29	12	325-00
705M/5	150	B 24	12	355-00
705M/6	250	B 24	12	410-00
705M/7	250	B 29	12	410-00
705M/8	500	B 24	12	575-00
705M/9	1000	B 24	12	1050-00
705M/10	2000	B 34	6	1800-00



705M



706



707



707M

708



708a



709

710

706 **Iodine Flasks, "LABCO",** with Flaring, Funnel Shaped Cup.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
706/1	100		12	200-00
706/2	250		12	245-00
706/3	500		12	310-00
706/4	1000		12	695-00

707 **Flasks Erlenmeyer's, "LABCO",** Conical Graduated Approx.

Cat. No.	Capacity ml.	Graduation Interval (ml.)	MIn. Qty./Pack	Price/Piece Rs.
707/1	5	--	12	44-00
707/2	10	--	12	45-00
707/3	25	--	12	68-00
707/4	50	--	12	72-00
707/5	100	25	12	75-00
707/6	150	25	12	95-00
707/7	250	50	12	120-00
707/8	500	100	12	172-00
707/9	1000	200	12	295-00
707/10	2000	500	6	890-00
707/11	3000	500	6	1375-00
707/12	5000	500	2	2275-00

707M **Amber Colour Flask Erlenmeyer's, "LABCO",** Conical Graduated Approx.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
707M/1	50		12	150-00
707M/2	100		12	165-00
707M/3	250		12	230-00
707M/4	500		12	370-00
707M/5	1000		4	685-00
707M/6	2000		4	1350-00

708 **Flasks Kjeldhal, "LABCO",** Round Bottom, long neck.

Cat. No.	Capacity ml.	Price/Piece Rs.
708/1	10	78-00
708/2	30	102-00
708/3	50	158-00
708/4	100	172-00
708/5	300	278-00
708/6	500	465-00
708/7	800	585-00

708a **Flasks Culture, Haffkine, "LABCO",**

Cat No.	Capacity (ml.)	OD X HT (mm) Rs.	Price/Piece
708a/1	3000	241 x 273	2550-00
708a/2	4000	241 x 310	2975-00

709 **Flask Erlenmeyer "LABCO",** Conical Long neck without rim Cap-250 ml.OD x Ht. 78 x 154 mm Neck 25 mm 155-00

710 **Flask Erlenmeyer "LABCO",** Conical wide mouth

Cat No.	Cap. ml.	OD x Ht. mm.	Neck mm.	Price/Piece Rs.
710/1	100	70 x 110	34	88-00
710/2	250	74 x 134	36	128-00
710/3	500	97 x 170	47	198-00
710/4	1000	120 x 220	56	350-00

710A **Cleaning Brushes for Flasks,** made of Nylon Bristle (Pack of 6pcs) **355-00**

711 **Flask Conical "LABCO",** without rim

Cat No.	Cap. ml.	OD x Ht. mm.	Neck mm.	Price/Piece Rs.
711/1	750	114 x 210	34	380-00

711A **Boiling Flasks, "LABCO",** Round/Flat bottom.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
711A/1	5		24	66-00
711A/2	10		24	66-00
711A/3	20		24	72-00
711A/4	25		24	72-00
711A/5	50		24	88-00
711A/6	100		24	102-00
711A/7	150		24	105-00
711A/8	250		12	110-00
711A/9	500		12	190-00
711A/10	1000		12	320-00
711A/11	2000		6	940-00
711A/12	3000		6	1525-00
711A/13	5000		2	2475-00
711A/14	10000		1	5100-00
711A/15	20000		1	9400-00

Note : While Ordering, do mention flask required Round or Flat Bottom.

711M **Amber Colour Boiling Flasks, "LABCO",** Round/Flat bottom.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
711M/1	50		12	265-00
711M/2	100		12	390-00
711M/3	250		12	410-00
711M/4	500		12	660-00
711M/5	1000		4	875-00
711M/6	2000		4	1350-00

Note : While Ordering, do mention flask required Round or Flat Bottom.

712 **Drying tray "LABCO",** Ovenproof, for drying purpose, heavy type. Square shape or rectangular shape 1950-00

713 **Evaporating basins "LABCO",** Flat bottom, with pour out

Size	**80 x 45**	**105 x 55**	**150 x 80**	**200 x 100**
Rate	255-00	350-00	840-00	1660-00

714 **Dishes, Crystallizing, "LABCO",** Heavy type

Cap.	**20ml**	**40ml**	**60ml**	**100ml**	**150ml**
Rates	110-00	125-00	160-00	185-00	250-00

Cap	**300ml**	**500ml**	**1000ml**	**2000ml**
Rate	350-00	675-00	840-00	1340-00

710A


711


711A 711A


711M 711M


712


713

714



715



716



717

715. **Sockets, "LABCO",** Plain Shank, Single.

Cat. No.	Socket	Min. Qty./Pack	Price/Piece Rs.
715/1	B 7	12	65-00
715/2	B 10	12	65-00
715/3	B 12	12	65-00
715/4	B 14	12	65-00
715/5	B 19	12	70-00
715/6	B 24	12	92-00
715/7	B 29	12	118-00
715/8	B 34	12	138-00
715/9	B 40	12	210-00
715/10	B 45	12	245-00
715/11	B 50	12	300-00
715/12	B 55	12	410-00

Note : Socket with Hooks, 10% extra.

716. **Cones, "LABCO",** Plain End, Single.

Cat. No.	Socket	Min. Qty./Pack	Price/Piece Rs.
716/1	B 7	12	65-00
716/2	B 10	12	65-00
716/3	B 12	12	65-00
716/4	B 14	12	65-00
716/5	B 19	12	70-00
716/6	B 24	12	92-00
716/7	B 29	12	118-00
716/8	B 34	12	138-00
716/9	B 40	12	210-00
716/10	B 45	12	245-00
716/11	B 50	12	300-00
716/12	B 55	12	410-00

Note : Cone with Drip, 10% extra.

717. **Sockets, "LABCO",** Plain Shank Double.

Cat. No.	Socket	Shank length mm.	Min. Qty./Pack	Price/Piece Rs.
717/1	B 7	80	12	120-00
717/2	B 10	80	12	120-00
717/3	B 14	80	12	120-00
717/4	B 19	80	12	130-00
717/5	B 24	80	12	160-00
717/6	B 29	90	12	200-00
717/7	B 34	100	12	240-00
717/8	B 40	110	12	360-00

Note: Sockets with Hooks, 10% extra.

718. Cones, "LABCO", Plain End Double.

Cat. No.	Cone	Shank length mm.	Min. Qty./Pack	Price/Piece Rs.
718/1	B 7-	80	12	120-00
718/2	B 10	80	12	120-00
718/3	B 14	80	12	120-00
718/4	B 19	80	12	130-00
718/5	B 24	80	12	160-00
718/6	B 29	90	12	200-00
718/7	B 34	100	12	240-00
718/8	B 40	110	12	360-00

Note : Cones with tip, 10% extra.

718a Grip Clamps, "LABCO", to hold Interchangeable Standard Joints.

Cat. No.	Cone	Min. Qty./Pack	Price/Piece Rs.	Size
718a/1	B-14	10		14-00
718a/2	B-19	10		18-00
718a/3	B-24	10		24-00
718a/4	B-29	10		28-00
718a/5	B-34	10		38-00
718a/6	B 40	10		68-00

719. Spherical Joints, Ball and Cup, "LABCO",

Cat. No.	Joint	Approx. Bore mm.	Price/Piece Rs.	Clip Price Rs.
719/1	S 13	2	225-00	155-00
719/2	S 13	5	225-00	155-00
719/3	S 19	9	240-00	185-00
719/4	S 29	15	325-00	200-00
719/5	S 35	21	440-00	225-00
719/6	S 41	32	1090-00	490-00

719a Polypropylene Stoppers, interchangeable "LABCO", Hexagonal Heads

Cat. No.	Cone	Min. Qty./Pack	Price/Piece Rs.	Size
719a/1	B-10	50		9-00
719a/2	B-14	50		13-50
719a/3	B-19	50		15-00
719a/4	B-24	50		24-00
719a/5	B-29	50		34-00
719a/6	B 34	50		44-00

720. Stoppers, "LABCO", Hollow.

Cat. No.	Shape	Cone	Price/Piece Rs.
720/1	Hexagonal	B 10	25-00
720/2		B 12 or B 14	27-00
720/3		B 19	33-00
720/4		B 24	42-00
720/5		B 29	72-00
720/6		B 34	108-00
720/7	Penny Head	B 40	240-00
720/8		B 45	275-00
720/9		B 50	390-00
720/10		B 55	440-00



718



718a



719

719a



720



720M



721

722



723

720M Amber Colour Stoppers, "LABCO", Hollow

Cat. No. Qty./Pack	ConeMin. Rs.	Price/Piece	Size
720M/1	B-10	50	44-00
720M/2	B-14	50	45-00
720M/3	B-19	25	54-00
720M/4	B-24	25	63-00
720M/5	B-34	10	125-00

721. Stoppers, "LABCO", Solid, Penny or Flat Head.

Cat. No.	Cone	Price/Piece Rs.
721/1	B 10	33-00
721/2	B 14	40-00
721/3	B 19	63-00
721/4	B 24	82-00
721/5	B 29	135-00
721/6	B 34	230-00

722. Stoppers, Interchangeable, Ground Joint for Volumetric Flask "LABCO"

Cat. No.	Cone Size	Capacity For	Min. Qty./Pack	Price/Piece Rs.
722/1	B 10	Volumetric Flask 5ml, 10ml, 20ml	50	33-00
722/2	B 10	Volumetric Flask 25ml, 50ml	50	33-00
722/3	B 14	Volumetric Flask 100ml, 200ml, 250ml	50	40-00
722/4	B 19	Volumetric Flask 500ml, 1000ml	25	63-00
722/5	B 24	Volumetric Flask 2000ml	25	82-00

723. Reduction Adapters, "LABCO".

Cat. No.	SocketCone	Price/Piece Rs.	
723/1	B 14	B 19	88-00
723/2	B 14	B 24	100-00
723/3	B 14	B 29	133-00
723/4	B 19	B 24	108-00
723/5	B 19	B 29	130-00
723/6	B 19	B 34	160-00
723/7	B 19	B 40	195-00
723/8	B 19	B 45	205-00
723/9	B 19	B 55	300-00
723/10	B 24	B 29	140-00
723/11	B 24	B 34	160-00
723/12	B 24	B 40	195-00
723/13	B 24	B 45	210-00
723/14	B 24	B 50	250-00
723/15	B 24	B 55	300-00
723/16	B 29	B 34	185-00
723/17	B 29	B 40	210-00
723/18	B 34	B 40	230-00
723/19	B 34	B 50	285-00
723/20	B 34	B 55	330-00
723/21	B 40	B 55	400-00

724. Expansion Adapters, "LABCO".

Cat. No.	SocketCone		Price/Piece Rs.
724/1	B 19	B 14	102-00
724/2	B 24	B 14	138-00
724/3	B 24	B 19	128-00
724/4	B 29	B 19	152-00
724/5	B 29	B 24	158-00
724/6	B 34	B 19	180-00
724/7	B 34	B 24	190-00
724/8	B 34	B 29	200-00
724/9	B 40	B 24	235-00

Note : Reduction and Expansion adapters of any other size can also be supplied.



724

725. Conical Spherical Adapters, "LABCO", with Clip. Rates on request.

726. Multiple Adapters, "LABCO", with Two Necks Parallel.

Cat. No.	SocketCone		Price/Piece Rs.
726/1	B 14	B 14	200-00
726/2	B 19	B 19	235-00
726/3	B 19	B 24	240-00
726/4	B 24	B 24	285-00
726/5	B 19	B 34	320-00
726/6	B 29	B 29	375-00



726

727. Multiple Adapters, "LABCO", with Two Necks at 45 ^{0}.

Cat. No.	SocketCone		Price/Piece Rs.
727/1	B 19	B 19	235-00
727/2	B 19	B 24	240-00
727/3	B 19	B 34	315-00



727

728. Multiple Adapters, "LABCO", with Three Necks, Two Parallel and one at 45 ^{0}.

Cat. No.	SocketCone		Price/Piece Rs.
728/1	B 19	B 24	340-00
728/2	B 19	B 29	385-00
728/3	B 19	B 34	400-00
728/4	B 19	B 45	575-00
728/5	B 19	B 55	660-00



728

729. Swan Neck Adapters, "LABCO".

Cat. No.	SocketCone		Price/Piece Rs.
729/1	B 19	B 19	175-00
729/2	B 19	B 24	175-00
729/3	B 24	B 24	190-00
729/4	B 24	B 34	210-00



729



730



731

732



733



734



735

730. Receiver Adapters, "LABCO", Plain Bend Short/long.

Cat. No.	Socket	Price/Piece Rs.
730/1	B 14	95-00
730/2	B 19	110-00
730/3	B 24	130-00
730/4	B 29	150-00
730/5	B 34	190-00
730/6	B 40	250-00
730/7	B 45	335-00
730/8	B 50	415-00
730/9	B 55	435-00

731. Straight Delivery Adapters, "LABCO".

Cat. No.	Socket	Price/Piece Rs.
731/1	B 14	98-00
731/2	B 19	112-00
731/3	B 24	130-00
731/4	B 34	190-00

732. Receiver Adapters, "LABCO", Bend with Vent.

Cat. No.	SocketCone	Price/Piece Rs.	
732/1	B 14	B 14	185-00
732/2	B 19	B 19	200-00
732/3	B 19	B 24	210-00
732/4	B 24	B 24	250-00
732/5	B 34	B 34	370-00

733. Receiver Adapters, "LABCO", Bend or Straight with Vaccum connection.

Cat. No.	SocketCone	Price/Piece Rs.	
733/1	B 14	B 14	190-00
733/2	B 19	B 19	200-00
733/3	B 19	B 24	210-00
733/4	B 24	B 24	245-00
733/5	B 24	B 34	300-00
733/6	B 34	B 34	350-00

734. Receiver Adapters, "LABCO", Bend with Socket Connections.

Cat. No.	SocketCone	Price/Piece Rs.	
734/1	B 14	B 14	205-00
734/2	B 19	B 19	235-00
734/3	B 19	B 24	240-00

735. Receiver Adapters, "LABCO", Bend with Multiple Connections (Fig).

Cat. No.	SocketCone	Price/Piece Rs.	
735/1	B 14	B 14	395-00
735/2	B 14	B 19	415-00
735/3	B 19	B 19	430-00

736. Perkin Intermediate Receiver, "LABCO".

Cat. No.	SocketCone	Price/Piece Rs.	
736/1	B 14	B 14	1275-00
736/2	B 19	B 19	1300-00
736/3	B 19	B 24	1300-00
736/4	B 24	B 24	1360-00
736/5	B 34	B 24	1525-00
736/6	B 34	B 34	1875-00

737. Receiver Adapters, Plain Bend, "LABCO".

Cat. No.	SocketCone	Price/Piece Rs.	
737/1	B 19	B 19	170-00
737/2	B 19	B 24	180-00
737/3	B 24	B 24	210-00
737/4	B 34	B 34	325-00

STILL HEADS/SPLASH HEADS

738. Still Heads, Recovery Bend, "LABCO", Sloping (Elbow).

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
738/1	B 14	B 14	145-00
738/2	B 24	B 14	195-00
738/3	B 19	B 19	165-00
738/4	B 24	B 19	200-00
738/5	B 29	B 19	225-00
738/6	B 34	B 19	265-00
738/7	B 24	B 24	195-00
738/8	B 34	B 24	250-00
738/9	B 55	B 24	510-00
738/10	B 34	B 34	325-00

739. Still Heads, Recovery Bend, "LABCO", Vertical.

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
739/1	B 14	B 14	175-00
739/2	B 19	B 19	210-00
739/3	B 24	B 14	245-00
739/4	B 24	B 24	275-00
739/5	B 34	B 34	410-00

740. Recovery Head, "LABCO", Sloping with B 14 Socket.

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
740/1	B 14	B 14	210-00
740/2	B 19	B 19	245-00
740/3	B 24	B 19	250-00
740/4	B 29	B 19	275-00
740/5	B 34	B 19	310-00
740/6	B 24	B 24	260-00
740/7	B 34	B 24	425-00
740/8	B 55	B 24	530-00
740/9	B 34	B 34	440-00
740/10	B 55	B 34	585-00


736


737


738


739


740



741



742



743

744



745

741. Claisen Heads, "LABCO", Sloping with 2 x B-14 Sockets.

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
741/1	B 14	B 19	300-00
741/2	B 19	B 19	335-00
741/3	B 24	B 19	350-00
741/4	B 34	B 19	425-00
741/5	B 24	B 24	390-00
741/6	B 34	B 24	430-00

742. Splash Heads, "LABCO", Pear Shape Sloping.

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
742/1	B 19	B 19	325-00
742/2	B 24	B 19	340-00
742/3	B 34	B 19	430-00
742/4	B 34	B 24	435-00
742/5	B 34	B 34	475-00
742/6	B 24	B 24	350-00

743. Splash Heads, "LABCO", Pear Shape Vertical.

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
743/1	B 19	B 19	370-00
743/2	B 24	B 19	380-00
743/3	B 34	B 19	480-00
743/4	B 24	B 24	400-00
743/5	B 34	B 24	515-00

744. Splash Head Adapter, "LABCO".

Cat. No.	ConeCone fitting fitting flask	Price/Piece Condenser	Rs.
744/1	B 24	B 19	320-00

745. Steam Distillation Heads, "LABCO", Pear Shape Sloping.

Cat. No.	Cone fitting flaskCondenser	Cone fitting Rs.	Price/Piece
745/1	B 24	B 19	410-00
745/2	B 34	B 19	430-00
745/3	B 34	B 24	440-00

MISCELLANEOUS FITTING

746. **Adapters, "LABCO",** Cone to Rubber Tubing, Straight connection, with Stopcock.

Cat. No.	Cone	Price/Piece Rs.
746/1	B 14	240-00
746/2	B 19	245-00
746/3	B 24	250-00
746/4	B 34	340-00

746a. **Adapters, "LABCO",** Cone to Rubber Tubing, Right angle connection.

Cat. No.	Cone	Price/Piece Rs.
746a/1	B 14	240-00
746a/2	B 19	245-00
746a/3	B 24	250-00
746a/4	B 34	340-00

747. **Adapters, "LABCO",** Socket to Rubber Tubing Straight or Right angle connection, with Stopcock.

Cat. No.	Socket	Price/Piece Rs.
747/1	B 14	250-00
747/2	B 19	255-00
747/3	B 24	265-00

748. **Adapters, "LABCO",** Cone to rubber tubing, straight connection.

Cat. No.	Cone	Price/Piece Rs.
748/1	B 14	93-00
748/2	B 19	102-00
748/3	B 24	112-00
748/4	B 34	160-00

748a. **Adapter "LABCO",** Cone to rubber tubing, right angle connection.

Cat. No.	Cone	Price/Piece Rs.
748a/1	B 14	93-00
748a/2	B 19	102-00
748a/3	B 24	112-00
748a/4	B 34	160-00

749. **Adapters, "LABCO",** Cone with stem to rubber tubing right angle connection.

Cat. No.	Cone	Price/Piece Rs.
749/1	B 14	122-00
749/2	B 19	133-00
749/3	B 24	145-00

750. **Adapter, "LABCO",** Socket to Rubber tubing, Straight connection.

Cat. No.	Socket	Price/Piece Rs.
750/1	B 19	102-00
750/2	B 24	108-00



746



746a



747



748



748a



749



750


751


752


753


754


755

756

757

751. Adapters, "LABCO", Socket to cone with Tee Connection.

Cat. No.	SocketCone	Price/Piece Rs.
751/1	B 14	B 14	115-00
751/2	B 14	B 19	120-00
751/3	B 14	B 24	130-00
751/4	B 19	B 19	135-00
751/5	B 19	B 24	145-00
751/6	B 19	B 34	180-00
751/7	B 24	B 24	165-00
751/8	B 24	B 34	205-00
751/9	B 34	B 34	230-00

752. Thistle Funnel head, "LABCO", with B 24 cone 275-00

753. U Tube, "LABCO", with two sockets or cones.

Cat. No.	Cone	Price/Piece Rs.
753/1	B 14	240-00
753/2	B 19	275-00

754. Drying Tube, "LABCO".

Cat. No.	Cone	Price/Piece Rs.
754/1	B 14	108-00
754/2	B 19	130-00
754/3	B 24	145-00

755. Thermometer Pocket, "LABCO", Long type for sealing to length required.

Cat. No.	Cone	Price/Piece Rs.
755/1	B 14	108-00
755/2	B 19	128-00
755/3	B 24	145-00
755/4	B 34	215-00

756. Thermometer Pocket, "LABCO".

Cat. No.	Cone	Price/Piece Rs.
756/1	B 14	102-00
756/2	B 19	115-00
756/3	B 24	135-00
756/4	B 34	230.00

Note : While Ordering, do mention capacity of Flask for which Thermometer pocket is required.

757. Air Leak Tube/Gas Inlet Tube, "LABCO".

Cat. No.	Cone	Price/Piece Rs.
757/1	B 14	106-00
757/2	B 19	128-00
757/3	B 24	145-00
757/4	B 34	215-00

STIRRERS

760. Glass Stirring Rods, "LABCO".

Cat. No.	Approx. O.D. x Length (mm)	Min. Qty./Pack	Price/Piece Rs.
760/1	7 x 150	10	16-00
760/2	7 x 205	10	24-00
760/3	7 x 255	10	28-00
760/4	7 x 305	10	33-00
760/5	9 x 150	10	28-00
760/6	9 x 205	10	33-00
760/7	9 x 255	10	42-00
760/8	9 x 305	10	42-00
760/9	9 x 400	10	63-00



760

761. Teflon Bladed Stirrers, "LABCO", Removable from the Glass Rod Stirrer Shaft

Cat. No.	Approx. Shaft dia mm.	Shaft length mm.	Smallest Socket through which Stirrer will pass	Blade width mm.	Price/Piece Rs.
761/1	6	450	B 19	52	270-00
761/2	6	450	B 24	76	335-00
761/3	8	450	B 24	76	350-00
761/4	8	450	B 29	100	450-00
761/5	8	600	B 34	100	475-00
761/6	10	450	B 34	100	495-00
761/7	10	600	B 34	125	660-00
761/8	10	600	B 50	150	775-00
Spare Glass Shaft for Teflon Bladed stirrers, "LABCO".					
761/9	6	450			120-00
761/10	8	450			135-00
761/11	8	600			155-00
761/12	10	450			170-00
761/13	10	600			210-00



761

761a Spare Teflon blade "LABCO", It can be easily replaceable & can easily be fitted.

Cat. No.	For Flask ml.mm.	Blade Width. Rs.	Price/Piece
761a/1	250 & 500	52	295-00
761a/2	1000	76	325-00
761a/3	2 Lit. & 3 Lit.	100	375-00
761a/4	5Lit. & 10Lit.	125	615-00
761a/5	20 Lit.	150	750-00



761a

762 Link Stirrers, "LABCO".

762/1	6	450	B 24	75	200-00
762/2	6	600	B 24	75	220-00



762

763 Collapsible Paddle Stirrers, "LABCO".

763/1	6	600	B 24	75	295-00



763











764 Fixed Paddle Stirrers, "LABCO".

Cat. No.	App. Shaft Dia mm	Shaft Length mm	Socket Through which blade will pass	Blade Width mm	Price/Piece Rs.
764/1	6	600	B 55	50	250-00
764/2	8	600	B 55	50	290-00
764/3	10	750	100 mm.	80	400-00

767. Semi Micro Stirrers, "LABCO".

Cat. No.	Type	Dia. mm.	Length mm.	Price/Piece Rs.
767/1	Screw	4	210	150-00
767/2	Anchor	4	210	150-00

768. Stirrers Guides, "LABCO".

Cat No.	To fit stirrer shaft	Socket	Cone	Approx. stem length	Price/Piece Rs.
768/1	6 mm	B 19	B 19	200 mm	280-00
768/2	10 mm	B 24	B 24	300 mm	290-00

769. Mercury Seal Glands and Guide, "LABCO".

Cat No.	To fit stirrer shaft	Cone	Approx. stem length	Price/Piece Rs.
769/1	6 mm	B 19	200 mm	330-00
769/2	6 mm	B 24	200 mm	340-00
769/3	8 mm	B 34	200 mm	420-00

770. Mercury Seal Glands and Cap, "LABCO".

Cat No.	To fitCone stirrer shaft	Price/Piece	Rs.
770/1	6 mm	B 19	320-00
770/2	6 mm	B 24	330-00
770/3	8 mm	B 34	355-00
770/4	6 or 8 mm	B 24 with Teflon tube	780-00
770/5	6 or 8 mm	B 34 with Teflon tube	835-00

771 Stuffing Box Glands "LABCO", (P.T.F.E.) Teflon. (Gland only Without pulley).

Cat. No.	To fitCone shaft Stirrer	Price/Piece size	Rs.
771/1	6-8 mm	B 19/B 24	1100-00
771/2	6-8 mm	B 34	1240-00
771/3	8-10 mm	B 40	2850-00
771/4	8-10 mm	B 50/B 55	4250-00

772. Simple Glands with Cap, "LABCO".

Cat No.	To fitCone stirrer shaft	Price/Piece	Rs.
772/1	6 mm	B 14	90-00
772/2	6 mm	B 19	100-00
772/3	6 mm	B 24	110-00

SEPARATING / DROPPING FUNNELS

785. Separating Funnels, "LABCO", with Stopcock, Interchangeable Stopper, Conical/Pear Shape with Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
785/1	30		2	320-00
785/2	60		2	355-00
785/3	125		2	520-00
785/4	250		2	585-00
785/5	500		2	765-00
785/6	1000		2	1150-00
785/7	2000		2	2650-00



785

785M. Amber Colour Separating Funnels, "LABCO", with glass key Stopcock, Interchangeable Stopper, Conical/Pear Shape with Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
785M/1	30		4	540-00
785M/2	60		4	600-00
785M/3	125		4	715-00
785M/4	250		4	860-00
785M/5	500		4	1125-00
785M/6	1000		2	1650-00
785M/7	2000		2	3450-00



785M

786. Separating Funnels, "LABCO", with Screw type, PTFE key, Rotaflow stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
786/1	30		2	310-00
786/2	60		2	350-00
786/3	125		2	520-00
786/4	250		2	585-00
786/5	500		2	765-00
786/6	1000		2	1150-00
786/7	2000		2	2650-00



786

787. Separating Funnels, "LABCO", with PTFE key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
787/1	30		2	600-00
787/2	60		2	610-00
787/3	125		2	760-00
787/4	250		2	840-00
787/5	500		2	1170-00
787/6	1000		2	1570-00
787/7	2000		2	3150-00



787



787M



788



789



790

787M **Amber Colour Separating Funnels, "LABCO",** with PTFE key Stopcock, Interchangeable Stopper, Conical/Pear Shape, Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
787M/1	30		4	760-00
787M/2	60		4	825-00
787M/3	125		4	940-00
787M/4	250		4	1140-00
787M/5	500		4	1540-00
787M/6	1000		4	2150-00
787M/7	2000		2	4350-00

788. **Separating Funnels, "LABCO",** with Stopcock, Interchangeable Stopper, Globe Shape with Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
788/1	25		2	300-00
788/2	50		2	340-00
788/3	100		2	390-00
788/4	250		2	455-00
788/5	500		2	570-00
788/6	1000		2	940-00
788/7	2000		2	1925-00
788/8	3000		2	3150-00
788/9	5000		2	4470-00
788/10	10000		2	7800-00
788/11	20000		2	14900-00

789. **Separating Funnels, "LABCO",** with Screw type PTFE key, Rotaflow Stopcock, Interchangeable Stopper, Globe Shape, Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
789/1	25		2	290-00
789/2	50		2	320-00
789/3	100		2	375-00
789/4	250		2	500-00
789/5	500		2	600-00
789/6	1000		2	975-00
789/7	2000		2	1950-00

790. **Separating Funnels, "LABCO",** with PTFE key Stopcock, Interchangeable Stopper, Globe Shape, Plain Stem.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
790/1	25		2	570-00
790/2	50		2	600-00
790/3	100		2	650-00
790/4	250		2	790-00
790/5	500		2	1000-00
790/6	1000		2	1430-00
790/7	2000		2	2400-00
790/8	3000		2	6800-00
790/9	5000		2	8200-00
790/10	10000		2	17500-00
790/11	20000		2	24800-00

791. **Dropping Funnels, "LABCO",** Cylindrical with Interchangeable Stopper and Stopcock, Plain Stem.

Cat. No.	Capacity ml.	Price/Piece Rs.
791/1	50	320-00
791/2	100	360-00
791/3	150	385-00
791/4	250	450-00
791/5	500	620-00
791/6	1000	1100-00

792. **Dropping Funnels, "LABCO",** Cylindrical, Graduated, with Interchangeable Stopper and Stopcock, Plain Stem.

Cat. No.	Capacity ml.	Price/Piece Rs.
792/1	50	385-00
792/2	100	440-00
792/3	150	525-00
792/4	250	540-00
792/5	500	810-00
792/6	1000	1425-00

793. **Dropping Funnels, "LABCO",** Cylindrical with Screw type PTFE key Rotaflow Stopcock, Interchangeable Stopper and Stopcock, Plain Stem.

Cat. No.	Capacity ml.	Price/Piece Rs.
793/1	50	290-00
793/2	100	320-00
793/3	150	405-00
793/4	250	515-00
793/5	500	750-00
793/6	1000	1300-00

794. **Dropping Funnels, "LABCO",** Cylindrical, Graduated, with Screw type PTFE key, Rotaflow Stopcock and Interchangeable Stopper, Plain Stem.

Cat. No.	Capacity ml.	Price/Piece Rs.
794/1	50	350-00
794/2	100	410-00
794/3	150	550-00
794/4	250	625-00
794/5	500	950-00
794/6	1000	1575-00

795. **Dropping Funnels, "LABCO",** Cylindrical, open top, with Stopcock, Stem with Cone.

Cat. No.	Capacity ml.	Cone Rs.	Price/Piece
795/1	50	B 19	315-00
795/2	100	B 19	335-00
795/3	100	B 24	350-00
795/4	250	B 19	440-00
795/5	250	B 24	560-00



791



792

793



794



795



796

796. Dropping Funnels, "LABCO", Cylindrical, open top, with Screw type, PTFE key, Rotaflow Stopcock, Stem with Cone.

Cat. No.	Capacity ml.	Cone Rs.	Price/Piece
796/1	50	B 19	292-00
796/2	100	B 19	340-00
796/3	100	B 24	350-00
796/4	250	B 19	480-00
796/5	250	B 24	560-00



797

797. Separating Funnels, "LABCO", Pear shape, with socket, stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
797/1	25	B 14	B 14	395-00
797/2	50	B 14	B 14	415-00
797/3	50	B 19	B 19	445-00
797/4	100	B 14	B 14	480-00
797/5	100	B 19	B 19	490-00
797/6	250	B 14	B 14	530-00
797/7	250	B 19	B 19	540-00
797/8	500	B 19	B 19	670-00
797/9	500	B 24	B 24	685-00
797/10	1000	B 19	B 19	1025-00
797/11	1000	B 24	B 24	1045-00



798

798. Separating Funnels, "LABCO", Pear shape, with socket screw type PTFE key Rotaflow Stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
798/1	25	B 14	B 14	375-00
798/2	50	B 14	B 14	410-00
798/3	50	B 19	B 19	420-00
798/4	100	B 14	B 14	450-00
798/5	100	B 19	B 19	465-00
798/6	250	B 14	B 14	565-00
798/7	250	B 19	B 19	580-00
798/8	500	B 19	B 19	695-00
798/9	500	B 24	B 24	700-00
798/10	1000	B 19	B 19	1070-00
798/11	1000	B 24	B 24	1100-00



799

799. Dropping Funnels, "LABCO", Cylindrical with socket, stopcock and stem, with cone but without stopper.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
799/1	25	B 14	B 14	365-00
799/2	50	B 14	B 14	385-00
799/3	100	B 14	B 14	425-00
799/4	100	B 19	B 19	435-00
799/5	250	B 19	B 19	525-00
799/6	500	B 19	B 19	760-00
799/7	1000	B 19	B 19	1170-00

800. Dropping Funnels, "LABCO", Cylindrical, with socket, Screw type PTFE key Rotaflow Stopcock and stem with cone but without stopper.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
800/1	25	B 14	B 14	320-00
800/2	50	B 14	B 14	350-00
800/3	100	B 14	B 14	425-00
800/4	100	B 19	B 19	440-00
800/5	250	B 19	B 19	650-00
800/6	500	B 19	B 19	925-00
800/7	1000	B 19	B 19	1375-00

801. Pressure Equilising Funnels, "LABCO", Pear shape, with socket, Glass key stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
801/1	100	B 19	B 19	760-00
801/2	100	B 24	B 24	790-00
801/3	250	B 19	B 19	815-00
801/4	250	B 24	B 24	845-00
801/5	500	B 19	B 19	1025-00
801/6	500	B 24	B 24	1060-00
801/7	500	B 34	B 34	1175-00

801A. Pressure Equilising Funnels, "LABCO", Pear shape, with socket, PTFE key stopcock and stem with cone.

Cat. No.	Capacity ml.	Socket	Cone	Price/Piece Rs.
801A/1	100	B 19	B 19	1025-00
801A/2	100	B 24	B 24	1050-00
801A/3	250	B 19	B 19	1070-00
801A/4	250	B 24	B 24	1100-00
801A/5	500	B 19	B 19	1325-00
801A/6	500	B 24	B 24	1360-00
801A/7	500	B 34	B 34	1575-00

802. Pressure Equilising Funnels, "LABCO", Cylindrical, with socket, Glass key, stopcock and stem with cone.

Cat. No.	Capacity	Socket	Cone	Price/Piece Rs.
802/1	50	B 19	B 19	615-00
802/2	100	B 19	B 19	650-00
802/3	250	B 19	B 19	750-00
802/4	250	B 24	B 24	770-00
802/5	500	B 24	B 19	1000-00
802/6	500	B 24	B 24	1025-00

802A. Pressure Equilising Funnels, "LABCO", Cylindrical, with socket, PTFE key, stopcock and stem with cone.

Cat. No.	Capacity	Socket	Cone	Price/Piece Rs.
802A/1	50	B 19	B 19	880-00
802A/2	100	B 19	B 19	925-00
802A/3	250	B 19	B 19	1050-00
802A/4	250	B 24	B 24	1060-00
802A/5	500	B 24	B 19	1350-00
802A/6	500	B 24	B 24	1370-00


800


801


801A


802


802A



802B. Pressure Equilising Funnels, "LABCO", Cylindrical Graduated with socket, PTFE key, stopcock and stem with cone.

Cat. No.	Capacity	Socket	Cone	Price/Piece Rs.
802B/1	50	B 19	B 19	1125-00
802B/2	100	B 19	B 19	1175-00
802B/3	250	B 19	B 19	1300-00
802B/4	250	B 24	B 24	1310-00
802B/5	500	B 24	B 19	1600-00
802B/6	500	B 24	B 24	1675-00

803. Dropping Funnels, "LABCO", Cylindrical, open top, with Gas outlet tube, Stem with B 24 Cone, Capacity 100 ml. 440-00

804. Plug Type Funnels, "LABCO", Capacity 50 ml., Socket B 10, Cone B 19 335-00

FRACTIONATING COLUMNS

805. Fractionating Columns, "LABCO", Vigrex.

Cat. No.	Socket	Cone	Effective Lenght mm.	Price/Piece Rs.
805/1	B 24	B 24	360	500-00
805/2	B 24	B 24	600	655-00
805/3	B 29	B 29	360	575-00
805/4	B 34	B 34	600	1040-00

806. Fractionating Columns, "LABCO", Dufton.

Cat. No.	Socket	Cone	Effective Lenght mm.	Price/Piece Rs.
806/1	B 24	B 19	150	480-00
806/2	B 24	B 19	300	570-00
806/3	B 24	B 24	150	500-00
806/4	B 24	B 24	300	590-00

807. Fractionating Columns, "LABCO", Pear Bulb.

Cat. No.	Socket	Cone	Effective Lenght mm.	Price/Piece Rs.
807/1	B 34	B 24	130	660-00
807/2	B 34	B 24	250	870-00
807/3	B 34	B 24	500	1450-00

808. Fractionating Columns, "LABCO", Plain designed for use with various types of columns packing

Cat. No.	Socket	Cone	Effective Lenght mm.	Price/Piece Rs.
808/1	B 24	B 24	250	270-00
808/2	B 24	B 24	500	380-00
808/3	B 24	B 24	750	515-00
808/4	B 34	B 24	250	575-00
808/5	B 34	B 24	500	650-00
808/6	B 34	B 34	600	700-00

809. Packing for Plain Columns, "LABCO".

Cat. No .	Description	Approx. dia mm.	Approx. length mm.	Price/100 gm. Rs.
809/1	Rasching ring N.G.	6	6	130-00
809/2	Rasching ring N.G.	8	8	130-00
809/3	Rasching ring N.G.	10	10	130-00
809/6	**Glass Beads** N.G Without Holes 4-5mm per 500gms			985-00
809/7	---- do ---- 5-6 mm per 500gms			870-00
809/8	----- do ---- 6-7 mm per 500gms			800-00

810. Packing Support, "LABCO".

Cat. No.	To fit Socket Sizemm.	Diameter Rs.	Price/Piece
810/1	B 19	16	72-00
810/2	B 24	21	82-00
810/3	B 34	29	105-00
810/4	B 40	35	120-00

814. Vial Cabinet, "LABCO", for storing vial, made from transparent plexi glass sheet of 5mm thickness, air tight with individual numbering.

Size	**Small**	**Medium**	**Large**
Rate	2150-00	2900-00	3400-00

814b Vial Cabinet, "LABCO", for storing vial, made from transparent plexi glass sheet of 5mm thickness, air tight with individual numbering with **Dessicant drawer type arrangement.**

Size	**Small**	**Medium**	**Large**
Rate	3250-00	3950-00	5250-00

815. Inspection card viewing strip, "LABCO". 450-00

816. Melting Point capillay, "LABCO", either both side open or one end closed size 75mm, 100mm, or 125mm Long. Pk of 100 Pcs., Per Pack 290-00

816a T.L.C. capillay, "LABCO", 100mm Long Pack of 100 Pcs., both side open Per Pack 290-00

817. Memo glass (Tapered), "LABCO", with suitable collar to fit in instrument 695-00

818. Multiple stopper, three in one system, "LABCO".

Size : B19/B24/B29 1150-00
Size : B29/B34/B45 1250-00
Size : B29/B34 1250-00

819. Working Tray, "LABCO", Complete SS with specified grooves for keeping certain glasswares. 14250-00



809



810

814

814A



816



816a

SINTERED GLASSWARE



840



841



842



843



844

Porosity Grades and their General Use

Porosity Grade	Pore Size	General Use
G-0	150-250	Coarse Filteration, Gas dispersion and support for other filter material.
G-1	90-150	Coarse Precipitate, Filteration, Gas dispersion, Coarse grain material filtration.
G-2	40-90	Medium and Crystaline precipitate filtration, medium filteration and washing of gases.
G-3	15-40	Fine Gas filteration and dispersion, mercury filteration, Fine grain material filteration, collection of fine precipitates, Analytical Work with medium precipitates.
G-4	5-15	Valves for mercury collection of very fine precipitates. Analytical work with fine precipitates.

840. **Filtering Apparatus Witt's**, "LABCO", Complete with flanged jar, flanged lid, funnel and 250 ml. beaker. 7700-00

841. **Filter Apparatus**, "LABCO", Complete with Filtering Flask, gooch crucible with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4, glass adapter and rubber cone.

Cat. No.	Flask Cap. ml.	Crucible Cap. ml.	Price/Piece Rs.
841/1	250	30	700-00
841/2	500	30	800-00
841/3	1000	50	1275-00

Note:Please mention Porosity of Sintered Disc, while placing order.

842. **Filter Apparatus**, "LABCO", Complete with Filter Flask, with Socket and buchner funnel with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4, having cone.

Cat. No.	Flask Cap. ml.	Buchner funnel Cap. (ml.)	Joint	Price/Piece Rs.
842/1	250	80	B 24	1050-00
842/2	500	200	B 24	1550-00
842/3	1000	500	B 29	3050-00
842/4	2000	1000	B 29	6800-00

Note : Please mention Porosity of Sintered Disc, while placing order.

843. **Crucible**, "LABCO", Gooch type with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4.

Cat No.	Capacity ml.	Price/Piece Rs.
843/1	15	90-00
843/2	30	100-00
843/3	50	190-00

Note : Please mention Porosity of Sintered Disc, while placing order.

844. **Buchner Funnel**, "LABCO", with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4, plain stem.

Cat No.	Capacity ml.mm.	Disc Dia Rs.	Price/Piece
844/1	35	30	205-00
844/2	80	40	340-00
844/3	200	65	700-00
844/4	500	90	1650-00
844/5	1000	120	4100-00

Note : Please mention Porosity of Sintered Disc, while placing order.

845. **Buchner Funnel, "LABCO",** with Sintered Disc of Porosity G-1 or G-2 or G-3 or G-4, cone at stem.

Note : Please mention Porosity of Sintered Disc and cone size, while placing order.

Cat No.	Capacity ml.	Disc Dia mm.	Cone Size	Price/Piece Rs.
845/1	35	30	B 14	365-00
845/1A	35	30	B 19	370-00
845/2	80	40	B 14	510-00
845/2A	80	40	B 19	515-00
845/3	200	65	B 19	935-00
845/3A	200	65	B 24	945-00
845/4	500	90	B 24	1950-00
845/4A	500	90	B 29	2000-00
845/5	1000	120	B 24	4800-00
845/5A	1000	120	B 29	4850-00



845

846. **Millipore Type, Membrane Filter Holder Assembly, "LABCO",** with membrane support, Funnel, Flask and Clamp, Standard Joint Fitting.

Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Flask Cap. ml.	Price/Piece Rs.
846/1	25	25	250	2450-00
846/2	25	50	500	2650-00
846/3	47	300	1000	4400-00
846/4	47	300	2000	5100-00
846/5	90	1000	5000	34750-00



846

846a **Spares Flask for Membrane Filter Holder assembly, "LABCO".**

Cat No.	Capacity ml.	Price/Piece Rs.
846a/1	250	540-00
846a/2	500	760-00
846a/3	1000	1280-00
846a/4	2000	2025-00
846a/5	5000	5900-00



846a

846b **Filtration Assembly "LABCO",** (Single Unit, All glass) Complete with Vaccum pump & below accessories 29250-00

a) Filter holder Assembly with membrane support, Funnel, Flask 1Ltr. & Clamp. All standard joint fittings
b) Membrane filter 47mm/0.4µm(pack of 100) -- 1Pack
c) Suitable Vaccum pump Oil free -- 1Pc
d) Air vent filter Hydrophobic PTFE 50mm/0.2µm -- 1Pc
e) Syringe type PTFE Membrane filter 25mm/0.45µm with needle -- 1Pc
f) Vaccum tubing 1mtr. -- 1Pc
g) Forcep ---- 2Pcs



846b

846c **Filtration Assembly "LABCO",** (Single Unit, Filter Holder Assembly Made of SS-316) Complete with Vaccum pump & below accessories 35250-00

a) Filter holder Assembly with SS-316 funnel filter holder assembly, Vaccum Flask (Glass) 1Ltr.
b) Membrane filter 47mm/0.4µm(pack of 100) -- 1Pack
c) Suitable Vaccum pump Oil free -- 1Pc
d) Air vent filter Hydrophobic PTFE 50mm/0.2µm -- 1Pc
e) Syringe type PTFE Membrane filter 25mm/0.45µm with needle -- 1Pc
f) Vaccum tubing 1mtr. -- 1Pc
g) Forcep ---- 2Pcs



846c



847



848



849



850



852

853



855

855a

847. **Millipore Type, Membrane Filter Holder Assembly, "LABCO",** with membrane support, Funnel, Flask and Clamp, Neoperene Rubber Cork fitting.

Cat. No.	Membrane dia. mm.	Funnel Cap. ml.	Flask Cap. ml.	Price/Piece Rs.
847/1	25	25	250	2200-00
847/2	25	50	500	2475-00
847/3	47	300	1000	4150-00
847/4	47	300	2000	4500-00
847/5	47	300	5000	7200-00

848. **Tube Sealed , "LABCO",** with reduced ends, with Sintered Disc (Pipe line filter) Porosity G-0 or G-1 or G-2or G-3 or G-4.

Cat. No.	Disc. dia mm	Price/Piece Rs.
848/1	30	415-00
848/2	40	625-00
848/3	50	845-00
848/4	65	1600-00
848/5	90	2550-00

Note : Please mention Porosity of Sintered Disc, while placing order.

849. **Conical Filter, "LABCO",** (Hirsch type) with Sintered Disc of Porosity G-0 or G-1 or G-2 or G-3 or G-4.

Cat No.	Capacity ml.mm.	Disc Dia Rs.	Price/Piece
849/1	20	20	300-00
849/2	60	30	370-00
849/3	100	30	440-00

Note : Please mention Porosity of Sintered Disc, while placing order.

850. **Sintered Glass Filter Tube , "LABCO",** with Sintered Disc sealed in Centre, Porosity G-0 or G-1 or G-2 or G-3 or G-4.

Cat. No.	Disc dia. mm	Price/Piece Rs.
850/1	10	200-00
850/2	20	250-00
850/3	30	350-00
850/4	40	600-00
850/5	50	940-00
850/6	90	3300-00

Note : Please mention Porosity of Sintered Disc, while placing order.

852. **Filter SS 316 Filter Holder Assembly, "LABCO",** Millipore type 47mm dia 6300-00

853. **Filter Holder, "LABCO",** with 3 branch Sterility test 47mm S.S. 47000-00

854. **Filter Holder, "LABCO",** with 6 branch Sterility test 47mm S.S. 93500-00

855. **Oil free Portable Vaccum pumps, "LABCO",** (Diaphragm type)

Cat. No.	Max Flow (Lts Min/in	Max. Hg)Vaccum	Max. psig	Motor HP	Price/piece Rs.
855/1	15	22"	25	1/20	10200-00
855/2	25	27"	35	1/16	17800-00
855/3	45	22"	40	1/8	19900-00
855/4	75	22"	45	1/4	25300-00
Chemical Resistant pump, VALUE, Made of Teflon (Diaphragam Type)					
855/5	28	27"	55	1/4	34000-00

855a. **Hand Vaccum pump, plastic with** gauge, **"LABCO".** 5800-00

DISTILLATION ASSEMBLIES

865 **Distillation Assembly, "LABCO",** Comprising of R. B. Flask 2000ml, Splash head, Double Surface condenser and Receiver adapter 2450-00
Same as above, Cap.of flask 5 litre 5150-00
Same as above, Cap. of flask 10 litre 9300-00

865/1 **Distillation Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Still Head, Leibig's Condensers 300 mm Receiver adapter Bend, Tap funnel 50 ml and Stopper B-14 1750-00

865/2 **Distillation Assembly, "LABCO",** Consisting of Flask R. B. 1000 ml, Recovery Bend, Thorpe condenser 200 mm and Receiver Adapter Straight. 2050-00

865/3 **Distillation Assembly, "LABCO",** Consisting of R. B. Flask, Recovery Bend, Condenser leibig and Receiver adapter Bend.

Cat. No.	Flask Cap. ml	Price/Piece Rs.
865a/1	250	1000-00
865a/2	500	1200-00
865a/3	1000	1375-00
865a/4	2000	2150-00
865a/5	3000	6200-00
865a/6	5000	7800-00
865a/7	10000	16000-00

865/4 **Distillation Assembly**, Comprising of R. B. Flask, 3000 ml, Splash Head Adapter, Still Head, Thermometer, Air Condenser 400 mm, Ether condenser, Reduction Adapter and Conical Flask 1000 ml. 6750-00

866 **Steam Distillation Assembly, "LABCO",** Comprising of R. B. Flask two neck 500 ml, Air Leak Tube, Splash head, Condenser Leibig 200 mm and Receiver adapter bend. 1850-00

866/1 **Steam Distillation Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Steam Distillation Head, Leibig condenser and Receiver adapter Bend. 1400-00

866/2 **Steam Distillation Assembly, "LABCO",** Consisting of R.B. Flask 1000 ml, Multiple adapter two neck, Air leak tube, Recovery bend, Coil condenser jacketed 200 mm and Receiver adapter straight. 2000-00

866/3 **Steam Distillation Apparatus, "LABCO",** for fluoride Determination as per I.S Specification. 3650-00

867 **Preparation Assembly, "LABCO",** Consisting of R. B. Flask, Still head, Thermometer, Leibig condenser & receiver adapter.

Cat. No.	Flask Capacity ml	Condenser Effective Length mm	Price Rs.
867/1	500	350	1750-00
867/2	1000	350	2000-00
867/3	2000	400	2900-00

868 **Vacuum Distillation Assembly, "LABCO",** Consisting of R. B. Flask 3000 ml, Multiple adapter, Tap funnel 250 ml, Stopper, Still head, Thermometer, Condenser Jacketed Coil 200 mm, Receiver adapter with two socket and cone, Vacuum release stopcock and R. B. Flask 250 ml. 10800-00

868/1 **Vacuum Distillation Assembly, "LABCO",** Consisting of R. B. Flask 100 ml, Multiple adapter, Tap funnel 250 ml, Stopper, Still head, Thermometer, Air condenser 400 mm, Receiver adapter and R. B. Flask 50 ml. 4800-00





868/2 **Vacuum Distillation Assembly, "LABCO",** Consisting of R. B. Flasks 500 ml, Splash head Double bulb, Air leak tube, Double surface condenser 200 mm, Reciever adapter Vacuum and R. B. Flask 100 ml. 5700-00

868/3 **Vacuum Distillation Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Clasion head, Air leak tube, Thermometer, Jacketed coil condenser 200 mm, Reciever adapter Vacuum, R. B. Flask 100 ml, Test Tube 200 ml with socket and Gas wash bottle fitting. 6200-00

868/4 **Vacuum Distillation Assembly, "LABCO",** Consisting of R.B. Flask 1000 ml, Recovery bend, Double coil condenser 200 mm, R. B. Flask two neck 500 ml and Vacuum release stopcock. 5450-00

868/5 **Vacuum Distillation Assembly, "LABCO",** Consisting of R. B. Flask 1000 ml, Recovery bend, Jacketed coil condenser 200 mm, Reciever adapter with vent and R. B. Flask 250 ml 2050-00

869 **Sulfur Dioxide Assembly, as per USP, "LABCO".** 4200-00

869/1 **Congealing Temperature Apparatus,** without Thermometer **"LABCO".** 5100-00

869/2 **Congealing Temperature Apparatus, "LABCO",** with NABL Certified Thermometer. Range -20°C to 150°C, Sub Div. 0.2°C 10250-00

870 **Reaction Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Multiple adapter two neck, Stirrer guide, Stuffing box gland link stirrer, Still head, Thermometer Pocket, Condenser Liebig's, Reciever adapter bend with vent and R. B. Flask 100 ml. 5250-00

870/1 **Reaction Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Multiple adapter two neck, Tap funnel 100 ml, Stopper, Thermometer Pocket, Condenser Liebig's, Receiver adapter Bend with vent and R. B. Flask 250 ml. 5000-00

870/2 **Reaction Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Leibig's Condenser, Adapter 'T' connection, Tap Funnel 100 ml and Stopper. 2750-00

870/3 **Reaction Assembly, "LABCO",** Consisting of R. B. Flask 250 ml , Multiple adapter two neck, Tap funnel 100 ml, Stopper, Still head, Condenser Leibig, Receiver adapter bend and Thermometer pocket. 3250-00

870/4 **Reaction Assembly, "LABCO",** Consisting of R. B. Flask 250 ml, Multiple adapter two neck, Air leak Tube, Condenser Leibig, Drying tube and Gas wash bottle 250 ml. 3000-00

871 **Recovery Assembly, "LABCO",** Consisting of R. B. Flask 250 ml, Multiple adapter two neck, Tap funnel 50 ml, Recovery bend, Condenser leibig and Reciever adapter. 1700-00

871/1 **Recovery Assembly, "LABCO",** Consisting of R. B. Flask 2000 ml, Still head, Tap funnel 100 ml, Stopper, Coil condenser jackted and Receiver adapter bend. 3000-00

872 **Reflux Assembly, "LABCO".**

Cap of flask	Joint	Length of Air condenser	Joints	Price/Piece Rs.
100 ml	B 24	500 mm	B 24	495-00
250 ml	B 24	750 mm	B 24	515-00
500 ml	B 24	1000 mm	B 24	625-00

872/1 Reflux Assembly, "LABCO",

Cap of flask	Joint	Length of Leibig condenser	Joint	Price/Piece Rs.
250 ml	B 24	300 mm	B 24	625-00
500 ml	B 24	400 mm	B 24	725-00
1000 ml	B 24	400 mm	B 24	860-00

872/2 **Reflux Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Multiple adapter with two neck, Stirrer guide, Rubber sleeve gland, Link stirrer and Allihan condenser. 1825-00

872/3 **Reflux Assembly, "LABCO",** Consisting of R.B. Flask 1000 ml, Multiple adapter three neck , Stirrer guide, Rubber Sleeve gland, Collapsible Paddle Stirrer, Tap funnel 100 ml, Stopper, Coil condenser 150 mm and Drying Tube. 2875-00

873 **Fractionation Assembly, "LABCO",** Consisting of R. B. Flask 500 ml, Cup joint adapter with S. 35 socket, Joint clip S. 35, Air condenser 400 mm, Multiple adapter, Immersion condenser, Still head, Thermometer pocket, Leibig condenser 400 mm, Receiver Adapter and Ball joint Adapter with S. 35 Ball. 3250-00

873/1 **Fractionation Assembly, "LABCO",** Consisting of R. B. Flask 250 ml, Air Condenser 300 mm, Still head, Thermometer, Leibig condenser 200mm, Bend with Multiple connection and R. B. Flask 3 x 25 ml. 3275-00

874 **Vacuum Drying pistol, "LABCO",** Consisting of R. B. Flask 100 ml, Still head, Tap adapter, jacketed tube 200 mm, Coil condenser 150 mm and R. B. Flask 250 ml. 3250-00

875 **Kunderna danish Evaporators, "LABCO",** Consisting of R. B. Flask 150 ml, Upper chamber 250 ml, and Kunderna column 7400-00

876 **Cyanide Distillation Apparatus, "LABCO".** 3450-00

876a **Assembly of Apparatus** for the Determination of Mancozeb Content, **"LABCO".** 5500-00

876b **Carbaryl Content Determination Apparatus, "LABCO",** as per I.S. Specification. 3250-00

877 **Mercury Distillation Assembly, "LABCO",** Hulett, Consists of distillation flask 500 ml, Stopcock controlled air bleeding tube, Air condenser 500 mm, Liebig conenser 200 mm, Vacuum receiver adapter and Receiving bottle. 2500-00

878 **Methoxy Determination Assembly as per USP, "LABCO",** 7850-00

878/1 **Hydroxypropoxy Determination Apparatus, "LABCO",** 7400-00

879 **Vacuum Sublimation Assembly, "LABCO",** Consisting of Test Tube 28 x 200 mm, Adapter with 'T' connection and Immersion condenser. 985-00

880 **Solvent Recovery Assembly, "LABCO",** Consisting of R. B. Flask 150 ml, Recovery bend, Coil Condenser jacketed 200 mm and Receiver adapter. 1550-00

880a **Assembly of Apparatus, "LABCO", for Titer Test** as per I.S 548 (Part I) 1964 with calibrated thermometers 19900-00

880b **Steam Distillation, "LABCO",** Apparatus for Fluoride Determination. As per I.S. Specs. 3650-00





881



881b



881c



881d



881f

FORMALDEHYDE CONTENT DETERMINATION APP.

881 **Determination of Formaldehyde Content by Perforator Method, "LABCO",** As per British Standard BS EN 120:1992 Consist of spiral condenser 400mm, Reduction adapters, filter insert (Porosity 100m to 160m), Perforator attachment 1000ml, R.B. flask 1Ltr., Double bulb tube with absorption bulb. Complete with heating mantle cap. 1000ml, Stand and clamps to hold the apparatus vertically straight. 52500-00

881a --- do --- Same as above but without heating mantle, Stand & Clamps (Only Glass Parts) 48500-00

UTILITY SETS AS PER QUICKFIT & QUARTZ

881b **Complete Set comprising 5 items of Glassware, "LABCO",** 29 BU/M Pear shaped Flask 50ml, Still head, Liebig Condenser, Receiver Adapter Bend, Receiver Adapter Long. 1 each 2100-00

881c **Complete Set Comprising of 9 items of Glassware, "LABCO",** 27BU/M Pear Shaped Flask 50ml, Still Head, Liebig Condenser, Screw Cap Adapter, Receiver Adapter, Air Leak/Stem Inlet Tube, Dropping Funnel 50ml R/F Stopcock, Stopper & Thermometer. 1each 3100-00

881d **Complete Set Comprising of 16 items of Glassware, "LABCO",** 34BU/M, Still Head, Receiver, Air Leak/Steam Inlet Tube, Liebig Condenser, Dropping Funnel 100ml, Reduction Adapter, Multiple Adapter, R/B Flask 50ml, 100ml & 250ml, Conical Flask 250ml, Stoppers 3 nos, Thermometer Pocket, Receiver Adapter & Thermometer. 6200-00

QUARTZ DISTILLATION APPATATUS

881e **Water Distillation Apparats, "LABCO",** QUARTZ BOILER with inbuilt heater and glass condenser of Boro 3.3 Exp. Glass, Complete with stand Clamps etc. The Distilled water produced is suitable for HPLC. With safety cut off device unit.

Output Approx - 2.0 Ltr/hr 46500-00
Output Approx - 5.0 Ltr/hr 64500-00

Spares for above :

881e/1 Quartz boiler for 2.0 Ltr./hr. 29500-00
881e/2 Quartz boiler for 5.0 Ltr/hr. 42500-00
881e/3 Condenser for 2.0 Ltr./hr. 4650-00
881e/4 Condenser for 5.0 Ltr./hr. 9250-00

881f **Double Distillation Apparatus, "LABCO",** prepared in single column like tube, built in both heaters with demountable heater, Complete with stand clamps etc. The Distilled water produced is suitable for HPLC. Complete with safety cut off device unit

Output Approx 1.5 Ltr./hr 124500-00
Output Approx 2.5 Ltr./hr 172000-00
Output Approx 3.5 Ltr./hr 272000-00

ELECTRICAL EMBEDDED HEATER DISTILLATION APPARATUS (N.P.L. DESIGN)

882 **Automatic Electrically Heated,** "LABCO", All Glass Distillation apparatus, complete with Metallic stand, Plug and Board etc. (Heater of "KANTHAL" Sweden)

Cat. No.	Description	Cap. of Flask	Price/Piece
882/1	Single distillation without cut off	3 Litre	15900-00
882/2	Single distillation with Auto cutoff/ Auto on	3 Litre	20500-00
882/3	Single distillation without cut off	5 Litre	16500-00
882/4	Single distillation with Auto cut off/ Auto on	5 Litre	21750-00
882/5	Single distillation without cut off	10 Litre	19700-00
882/6	Single distillation with Auto cut off/ Auto on	10 Litre	25500-00
882/7	Double distillation without cut off	3 Litre	28400-00
882/8	Double distillation with Auto cut off/ Auto on	3 Litre	33500-00
882/9	Double distillation without cut off	5 Litre	31100-00
882/10	Double distillation with Auto cut off/ Auto on	5 Litre	36800-00
882/11	Double distillation without cut off	10 Litre	39400-00
882/12	Double distillation with Auto cut off/ Auto on	10 Litre	43200-00
882/13	Triple distillation without cut off	3 Litre	41900-00
882/14	Triple distillation with Auto cut off/ Auto on	3 Litre	47500-00
882/15	Triple distillation without cut off	5 Litre	45700-00
882/16	Triple distillation with Auto cut off/ Auto on	5 Litre	50700-00
882/17	Triple distillation without cut off	10 Litre	55490-00
882/18	Triple distillation with Auto cut off/ Auto on	10 Litre	60400-00
882/19	Spare flask capacity	3 Litre.	7700-00
882/20	Spare flask capacity	5 Litre.	8500-00
882/21	Spare flask capacity	10 Litre.	12900-00
882/22	Spare condenser for	3 & 5 Litre flask	2700-00
882/23	Spare condenser for	10 Litre flask	3000-00
882/24	Stand for single distilation Appratus for	3, 5 & 10 Ltr. flask	6200-00
882/25	Stand for double distilation Appratus for	3, 5 & 10 Ltr. flask	13800-00
882/26	Auto Cutoff and Auto on device for single unit		6200-00
882/27	do - for double unit		6600-00
882/28	-do - (for Triple unit)		7700-00
882/29	Receiving tube for condensor, "LABCO".		500-00



882

Two Bed Demineraliser

882a A set of PVC /FRP columns, charged with high exchange capacity cation & anion resin with prefilter. It softens the hard water and provides good quality water for use in labs. Specially designed for easy serviceability and recharging the resin with solution. The soften water can be used as feed water to the distillation unit. The use of hard water in Boilers, would leave the boiler with lot of scaling and sedimentation, hence to improve the quality of distillate and for longer life of the glass/heaters, **it is recommended to use softened water. for Cat. No. 881a, 882 and 883** 31500-00



882a

WATER STILL WITH SILICA SHEATHED HEATERS

883 **Water Still with Silica Sheathed Heaters, "LABCO",** water stills are carefully designed to produce high purity pyrogen free distilled water. The water still of boro 3.3 Exp. glass comprises of horizontal type boiler, condenserr, constant level device, silica sheathed (Quartz) heater, along with stand and clamps. All parts are replaceable.



883

Features

- Boro 3.3 Exp. condenser & boiler are fitted with a removable silica sheathed heater & connectors for ease of cleaning when scaling is formed.
- Distillate temp. is around 25 to 45°C which is ensured by an efficient condenser.
- The stand is powder coated for rust free operation and lustrous appearance.
- The unit automatically switches off if water level in the boiler falls below heater.
- Cooling water from the condenser is re-circulated into the boiling chamber, having saving energy.
- Boiler is provided with a replaceable side over flow for easy draining and cleaning or boiling chamber, which also reduces the chances of breakage.
- Fuse is provided for safety in case of voltage fluctuation or short circuit.
- Electric power : 220/240V, 50Hz, Single phase supply

Single Still

Conductivity	1 to 2.0µS/cm
pH	5.5-6.0µS/cm

Cat No.	Output	Cooling water Consumption (ltr/hr)	Power Rating KW	Price/Piece Rs.
883/1	1.5-2Ltr./hr.	40Ltr./hr.	1.5KW	26000-00
883/2	3-4Ltr./hr.	120Ltr./hr.	3.0KW	35400-00

Double Still

Conductivity	0.8 to 1µS/cm
pH	6.0-7.0

Cat No.	Output	Cooling water Consumption (ltr/hr)	Power Rating KW	Price/Piece Rs.
883/3	1.5-2Ltr./hr.	80Ltr./hr.	3.0KW	35250-00
883/4	3-4Ltr./hr.	150Ltr./hr.	6.0KW	68000-00

Replacement parts of Water Still

883/5	Boiling Chamber 1.5 -2 litre/hr.	6750-00ea
883/6	Boiling Chamber 3-4 litre/hr.	10600-00ea
883/7	Constant level device	950-00ea
883/8	Condensor for water still for 1.5 litre/hr.	4750-00ea
883/9	Condensor for water still for 3.0 litre/hr.	6400-00ea
883/10	Reciever adapter	350-00Ea
883/11	Silica Sheathed heater	4500-00Ea

CHILLER

883/12 Chiller Refrigerated Circulator has built in circulating pump and water tank of rust proof stainless steel. The built in pump has a flow rate of 2.5 meters and internal tank capacity 25 Litres. The temperature is controlled by a **digital temp. indicator cum controller.**

Construction : The body of chiller is mounted on a sturdy angle frame with inner chamber consisting of thick polished stainless steel preservoir with cooling coil duly soldered on the outside of the same to ensure perfect cooling from -5°C to below ambient : The hollow space between the inner chamber and outer wall is filled with high grade insulation to prevent loss of temperature. the refrigeration system consisting of hermetically sealed ISI marked reputed make compressor for minimum noise level and smooth operation. **120000-00**

Note : Installation charges for Cat. No. 881a, 881b, 882 & 883 will be 4400-00

884 Distillation Apparatus Vertical, "LABCO", Vertical type : Gives pyrogen free distilled water (Most suitable for injectable purpose) with special double walled condenser, all Interchangeable fittings with automatic ejecting arrangement and water level device.

Single stage :

Cap.	1000 ml	2000 ml	3000 ml	5000 ml
Price :	3150-00	4500-00	6950-00	8500-00

Double stage :

Cap.	1000 ml	2000 ml	3000 ml	5000 ml
Price :	6500-00	9000-00	12900-00	17000-00

885 Distillation Apparatus, "LABCO", With Grahm condenser with standard joint and stopper. Capacity of flask - 500 ml. and Condensor length is 200 mm 1425-00

886 Distillation Apparatus, "LABCO", With Freidrich's condenser fitted with standard ground glass joints Capacity of flask 1000 ml 2680-00

887 Distillation Apparatus for determination of Ammonia in water, "LABCO", Consisting of Kjeldhal flask 500 ml with B 24 socket coil condenser of 200 mm with B 24 socket. 1740-00

887a. Distillation Apparatus, "LABCO", consists of 2000 ml flask, friedrich's condenser & stopper 3900-00

888 Kozelka & Hine Blood Test Apparatus, "LABCO", Complete with two digestion flask with cap and with all interchangeable fittings 5400-00

889 Cavett Flask, "LABCO", A 50 ml conical flask with special B 24 stopper carrying a small constitutes, an apparatus for the rapid microscale determination of Alcohol in blood. 675-00

883/12



884

885



886

887



887a



888

889

MOISTURE DETERMINATION APPARATUS



890

891



892

893



894

890 **Moisture determination Apparatus (Dean & Stark) Light Entrainer without stopcock, "LABCO".**

Receiver Capacity 2 ml. Flask Cap. 250 ml.	1275-00
Receiver Capacity 5 ml. Flask Cap. 500 ml.	1425-00
Receiver Capacity 10 ml. Flask Cap. 1000 ml.	1625-00
Receiver Capacity 25 ml. Flask Cap. 1000 ml.	1725-00

890L **Moisture Determination Unit, "LABCO",** Dean & Stark with NABL Certificate

Cat. No.	Cap. of Receiver without Stopcock (ml)	Cap. of R.B. Flask ml.	Price/Piece Rs.
890L/1	2	250	1650-00
890L/2	5	500	1850-00
890L/3	10	1000	2050-00
890L/4	25	1000	2100-00

891 **Moisture determination apparatus (Dean & Stark) Light Entrainer with stopcock, "LABCO".**

Receiver Capacity 2 ml. Flask Cap. 250 ml.	1475-00
Receiver Capacity 5 ml. Flask Cap. 500 ml.	1675-00
Receiver Capacity 10 ml. Flask Cap. 1000 ml.	1875-00
Receiver Capacity 25 ml. Flask Cap. 1000 ml.	1975-00

891L **Moisture determination unit, "LABCO",** Dean & Stark with NABL Certificate

Cat. No.	Cap. of Receiver Without Stopcock (ml)	Cap. of R.B. Flask ml.	Price/Piece Rs.
891L/1	2	250	1875-00
891L/2	5	500	2075-00
891L/3	10	1000	2200-00
891L/4	25	1000	2350-00

892 **Spare receiver** for Dean and Stark with stopcock cap. 2, 5, 10 or 25 ml for (Cat. No. 891) 925-00

892L **Spare receiver** for Dean and Stark with stopcock Cap. 2, 5, 10 or 25ml CL-A with NABL Certificate for (Cat. No. 891) 1275-00

893 **Spare receiver** for Dean and Stark without stopcock cap. 2, 5, 10 or 25 ml for (Cat. no. 890) 750-00

893L **Spare receiver** for Dean and Stark with stopcock Cap. 2, 5, 10 or 25ml CL-A with NABL Certificate for (Cat. No. 890) 1100-00

894 **Soil moisture gauge, "LABCO",** For rapid determination of soil moisture content. The device takes less than 5 minutes, simple, inexpensive, suitable for field use. Highly useful in irrigation and compation control programmes. 1200-00

ESSENTIAL OIL DETERMINATION APP.

895 **Essential Oil Determination App.**, "LABCO", Cocking & Middleton for the determination of Volatile oil in drugs, Comprising of flask and vertical tube, combined with condenser and measuring tube with stopcock. A return tube for the aqueous part of distillate connects the bottom of the measuring tube and the Vertical tube.

Cat. No.	Flask Cap. ml	Min. Qty./Pack	Price/Piece Rs.	
895/1	1000	2		2475-00
895/2	2000	2		2900-00
895/3	3000	1		5400-00
895/4	5000	1		6600-00
895/5	10000	1		11500-00
895/6	20000	1		18500-00

896 **Clevenger Apparatus** For the determination of volatile oil lighter than water, comprising of 1000 ml flask, oil separatory tube and condenser. IS Standard 1850-00

896a **Spare Oil Separatory Tube** 970-00

897 **Clevenger Apparatus** For the determination of volatile oil heavier than water, comprising of 1000 ml flask, oil separatory tube and condenser. IS Standard 1850-00

897a **Spare Oil Separatory Tube** 970-00

NITROGEN DETERMINATION APP.

898 **Kjeldhal Distillation Assembly,** "LABCO", Consisting of Kjeldhal flask 500 ml, Multiple adapter, Tap funnel 50 ml, Splash head, Condenser Leibig 300 mm and Receiver adapter. 2350-00

899 **Micro Kjeldhal Distillation,** "LABCO", Comprising of similar parts as per Cat. No. 898, but with spherical joints in between splash head and condenser but without receiver adapter. 2800-00

900 **Kjeldhal Distillation Assembly,** "LABCO", Consisting of R.B. flask 1000 ml, multiple adapter, Tap funnel 50 ml. splash head, condenser leibig 300 mm and receiver adapter. 2600-00

901 **Micro Nitrogen Determination**, "LABCO", (Leurquin Apparatus) Ammonia is entertained in a steam of air which may be drawn through the tubes using an ordinary filter pump, digestion and Distillation can be carried out in the same test tube and a number of determination can be carried out simultaneously. Alkalisation unit comprising of absorption head with plug aeration head and 2 test tubes 1475-00





902



903



905

906



907

908

909

902 **Semi Micro Kjeldahl Apparatus, "LABCO",** as per Quickfit Cat 21/50 M.C., or 21/100 M.C.

Cat. No.	Description	Price/Piece Rs.
902/1	Comprising of 50 ml. flask, distillation head with funnel, plug and condenser.	1750-00
902/2	Comprising of parts of 902/1 apparatus but with flask capacity of 100 ml.	1875-00
902/3	Comprising of parts of 902/1 apparatus but with conical joints instead of spherical joints.	1425-00
902/4	Comprising of parts of 902/2 apparatus but with conical joints instead of spherical joints	1425-00

903 **Micro Kjeldhal Nitrogen Distillation Apparatus, "LABCO",** (Pregl. Parnas and Wagner Apparatus) Comprising of steam generation flask, Steam trap, Vaccum jacketed flask with funnel, Condenser tube silvered and receiving flask, Complete with heavy duty stand, clamps but without burner.

Cat. No.	Steam Generating Flask Cap. ml	Price/Piece Rs.
903/1	1000	13500-00
903/2	2000	14000-00
903/3	3000	15500-00
903/4	5000	18500-00

903/5	-do- glass tube condenser and 1000ml steam generating flask	6500-00
903/6	-do- with glass tube condenser and 2000 ml steam generating flask	6800-00

SPARE PARTS

904	**Spare Silvered Tube** for Cat. No. 903/1 and 903/2	6000-00
905	**Spare Vacuum jacket** for Cat. No. 903	1325-00
906	**Parnas and Wagner Apparatus, "LABCO",** for distillation of Ammonia from Kjeldhal digestion has been adopted to incorporate ground glass joints. Comprising of steam generating flask, Steam trap, Vaccum jacket, Funnel plug Leibig condenser 200mm, Joint clip S-13 and S-19 with stand and clamps	6250-00
907	**Markham Semi- Micro Distillation Unit, "LABCO",** Consisting of markham still body, funnel plug and Leibig condensor 300 mm long with conical joints.	2600-00
907/1	--- do --- but with spherical joints	2950-00
908	**Nitrogen Distillation Apparatus, Micro Kemmer Hallet, "LABCO".**	
	Double stage	7100-00
	Single Stage	5100-00

909 **Kjeldhal Absorption Traps, "LABCO".**

Cat. No.	Description	Price/Piece Rs.
909/1	Comprising of Kjeldhal flask 500 ml lower chamber 250 ml and upper chamber with sintered disc.	3700-00
909/2	Comprising of similar parts but upper chamber without sintered disc.	3600-00

EXTRACTION APPARATUS

914 **Soxhlet Extraction Apparatus** Liquid/solid.

Cat. No.	Cap. of Extractor ml.	Socket Size of Extractor	Cone Size of Extractor	Flask Cap. R.B./F.B.ml.	Medium Wall (Heavy Type)
914/1	20	B 24	B 19	50	990-00
914/2	40	B 29	B 24	100	1100-00
914/3	60	B 34	B 24	150	1250-00
914/4	100	B 34	B 24	250	1275-00
914/5	100	B 40	B 24	250	1350-00
914/6	200	B 50	B 24	500	1850-00
914/7	400	B 50	B 24	1000	2650-00
914/8	600	B 50	B 24	2000	3250-00
914/9	1000	B 55	B 34	3000	5750-00
914/10	2000	B 55	B 34	5000	10500-00
914/11	3000	B 55	B 34	10000	14000-00

915 **Spare Soxhlet Extractor, "LABCO".**

Cat.No.	Cap. ml.	Socket	Cone	Medium Wall (Heavy Type)
915/1	20	B 24	B 19	400-00
915/2	40	B 29	B 24	490-00
915/3	60	B 34	B 24	620-00
915/4	100	B 34	B 24	640-00
915/5	100	B 40	B 24	700-00
915/6	200	B 50	B 24	970-00
915/7	400	B 50	B 24	1325-00
915/8	600	B 50	B 24	1515-00
915/9	1000	B 55	B 34	2350-00
915/10	2000	B 55	B 34	5850-00
915/11	3000	B 55	B 34	6750-00

916 **Soxhlet Extraction Apparatus** Complete with flat flange, **"LABCO"**

Cat. No.	Extractor ml. ml.	Flask Rs.	Price/Piece
916/1	600	2000	9600-00
916/2	1000	3000	13500-00
916/3	2000	5000	16000-00
916/4	3000	10000	19000-00

917 **Soxhlet Extraction Apparatus, "LABCO",** With Globular type extraction complete.

Cat. No.	Extractor ml. ml.	Flask Rs.	Price/Piece
917/1	1000	2000	7400-00
917/2	2000	3000	12000-00
917/3	3000	5000	15600-00
917/4	4000	10000	21800-00
917/5	6000	10000	32900-00

918 **Soxhlet Fat Extraction Apparatus, "LABCO",** Aspirator type complete with condenser.

Cat. No.	Extractor ml. ml.	Flask Rs.	Price/Piece
918/1	5000	5000	18500-00
918/2	10000	10000	32900-00
918/3	20000	20000	45000-00

918a **Continuous Extraction Appratus, "LABCO",** Consist of Conical flask, Allihan Condensor, Middle delivery chamber and inner syphon tube 3850.00



914



915



916



917



918a

CHROMATOGRAPHY APPARATUS



919 **Chromatography Apparatus Semi Micro, "LABCO",** Consisting of Funnel Reservoir 50ml with B 14 cone and socket, Column tube with tap 2 mm bore 100 mm effective length, with B 14 socket B 19 cone and fused sintered disc. Filtering flask 100 ml with B 19 socket, tamping rod 40cm long, Similar to Quickfit CR-1 1775-00

920 **Chromatography Apparatus, "LABCO",** Consisting of dropping funnel 250 ml with B 19 cone, Reduction adapter with B 19 socket B 24 cone. Column tube 2 cm dia 20 cm effective length with B 24 socket B 19 cone and fused sintered disc adapter with tap B 19 socket B 19 cone, Filtering flask 250 ml with B 24 socket tamping rod 50 cm long Similar to CR-2 2475-00

920 a **Chromatography absorption assembly, "LABCO",** Consisting of buchner flask 1 ltr. B-24 socket, Tap adapter B-24 cone B-19 socket, Cone adapter with filter disc B-19 and B-34 cones, Column 50 cm long with 1.5" pipe flange B-34 Socket, Flange adapter1.5" B-24 socket, Metal flange with teflon gasket reservoir globular 5 ltr. B-24 cone, B-34 socket, cone adapter B-34 cone. 22500-00

920 b **- do -** with 90 cm. column with D-2" pipe flange. 24500-00



921 **Chromatography Columns, "LABCO",** with integral sintered disc without stopcock.

Cat. No.	Effective length Cmsmm	Disc Dia Rs.	Price/Piece
921/1	15	10	250-00
921/2	20	15	260-00
921/3	30	15	275-00
921/4	40	20	325-00
921/5	40	30	470-00
921/6	50	30	500-00
921/7	50	40	780-00
921/8	60	40	825-00
921/9	100	40	1100-00

922 **Chromatography Columns, "LABCO",** with integral sintered disc and stopcock.

Cat. No.	length cms	Disc Dia mm	Teflon Key Screw type stopcock	Glass Key stopcock
922/1	15	10	400-00	415-00
922/2	20	15	400-00	430-00
922/3	30	15	410-00	440-00
922/4	40	20	450-00	475-00
922/5	40	30	575-00	575-00
922/6	50	30	650-00	615-00
922/7	50	40	970-00	975-00
922/8	60	40	1000-00	1000-00
922/9	100	40	1300-00	1325-00



923 **Plain Chromatography Absorption Columns, "LABCO",** With stopcock.

Cat. No.	length cms	Tube dia mm	Teflon Key Screw type stopcock	Glass Key stopcock
923/1	20	10	185-00	210-00
923/2	30	15	220-00	230-00
923/3	50	20	320-00	360-00
923/4	60	25	375-00	400-00
923/5	60	40	680-00	590-00
923/6	100	50	1925-00	1500-00
923/7	100	60	2800-00	2400-00
923/8	115	100	---	5475-00
923/9	180	100	----	8150-00
923/10	180	115	-----	22500-00

924 **Chromatography Columns, "LABCO",** with integral sintered disc and PTFE stopcock.

Cat. No.	Effective Length mmmm	Disc Dia. Rs.	Price/Piece
924/1	150	10	600-00
924/2	300	10	615-00
924/3	300	20	700-00
924/4	450	20	745-00
924/5	450	30	970-00
924/6	600	30	1000-00

925 **Chromatography Column, "LABCO",** Plain with PTFE key stopcocks

Cat. No.	Effective Length mmmm	Tube Dia. Rs.	Price/Piece
925/1	150	10	475-00
925/2	300	10	485-00
925/3	300	20	580-00
925/4	450	20	610-00
925/5	450	30	680-00
925/6	600	30	770-00
925/7	1000	40	1590-00
925/8	1150	100	7000-00

926 **Plain Chromatography Absorption Columns, "LABCO",** Without stopcock.

Cat. No.	Effective length Cms.mm.	Tube dia Rs.	Price/Piece
926/1	20	10	60-00
926/2	30	15	93-00
926/3	50	20	200-00
926/4	60	25	240-00
926/5	60	40	525-00
926/6	100	50	1200-00
926/7	115	100	4950-00
926/8	180	100	7990-00
926/9	180	115	24500-00

927 **Chromatography Columns, "LABCO",** With integral disc and tap with cone socket.

Cat. No. mm	Bore mm mm	Effect. length size mm	Socket size	Cone	Price/Piece Rs.
927/1	10	100	B 14	B 19	690-00
927/2	10	200	B 14	B 19	700-00
927/3	10	300	B 14	B 19	715-00
927/4	20	300	B 24	B 19	750-00
927/5	20	400	B 24	B 19	760-00
927/6	20	400	B 24	B 24	775-00

928 **Chromatography Columns, "LABCO",** with integral sintered disc, Cone & Socket

Cat. No.	Bore mm	length mm	Socket size	Cone size	Price/Piece Rs.
928/1	20	200	B 24	B 19	440-00
928/2	20	300	B 24	B 19	460-00
928/3	20	400	B 24	B 19	485-00

(Any other size of Chromatography columns can also be supplied on request)

924

925

926

928


927



929



929A



929B

930

931a/931b



932

933

929 **Chromatography Column, "LABCO",** Plain with Socket & PTFE Stopcock.

Cat. No.	Effective Length mm	Outer Dia mm	Socket	Minimum Qty./Pack	Price/Piece Rs.
929/1	45	20	B 24	2	725-00
929/2	50	25	B 24	2	790-00
929/3	60	30	B 24	2	840-00
929/4	60	40	B 24	2	1325-00
929/5	100	50	B 24	2	1775-00
929/6	100	60	B 24	2	1950-00

929A **Chromatography Column, "LABCO",** with Integral sintered disc with Socket & PTFE Stopcock.

Cat. No.	Effective Length mm	Outer Dia mm	Socket	Minimum Qty./Pack	Price/Piece Rs.
929A/1	45	20	B 24	2	890-00
929A/2	45	30	B 24	2	1000-00
929A/3	60	30	B 24	2	1025-00
929A/4	60	40	B 24	2	1425-00
929A/5	100	40	B 24	2	1725-00

929B Reservoir for Chromatography Column, **"LABCO",** with Socket & Cone.

Cat. No.	Reservoir Capacity ml	Socket	Cone	Minimum Qty./Pack	Price/Piece Rs.
929B/1	100	B 24	B 24	2	325-00
929B/2	250	B 24	B 24	2	370-00
929B/3	500	B 24	B 24	2	470-00
929B/4	1000	B 24	B 24	2	700-00

(Any other size of Chromatography columns can also be supplied on request)

930 **Hot Sealing machine** for polythene bags, heavy quality size 12", **"LABCO".** 6300-00

931a **Crimping Tools for sealing vial.** Hand Operated vial sealing Machine for

Cat. No.	Size mm	Price/Piece Rs.
931a/1	13	9200-00
931a/2	20	9700-00

931b **Decrimping Tools for sealing vial.**

Cat. No.	Size mm	Price/Piece Rs.
931b/1	13	9200-00
931b/2	20	9700-00

932 **TLC chamber** with suitable stopper, cap-500ml, **"LABCO",** 1850-00

933 **Instrument Cover (Plexi Glass),** Made of imported Plexi Glass Sheet to cover Lab. Instrument. Front opening or open top opening. Small size 17900-00

933a --- do --- Medium size 21500-00

933b --- do --- Large size 33500-00

STOPCOCKS

940. Stopcock, Straight Bore, "LABCO".

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
940/1	With Borosil Solid Plug, side Tube	115-00	200-00
940/2	With Borosil Solid Plug, side Capillary	125-00	205-00

941 Stopcock, Oblique Bore, "LABCO".

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
941/1	With Borosil Solid Plug, Side Tube	150-00	230-00
941/2	With Borosil Solid Plug, Side Capillary	135-00	210-00

942 Stopcock, Three Way, T, Bore, "LABCO".

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
942/1	With Borosil Solid Plug, Side Tube	235-00	275-00
942/2	With Borosil Solid Plug, Side Capillary	255-00	300-00

943 Stopcock, Three Way Double Oblique Bore, "LABCO".

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
943/1	With Borosil Solid Plug, Side Tube	270-00	450-00
943/2	With Borosil Solid Plug, Side Capillary	280-00	525-00

944 Stopcock, Three Way Twin Bore, "LABCO", with Solid Plug

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
944/1	With Side Tube	425-00	625-00
944/2	With Side Capillary	485-00	695-00

945 Stopcock Vertical Drip, "LABCO". 450-00

946 Stopcock for Burette, "LABCO".

Cat. No.	Description	Price/Piece Rs.
946/1	With Solid Borosil Plug	102-00
946/2	With Solid Borosil Plug & thread at back with cap for stopper gripping	305-00
946/3	With Hollow Borosil Plug	305-00
946/4	With PTFE Plug	385-00
946/5	Rotaflow, PTFE Key, screw type	102-00

947 Stopcock C Bore, "LABCO", Three Way

Cat. No.	Description	Price/Piece Bore 1-2 mm	Price/Piece Bore 3-4 mm
947/1	With Borosil Solid Plug, Side Tube	300-00	390-00
947/2	With Borosil Solid Plug, Side Capillary	315-00	450-00

940/1

940/2

941/1

941/2

942/1

942/2


943/1


943/2

944


946/1 946/4


946/5 947/1



948



949/1



949/2/3



951



952



953



954

948 **Stopcock for Separating Funnels.**

Cat. No.	Bore mm.	Price/Piece Rs.
948/1	2	165-00
948/2	4	205-00
948/3	6	475-00
948/4	8	890-00
948/5	10	1400-00
948/6	12	1850-00

949 **Stopcock for Aspirators 4 mm Bore.**

Cat. No.		Price/Piece Rs.
949/1	Plain	155-00
949/2	With B 24 Cone	300-00
949/3	With B 29 Cone	345-00

950 **Stopcock** for Kipp's Apparatus, Bent. 300-00

SCREW TYPE, PTFE KEY STOPCOCKS

951 **Stopcock** screw type, PTFE Key, with Two Plain limbs.

Cat. No.	Limbs O.D. mm.	Price/Piece Rs.
951/1	8	99-00
951/2	10	205-00
951/3	12	280-00
951/4	15	650-00

952 **Stopcock,** Screw Type, PTFE Key, with two limbs, Capillary Bore 2 mm. 108-00

953 **Stopcock** Screw Type, PTFE, Key, with two Plain Limbs at Right Angle.

Cat. No.	Limbs O.D. mm	Price/Piece Rs.
953/1	8	110-00
953/2	10	220-00
953/3	12	315-00
953/4	15	875-00

954 **Stopcock,** Screw Type, PTFE key, with two limbs at Right Angle, Capillary Bore 2 mm. 140-00

PTFE (TEFLON) KEY STOPCOCKS

955 **Stopcock Straight Bore with PTFE key, "LABCO".**

Cat. No.	Key Bore mm.	Price/Piece Rs.
955/1	1	380-00
955/2	2	380-00
955/3	3	465-00
955/4	4	625-00
955/5	6	895-00
955/6	8	1690-00

956 **Stopcock** for Burette, Straight Bore, with PTFE key, **"LABCO".** 370-00

957 **Stopcock** for Burette, Double Oblique Bore, with PTFE key, **"LABCO".** 660-00

958 **Stopcock** for Separating Funnel 2 mm bore, with PTFE key, **"LABCO".** 490-00

958/1 -- do -- 4 mm. 640-00

959 **Stopcock** Oblique Bore, with PTFE key, **"LABCO".**

Cat. No.	Key Bore mm.	Price/Piece Rs
959/1	2	1175-00
959/2	4	1475-00
959/3	6	2450-00

960 **Stopcock** T or Y Bore with PTFE key, **"LABCO".**

Cat. No.	Key Bore mm.	Price/Piece Rs.
960/1	2	880-00
960/2	4	1475-00

HIGH VACUUM STOPCOCKS

961 **Stopcock Straight Bore,** with hollow plug high Vacuum, **"LABCO".**

Cat. No.	Plug Bore mm.	Price/Piece Rs.
961/1	2	320-00
961/2	4	450-00
961/3	6	680-00
961/4	8	875-00
961/5	10	1550-00
961/6	12	1700-00
961/7	15	1950-00

962 **Stopcock Single Oblique Bore**, with hollow plug. High Vacuum, **"LABCO",**

Cat. No.	Plug Bore mm.	Price/Piece Rs.
962/1	2	350-00
962/2	4	480-00
962/3	6	740-00
962/4	8	940-00

963 **Stopcock, Three Way Double Oblique Bore**, High Vacuum, **"LABCO",**

Cat. No.	Plug Bore mm	Price/Piece Rs.
963/1	2	540-00
963/2	4	650-00
963/3	6	1080-00


955


956


957


958


959


960


961


962


963

964

964 **Stopcock, T or V Type,** Hollow Plug, High Vacuum, **"LABCO".**

Cat. No.	Plug Bore mm.	Price/Piece Rs.
964/1	2	650-00
964/2	4	1075-00
964/3	6	1850-00
964/4	8	2350-00



965

965 **Stopcock, L Type,** Lower Limb bent at Right Angle, Hollow Plug, High Vaccum, **"LABCO".**

Cat. No.	Plug Bore mm	Price/Piece Rs.
965/1	2	270-00
965/2	4	340-00
965/3	6	430-00
965/4	8	950-00
965/5	10	1400-00



966

966 **Stopcock, L Type, Lower Vertical,** Hollow Plug, High Vacuum, **"LABCO".**

Cat. No.	Plug Bore mm.	Price/Piece Rs.
966/1	2	300-00
966/2	4	375-00
966/3	6	475-00
966/4	8	850-00
966/5	10	1150-00



967

967 **Stopcock, L Type, Two Limb with Mercury Cup Lower Limb Vertical,** Hollow Plug, High Vacuum, **"LABCO".**

Cat. No.	Plug Bore mm	Price/Piece Rs.
967/1	2	525-00
967/2	4	625-00
967/3	6	725-00
967/4	8	1550-00
967/5	10	1850-00



968

968 **Stopcock, L Type, Three Limb,** Hollow Plug, High Vacuum, **"LABCO".**

Cat. No	Plug Bore mm	Price/Piece Rs.
968/1	2	675-00
968/2	4	1200-00
968/3	6	1875-00



969

969 **Stopcock, Mercury Cup,** Two Limb, Hollow Plug, High Vacuum, **"LABCO".**

Cat. No.	Plug Bore	Price/Piece Rs.
969/1	2	800-00
969/2	4	1400-00



970

970 **Stopcock, Mercury Cup,** Three limb, Hollow Plug, High Vacuum, **"LABCO".**

Cat. No.	Plug Bore mm	Price/Piece Rs.
970/1	1	900-00
970/2	2	1450-00

BEAKERS

971 **Beakers Low form,** with spout, graduated.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
971/1	5		20	68-00
971/2	10		20	68-00
971/3	25		20	63-00
971/4	50		20	54-00
971/5	100		20	59-00
971/6	150		20	65-00
971/7	250		20	72-00
971/8	500		12	115-00
971/9	600		12	148-00
971/10	1000		12	235-00
971/11	2000		4	640-00
971/12	5000		2	1825-00
971/13	10000		1	5750-00



971

971M **Amber Colour Beakers Low Form, "LABCO", with spout, Graduated**

Cat No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
971M/1	50		10	150-00
971M/2	100		10	210-00
971M/3	150		10	230-00
971M/4	250		6	260-00
971M/5	500		6	415-00



971M

971a **Beakers, "LABCO",** Tall form with spout.

Cat. No.	Capicity ml.	Qty./Pack	Minimum Rs.	Price/Piece
971a/1	50		20	93-00
971a/2	100		20	108-00
971a/3	150		20	118-00
971a/4	250		12	124-00
971a/5	500		12	165-00
971a/6	1000		12	325-00



971a

971b **Beakers, "LABCO",** Tall form without spout.

Cat. No.	Capicity ml.	Qty./Pack	Minimum Rs.	Price/Piece
971b/1	50		20	93-00
971b/2	100		20	108-00
971b/3	150		20	118-00
971b/4	250		12	124-00
971b/5	500		12	165-00
971b/6	1000		12	325-00



971b

971c **Beaker Philips, Conical with spout, "LABCO".**

Cat. No.	Capicity ml.	Qty./Pack	Minimum Rs.	Price/Piece
971c/1	250		2	400-00
971c/2	500		2	520-00



971c

971d **Beaker for Karl fisher Apparatus** with standard Joints **"LABCO".** 975-00

971e **Beaker for Karl Fisher Apparatus** With Teflon sheet top **"LABCO"** 1975-00

971f **Cleaning Brushes for Beakers, made of Nylon Bristle (Pack of 6pcs)** **355-00**

971f

BOTTLES



972



972



973M



973M



974

975



976

977

972. **Weighing Bottles, "LABCO",** with interchangeable stopper.

Cat. No	O.D.x HT. mm	ml.	Capacity Rs.	Price/Piece
972/1 Squat form	40 x 30		20	235-00
972/2	50 x 25		20	285-00
972/3	50 x 35		35	295-00
972/4	50 x 50		50	320-00
972/5	60 x 40		40	380-00
972/6 Tall form	20 x 40		5	130-00
972/7	25 x 50		15	145-00
972/8	30 x 60		25	175-00
972/9	40 x 80		60	270-00

973M **Amber Colour Weighing Bottles "LABCO",** with interchangeable stopper.

Cat. No	O.D.x HT. mm	ml.	Capacity Rs.	Price/Piece
973M/1 Squat form	40 x 30		20	335-00
973M/2	50 x 25		20	400-00
973M/3	50 x 35		35	425-00
973M/4	50 x 50		50	450-00
973M/5	60 x 40		40	530-00
973M/6 Tall form	20 x 40		5	190-00
973M/7	25 x 50		15	210-00
973M/8	30 x 60		25	270-00
973M/9	40 x 80		60	400-00

974 **Weighing Bottles, "LABCO",** Tall Form, Cap Type.

Cat. No	O.D.x HT. mm	ml.	Capacity Rs.	Price/Piece
974/1	18 x 40		7	170-00
974/2	28 x 50		25	200-00
974/3	38 x 60		55	300-00
974/4	45 x 80		100	335-00

975 **Weighing Bottles, "LABCO",** Squat Form, Cap Type.

Cat. No	O.D.x HT. mm	ml.	Capacity Rs.	Price/Piece
975/1	38 x 30		25	295-00
975/2	45 x 30		45	325-00

976 **Bottles Wide Mouth, "LABCO",** with interchangeable stopper for 15 mm. Suba Seals.

Cat. No	HT.x O.D. mm	ml.	Capacity Rs.	Price/Piece
976/1	60 x 30		25	215-00
976/2	80 x 40		60	285-00
976/3	80 x 50		100	350-00
976/4	100 x 60		250	525-00
976/5	135 x 75		500	840-00
976/6	180 x 90		1000	1550-00

977 **Weighing Bottle Lunge's "LABCO",** for weighing Corressive liquids 570-00

978 **Specific Gravity Bottles, "LABCO",** Ground inter changeable capillary bore **Teflon stopper,** Class A with Works Certificate.

Cat. No.	Capacity ml.	Price/Piece Rs.
978/1	5	270-00
978/2	10	310-00
978/3	20	315-00
978/4	25	320-00
978/5	50	340-00
978/6	100	530-00



978

978L **Specific Gravity Bottles, "LABCO", Capacity Bore Interchengeable Teflon stopper, Class A, With NABL Works Cirtificate.**

Cat. No.	Capacity ml	Tolerance ± ml	Minimum Qty./Pack	Price/Piece Rs.
978L/1	5	0.1	2	490-00
978L/2	10	0.3	2	560-00
978L/3	20	0.8	2	575-00
978L/4	25	0.8	2	575-00
978L/5	50	1.0	2	630-00
978L/6	100	2.0	2	975-00

978 L

979 **Specific Gravity Bottles, "LABCO",** Ground in capillary stopper.

Cat. No.	Capacity ml.	Price/Piece Rs.
979/1	5	165-00
979/2	10	180-00
979/3	20	190-00
979/4	25	200-00
979/5	50	210-00
979/6	100	250-00

979

980 **Specific Gravity Bottles, "LABCO",** Class 'A' with Ground in thermometer range 0 to 50^{0}C with works certificates (Pyknometer)

Cat. No.	Capacity ml.	Price/Piece Rs.
980/1	10	740-00
980/2	25	770-00
980/3	50	800-00



980

981. **Jar Rectangular, "LABCO",** Museum, Borosilicate Glass with cover.

Cat. No.	Length mm.	Breadth mm.	Height mm.	Price/Piece Rs.
981/1	215	100	140	1525-00
981/2	140	140	220	1600-00
981/3	170	130	210	1640-00
981/4	225	125	225	2400-00
981/5	250	150	250	3100-00



981

982

982. Jar Rectangular, "LABCO", Museum. Made from clear Imported plexi glass acrylic sheet. Joints are Tongue & groove type & are chemically welded, leakproof with cover & knob.

Cat. No.	Length mm.	Breadth mm.	Height mm.	Price/Piece Rs.
982/1	100	50	150	1080-00
982/2	150	150	150	1350-00
982/3	120	100	200	1300-00
982/4	125	125	200	1350-00
982/5	225	125	225	2200-00
982/6	250	150	250	2500-00
982/7	150	100	360	3100-00
982/8	280	230	380	6900-00

983

983 Jar, Cylindrical, Museum, "LABCO", Cylinderical Jar are Made from clear Imported plexi glass acrylic pipe. bottom chemically welded, leakproof with cover & knob.

Cat. No.	O.D. X Ht. (mm)	Price/Piece Rs.
983/1	50 X 100	1100-00
983/2	75 X 100	1200-00
983/3	100 x 150	1350-00
983/4	100 x 200	1550-00
983/5	125 x 300	2700-00



984

984 Reagent Bottles, "LABCO", Narrow Mouth, with interchangeable hexagonal flat head hollow Stopper.

Cat. No.	Capacity ml.	Qty./Pack Min.	Price/Piece Rs.
984/1	30	6	175-00
984/2	60	6	210-00
984/3	125	6	280-00
984/4	250	2	310-00
984/5	500	2	430-00
984/6	1000	1	600-00
984/7	2000	1	1050-00
984/8	5000	1	5700-00
984/9	10000	1	9900-00



984 M

984M Amber Colour Reagent Bottles, "LABCO", Narrow Mouth with Interchangeable flat head, Solid Glass Stopper

Cat. No.	Capacity ml	Stopper Size	Minimum Qty./Pack	Price/Piece Rs.
984M/1	30	B 14	12	290-00
984M/2	60	B 14	12	385-00
984M/3	125	B 19	12	415-00
984M/4	250	B 19	12	525-00
984M/5	500	B 24	12	690-00
984M/6	1000	B 29	6	1000-00
984M/7	2000	B 34	6	1750-00

985 **Reagent Bottles, "LABCO",** Wide Mouth, with interchangeable hollow Stopper.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
985/1	30		6	190-00
985/2	60		6	230-00
985/3	125		6	360-00
985/4	250		2	570-00
985/5	500		2	730-00
985/6	1000		1	1100-00
985/7	2000		1	1460-00



985

985a **Bottle Wide mouth, "LABCO",** with polypropylene Blue screw cap and pouring ring, repeatedly autoclaveable, Graduated **Moulded**

Cat. No.	Capacity ml.	Transparent Rs.
985a/1	10	190-00
985a/2	* 30	250-00
985a/3	* 60	290-00
985a/4	100	310-00
985a/5	250	345-00
985a/6	500	430-00
985a/7	1000	585-00
985a/8	2000	945-00
985a/9	5000	5500-00
985a/10	10000	8400-00
985a/11	20000	14900-00

(* Without Pouring Ring)



985a

986 **Bottle Wide mouth, "LABCO",** with polypropylene Blue screw cap, repeatedly autoclaveable, Graduated. **Blown**

Cat. No.	Capacity ml.	Qty./Pack	MIn. Rs.	Price/Piece
986/1	30		6	210-00
986/2	60		6	240-00
986/3	100		6	285-00
986/4	250		2	310-00
986/5	500		2	335-00
986/6	1000		1	540-00
986/7	2000		1	850-00



986

987 **B.O.D. Bottles,** with interchangeable stopper

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
987/1	60		2	290-00
987/2	125		2	350-00
987/3	300		2	450-00



987

988 **Dropping Bottles, "LABCO",** fitted with ground in interchangeable stopper and rubber teat.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
988/1	30		6	235-00
988/2	60		6	270-00
988/3	125		6	350-00
988/4	250		2	460-00



988



988M



989



989a

989b



990

991

988M **Amber Colour Dropping Bottles, "LABCO", with Interchangeable stopper & rubber teat.**

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
988M/1	30		12	365-00
988M/2	60		12	490-00
988M/3	125		12	540-00
988M/4	250		12	700-00

989 **Bottles Aspirator, "LABCO",** with interchangeable stopper, Screw type PTFE key stopcock with interchangeable joint.

Cat. No.	Capacity ml.	Price/Piece Rs.
989/1	1000	1830-00
989/2	2000	2100-00
989/3	5000	7700-00
989/4	10000	10900-00
989/5	20000	15900-00

989a **Bottle Aspirator, "LABCO",** with screw cap & tubulation

Cat. No.	Capacity ml.	Price/Piece Rs.
989a/1	250	340-00
989a/2	500	440-00
989a/3	1000	715-00
989a/4	2000	1100-00

989b **Roux, Culture, off-set Neck, "LABCO"**

Cat. No.	Capacity ml.	Neck I.D. mm.	Approx. Height mm.	Approx. Cross Sec.mm	Price/piece Rs.
989b/1	1000	26	255	120 x 55	1400-00

BOTTLES FOR GENERAL PURPOSE (ORDINARY USP TYPE III)

990 **Amber Colour Bottles, "LABCO", Narrow mouth with screw cap of either PVC or Aluminium**

Cat. No.	Capacity ml	Mouth ID mm	Minimum Qty./Pack	Price/Pack Rs.
990/1	10	22	576	5760-00
990/2	20	25	420	5250-00
990/3	60	25	242	4100-00
990/4	100	25	90	1800-00
990/5	210	25	60	1920-00
990/6	300	25	46	2100-00
990/7	485	25	32	1600-00

991 **Amber Colour Bottles, "LABCO", wide mouth with screw cap of either PVC or Aluminium**

Cat. No.	Capacity ml	Mouth ID mm	Minimum Qty./Pack	Price/Pack Rs.
991/1	45	31.5	220	3500-00
991/2	456	53	48	2400-00

992 **JAR, "LABCO", Wide Mouth, Transparent with screw cap either PVC or Metallic**

Cat. No.	Capacity ml	Mouth ID mm	Minimum Qty./Pack	Price/Pack Rs.
992/1	31	43	268	5100-00
992/2	125	53	100	2500-00
992/3	280	63	56	2550-00
992/4	350	82	56	2500-00
992/5	800	82	23	2140-00

992

992a **Liquid Storage Bottles, "LABCO", with screw cap either PVC or Metallic**

Cat. No.	Capacity ml	Mouth ID mm	Minimum Qty./Pack	Price/Pack Rs.
992a/1	300	43	48	2140-00
992a/2	500	43	35	2240-00
992a/3	1000	43	20	2200-00



992a

993 **Vials Transparent (USP Type III Glass)**

Cat. No.	Capacity ml. Pcs	Packing Rs.	Price/Pack
993/1	7.5	1008	4650-00
993/2	10	756	5250-00
993/3	20	420	4650-00
993/4	30	396	4475-00
993/5	50	220	4860-00
993/6	100	144	3775-00

Note : Price for Rubber septa and Alluminium cap extra. Rs. 6.50 for 7.5ml. to 100ml.,

993

993M **Vials Amber Coloured (USP Type III Glass)**

Cat. No.	Capacity ml. Pcs	Packing Rs.	Price/Pack
993M/1	7.5	756	6125-00
993M/2	10	744	7440-00
993M/3	20	420	6050-00
993M/4	30	420	6300-00
993M/5	50	220	4950-00
993M/6	100	144	4390-00

Note : Price for Rubber septa and Alluminium cap extra. Rs. 6.50 for 7.5ml. to 100ml.,

993b **Media Bottle (Jam Bottle)** with PP Cap Autoclaveable

Cat. No.	Capacity ml. Pcs	Packing	Rate/Pack
993b/1	200	100	2697-00
993b/2	400	64	2430-00



993b

994 **Woulf Bottles, "LABCO",** with joint necks. (Boro 3.3 Exp. Glass)

Cat. No.	Capacity ml.	Price/Piece Rs.
994/1	250	460-00
994/2	500	540-00



994



995 **Mac-Cartney Bottles, "LABCO",** Complete with Aluminium Cap. (Boro 3.3 Exp. Glass)

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
995/1	15		25	58-00
995/2	30		25	64-00
995/3	60		25	84-00
995/4	100		25	250-00

996 **VDRL** Antigen Bottles with glass stopper 240-00

CLINICAL LABORATORY APPARATUS

1000 **Albuinometer, "LABCO",** Esbach's incase 260-00

1001 **Ureometer Doremus, "LABCO",** with stopcock for rapid determination in urine 570-00

1002 **Ureometer Doremus, "LABCO",** without stopcock. 400-00

1003 **Blood Sugar Tubes, "LABCO",** Folin Wu, as per I.S. 3740:1966, Capacity 25ml., marked at 4 ml, 12.5ml. and 25 ml. 190-00

1004 **Tubes , Digestion, "LABCO",** Folin-Wu, marked at 35 ml. and 50 ml. 25mm O.D., 200 mm. length. 72-00

1005 **Wintrobe Tubes, "LABCO",** 100mm. graduated. 40-00

1006a **E.S.R. Tube,** 200 mm. graduated, 300 mm. long. 70-00

1006b **E.S.R. Stand** for 6 tubes 680-00

1007 **Tube for Kahn and Wasserman test,** 75x12mm. 6-90

1008 **Kahn's Antigen Dilution Tube, "LABCO",** 55x18mm. Flat bottom. 18-00

1009 **Wasserman Tube, "LABCO",** Rimless.

Cat. No.	Size mm.	Price/Piece Rs.
1009/1	50 x 10	6-90
1009/2	75 x 10	6-80

1010 **Dreyer's Agglutination Tube,** Conical bottom 14-00

1011 **Durham Tube, "LABCO".**

Cat. No.	Size mm.	Min. Qty./Pack	Price/Piece Rs.
1011/1	25 x 6	100	5-00
1011/2	37 x 6	100	5-40
1011/3	50 x 6	100	6-25

1012 **Murphy Drip, "LABCO".** 45-00

1013 **Widal Tube Conical Bottom, "LABCO".** 18-00

1014 **Co-Agulation Tubes** (melting point tube) capillary length 100mm. one end sealed (Pack of 100 Pieces) 100-00

1014/1 ---- do ---- Same as above both side opened 104-00

1015	**Glass Spreader, "LABCO".**	
	1015/1 Spreader 'L' shape	110-00
	1015/2 Spreader Lower portion at angle	150-00
	1015/3 Spreader Triangular 50 mm	200-00
1018	**Counting Chambers** Double Ruling improved BRIGHTLINE	2500-00
1019	**Haemocytometer** in box with counting chamber, cover glasses, R .B .C. and W.B.C. Pipettes with rubber suction tubing and mouth piece.	2900-00
1020	**R.B.C. Pipette with suction tube and mouth piece**	140-00
1021	**W.B.C. Pipette with suction tube and mouth piece**	140-00
1022	**Stage Micrometer Imported**	2200-00
1023	**Occular Micrometer Disc Imported**	1950-00
1023b	**Haemoglobin tube Indian, "LABCO".**	120-00 Ea
	..do... Imported	340-00 Ea
1023 c	**Haemoglobin Pipette Indian, "LABCO".**	120-00 Ea
	..do... Imported	340-00 Ea
1023d	**Haemometer tube. "LABCO".**	90-00 Ea
1023e	**Haemometer complete set**	1150-00 Ea

1023f Disposable Syringes

Cat. No.	Capacity ml	Price/Piece Rs.
1023f/1	1	14-50
1023f/2	2	14-00
1023f/3	5	13-00
1023f/4	10	16-50
1023f/5	20	30-00

1023g	**Syringe Stand** made of imported plexi glass sheet vertical standing type	6000-00
1023h	**-- do --** slanting holding type	8500-00
1023i	**Haemoglobinometer** (Sahli's) with unbreakable square H.B. tube	1350-00
1023j	**Chloroscope** (Chlorine test kit)	1950-00

CANNULAE

1027	**Aeration Tube (Oxygen Tube).**	135-00
1028	-do- with platinum tip.	340-00
1029	**Warming coil** Horizontal or Vertical.	475-00
1030	**Organ Tube** with side tube.	250-00



MICROSCOPIC SLIDES & COVER GLASSES

1031

1031 **Plain Microscopic Slide** Make, "LABCO", Manufactured from the best selected glass sheets, optically flat glass for microscopic use, ground polished edges, clean and ready for use. These micro slides are made as per ISI specification. **Size 75mm x 25mm (Pack of 50 Pcs)**

Cat. No.	QualityThickness	Price/Pack	
1031/1	Regular	1.30mm	108-00



1032/1

1032 **Micro concavity Slides Make,** "LABCO", Manufactured from the best selected glass sheets, optically flat glass for microscopic use, ground polished edges, clean and ready for use**. Size 76mm x 26mm + 1.4mm (Pack of 10 Nos.)**



1032/3

Cat. No.	Type	Price/Pack
1032/1	Single Concavity	78-00
1032/2	Double Concavity	94-00
1032/3	Triple Concavity	112-00

1033/1

1033 **Microscopic VDRL concavity Slides Make,** "LABCO", A noncorrosive frosted glass slide 75 x 56 x 3mm with bevelled polished edges having several concavities, used for Serodiagnostic tests. The diameter of each concavity is 16mm and 1.75mm deep



1033/4

Cat. No.	Type	Price/Piece Rs.
1033/1	6 Concavities	105-00
1033/2	8 Concavities	105-00
1033/3	10 Concavities	105-00
1033/4	12 Concavities	105-00

1034 **Micro Cover Glasses,** "LABCO", Micro cover glasses are made from both imported glass and Indian glass. These are optically flat and free from waviness. This product is packed in controlled condition, clean & ready for use. These cover glasses are made as per ISI specification. **(Per pkt of 10gms)**

1034

Cat. No.	Type Size	(Rs/Pack.)	
1034/1	Square	18mm x 18mm	60-00
1034/2	Square	22mm x 22mm	68-00
1034/3	Circular	18mm	60-00
1034/4	Circular	22mm	72-00

TISSUE HOMOGENISERS

1035 **Tissue Grinders Ten Broeck Type,** "LABCO".

Cat.No.	Vessel Length mm.	Vessel O.D. mm.	Capacity Approx.ml.	Price/Piece Rs.
1035/1	100	13	2	480-00
1035/2	130	16	7	525-00
1035/3	150	18	15	560-00
1035/4	210	25	40	750-00



1035

1036

1036 **Tissue Grinders,** "LABCO", Homogenisers.

Cat.No.	Vessel length mmmm.	Vessel O.D. Rs.	Price/Piece
1036/1	100	13	275-00
1036/2	150	16	350-00
1036/3	150	18	400-00
1036/4	200	18	475-00

1037 **Teflon Pestle Tissue Homogenisers, "LABCO",** having stainless steel rod, replaceable vessel of Borosil glass for the preparation of tissue homogenates.

Cat.No.	Capacity ml.	Price/Piece Rs.
1037/1	5	460-00
1037/2	10	460-00
1037/3	30	705-00
1037/4	50	985-00
1037/5	100	1170-00

1038 **Spare Glass Vessel, "LABCO",** for Cat. No. 1037.

Cat. No.	Capacity ml.	Price/Piece Rs.
1038/1	5	210-00
1038/2	10	220-00
1038/3	30	310-00
1038/4	50	400-00
1038/5	100	465-00



CONWAY DIFFUSION UNIT

1039 **Conway Type Diffusion Unit, "LABCO",** with cover.

Cat. No.	Outer Dish O.D. x Ht. mm.mm.	Inner Chamber O.D. x Ht.	Price/Piece Rs.
1039/1	50 x 17	25 x 5	410-00
1039/2	80 x 17	35 x 5	430-00
1039/3	100 x 17	40 x 5	640-00


1039

PETRI DISHES

1040 **Dishes Culture, Petri, "LABCO",** Borosilicate Glass.

Cat. No.	O.D. X HT. (mm)	Qty./Pack Min.	Price/piece Rs.
1040/1	50 x 17	10	118-00
1040/2	80 x 17	10	140-00
1040/3	100 x 17	10	170-00
1040/4	150 x 20	5	575-00
1040/5	200 x 20	5	1300-00

1041 **Petri Dishes** 100x15mm Imported (Extra Crystlline) 150-00

1042 **Amber Colour Petri Dishes**, Bore 3.3 expansion Glass

Cat. No.	O.D X Ht. (Aprox.)	Minimum Qty./Pack	Price/Piece Rs.
1042/1	50 x 17	10	260-00
1042/2	80 x 17	10	380-00
1042/3	100 x 17	10	410-00

1040


1042

CULTURE FLASKS

1045 **Trypsinising Flasks, "LABCO",** for Culture.

Cat. No.	Flask Capacity ml.	Price/Piece Rs.
1045/1	25	170-00
1045/2	50	300-00
1045/3	100	275-00
1045/4	250	415-00
1045/5	500	455-00
1045/6	1000	825-00


1045

AMPOULES

1048

1049

1050



1051

1048 **Ampoules Freeze Drying, "LABCO",** Round/Flat Bottom

Cat. No.	Capacity ml.	Neck O.D. mm.	Overall Length mm.	Min. Qty./Pack	Price/piece Rs.
1048/1	1	7	80	50	13-50
1048/2	2	8	140	50	22-00
1048/3	3	8	163	50	23-00
1048/4	5	8	167	50	25-00
1048/5	10	8	180	50	29-00
1048/6	15	8	180	50	35-00
1048/7	20	8	195	50	54-00
1048/8	25	8	200	50	55-00
1048/9	50	8	230	50	88-00
1048/10	100	15	240	50	127-00

1049 **Ampoules Freeze Drying, "LABCO",** Round Bottom, with firing-off constriction.

Cat. No.	Capacity ml.	Neck O.D. mm.	Overall length mm.	Min. Qty/Pack	Price/Piece Rs.
1049/1	10	8	180	50	40-00
1049/2	20	8	195	50	60-00
1049/3	25	8	200	50	69-00
1049/4	50	8	230	50	110-00
1049/5	100	15	240	50	160-00

1050 **Ampoules Freeze Drying, "LABCO",** Flat Bottom with firing off Constriction.

Cat. No.	Capacity ml.	Neck O.D. mm.	Overall length mm.	Min. Qty./Pack	Price/Piece Rs.
1050/1	1	7	80	50	30-00
1050/2	2	8	140	50	42-00
1050/3	3	8	163	50	48-00
1050/4	5	8	167	50	62-00
1050/5	10	8	180	50	78-00
1050/6	25	8	200	50	162-00

1051 **Ampoules Freeze Drying, "LABCO",** Tubular.

Cat.No.	Capacity ml.	Neck O.D. mm.	Overall Length mm.	Min. Qty./Pack	Price/Piece Rs.
1051/1	0.5	6	112	50	7-75
1051/2	1.0	7	127	50	8-90
1051/3	2.0	8	147	50	9-85
1051/4	3.0	10	147	50	12-80
1051/5	4.0	10	170	50	14-75

GAS APPARATUS

1052 **Gas Desorber, "LABCO",** 6400-00

1053 **Impinger, "LABCO",** graduated for sampling small gas volumes as per standard specification.

Cat. No.	Capacity ml.	Price/Piece Rs.
1053/1	35	330-00
1053/2	50	365-00
1053/3	80	435-00
1053/4	150	550-00
1053/5	275	740-00

1053M **Amber Coloured Impinger, "LABCO",** graduated for sampling small gas volumes as per standard specification.

Cat. No.	Capacity ml.	Price/Piece Rs.
1053M/1	35	670-00
1053M/2	50	740-00
1053M/3	80	890-00
1053M/4	150	1175-00
1053M/5	275	1575-00

1054 **Large Size Impinger, "LABCO",** Used in an Impinger train to Collect gases and particles from air and gases. Cap. 500 ml. graduated at 100 ml, 250 ml. and 500 ml. 1550-00

1055 **Impinger Bubbler Type, "LABCO",** Graduated in 5 ml interval with standard joint and sintered disc for measurement of air pollutants.

Cat. No.	Capacity ml. microns	Pore size Rs	Price/Piece
1055/1	35	170-200	510-00
1055/2	35	90-150	510-00
1055/3	35	49-90	510-00

1056 **Calcium Chloride Tube, "LABCO",** Straight or bent.

1056/1	with one bulb	48-00
1056/2	with two bulbs	54-00

1057 **Calcium Chloride Tube, "LABCO",** U shape.

Cat. No.	Size mm.	Price/piece Rs.
1057/1	100 x 12	90-00
1057/2	125 x 15	99-00
1057/3	150 x 18	124-00

1058 **Calcium Chloride Tube, "LABCO",** U shape with side tube.

Cat. No.	Size mm.	Price/Piece Rs.
1058/1	100 x 12	135-00
1058/2	125 x 15	148-00
1058/3	150 x 18	164-00





1059



1061/1



1063

1061/2

1064



1069



1065

1071



1073

1059 **Calcium Chloride Tube, "LABCO",** U shape with side tube and interchangeable stopper.

Cat. No.	Size mm.	Price/Piece Rs.
1059/1	100 x 12	380-00
1059/2	125 x 15	390-00
1059/3	150 x 18	425-00

1061 **Absorption Bulbs, "LABCO",**

Cat. No.	Size mm.	Price/Piece Rs.
1061/1	Nesbitt	575-00
1061/2	Midvale	500-00

1063 **Calcium Chloride tower, "LABCO",** Tubular at bottom and stopcock at top.

Cat. No.	Size mm.	Price/Piece Rs.
1063/1	38 x 250	780-00
1063/2	50 x 300	950-00
1063/3	60 x 300	1390-00

1064 **Tutwiler Gas Burette, "LABCO",** for determination of hydrogen sulphide, with stopcock at top and Bottom and only two graduation marks at 100 ml. and 110 ml. Complete with cylinderical reservoir at top, graduation downward from 0 to 9 ml. 3950-00

1065 **Bunte Gas Burette, "LABCO",** with stopcock 100 x 0.2 ml. 3950-00

1066 **Hample Gas Burette, "LABCO",** with two way stopcock at top and three way stopcock at bottom, 100 x 0.2 ml. with levelling tube, without stand. 3950-00

1066/2 - do - with stand 4500-00

1069 **Nitrometer Lunge's, "LABCO",** 50 ml. x 0.1 ml. graduated tube, with cup graduated 0 to 10 ml. with double oblique bore stopcock, complete with plain levelling bulb. 3600-00

1070 - do - with stand and clamps. 4700-00

1071 **Nitrometer Schiff's "LABCO",** 100 x 0.2 ml. graduated tube, stopcock and levelling bulb. 1450-00

1072 - do - with stand and clamps. 2600-00

1073 **Gas Collecting Tubes, "LABCO",** with two three way double oblique bore stopcocks one on each side.

Cat. No.	Capacity ml.	Price/Piece Rs.
1073/1	15	685-00
1073/2	30	695-00
1073/3	70	730-00
1073/4	100	750-00
1073/5	250	810-00
1073/6	500	1175-00

1074 **Gas CollectingTubes, "LABCO",** with two three way double oblique bore, PTFE key stopcocks one on each side.

Cat. No	Capacity ml.	Price/Piece Rs.
1074/1	15	1775-00
1074/2	30	1830-00
1074/3	70	1830-00
1074/4	100	1840-00
1074/5	250	1875-00
1074/6	500	1990-00

1075 **Gas Collecting Tubes, "LABCO",** with two, two way stopcocks one on each side.

Cat. No.	Capacity ml.	Price/Piece Rs.
1075/1	125	480-00
1075/2	250	550-00
1075/3	500	700-00

1076 **Gas Collecting Tubes, "LABCO",** with two, two way PTFE key stopcocks, one on each side.

Cat. No.	Capacity ml.	Price/Piece Rs.
1076/1	125	975-00
1076/2	250	1050-00
1076/3	500	1150-00

1077 **Gas Washing Bottles, "LABCO",** Dreshle's type, interchangeable joints.

Cat. No.	Capacity ml.	Price/piece Rs.
1077/1	125	560-00
1077/2	250	700-00
1077/3	500	830-00

1078 **Spare Head,** for above gas wash bottles. 275-00

1079 **Gas Washing Bottles, "LABCO",** with sintered disc,interchangeable joints.

Cat. No.	Capacity ml.	Price/Piece Rs.
1079/1	125	730-00
1079/2	250	850-00
1079/3	500	975-00

1080 **Spare head,** for above gas bottles. 470-00

1081 **Gas Jar, "LABCO",** with ground glass flat flange.

Cat. No.	HeightO.D. mm.mm.	Price/Piece Rs.	
1081/1	150	50	540-00
1081/2	200	50	640-00
1081/3	200	75	875-00
1081/4	300	75	1040-00





1082 **Kipp's Apparatus, "LABCO",** with interchangeable joints

Cat.No.	Capacity ml.	Price/piece Rs.
1082/1	100	1050-00
1082/2	250	2350-00
1082/3	500	3150-00
1082/4	1000	4300-00

1085 **Assembly of Apparatus, "LABCO",** for the determination of Oxygen, as per I.S. specification, fitted on wooden stand. 7400-00

1086 Complete Glass Parts, for App. No. 1085. 4400-00

1087 Gas Burette, Only for App. No.1085 1850-00

1088 **Assembly of Apparatus,** for the determination of Oxygen and other Active Contaminants as per I.S. specification complete on wooden frame. 14500-00

ORSAT GAS APPARATUS

1089 **Orsat Gas Analysis Unit, "LABCO",** with 3 **three absorption pipettes** of two compartment type, 100 ml Gas Burette with outer jacket, manifold with **PTFE Stopcocks,** and aspirator bottle, for the analysis of Co, O_2, Co_2 particularly in fuel and furnace gases, complete in wooden cabinet with sliding doors. 14950-00

1092 **Orsat Gas Analysis Unit "LABCO",** with **four** absorption pipettes of two compartment type, 100ml Gas Burette with outer Jacket, manifold with **PTFE stopcoocks** and aspirator bottle, Palldium, asbestos tube, adjustable spirit lamp for the analysis of Co, O_2, Co_2 H_2 and Nitrogen (by difference) complete in wooden cabinet with sliding doors. 17800-00

1098 **Orsat Gas Analysis Apparatus, "LABCO",** with **five absorption pipettes** for determining CO_2, CO, H_2 illuminants methane, ethane and nitrogen (by difference). There are four absorption pipettes, of which two are compartment type filled with glass tubes to increase absorption area and two bubbling type with three way **PTFE Stopcocks** and one slow combustion pipette with platinum wire coil, and rheostat to operate on 220 volts, complete in wooden cabinet with sliding doors. 22300-00

1104 Spares of Orsat Gas Analysis Apparatus.

Cat.No.	Item	Price/Piece Rs.
1104/1	100 ml. burette only	600-00
1104/2	Water Jacket with Rubber Corks	400-00
1104/3	Absorption pipette filled with tubes	560-00
1104/3a	Absorption tube with copper wire	775-00
1104/4	Bubbler pipette with PTFE 3 way Stopcock	1375-00
1104/5	Slow combustion pipette	2500-00
1104/6	Manifold for Cat. No.1089	2900-00
1104/7	Manifold for Cat. No. 1092	3100-00
1104/8	Manifold for Cat. No. 1098	2900-00
1104/9	U Tube fitted with glass wool	375-00
1104/10	Levelling bottle 250 ml.	395-00
1104/11	Palladium Asbestos Tube	810-00

MANOMETER

1117 **Manometer**, "LABCO", U tube mounted on wooden stand with scale 500-0-500 mm. with out mercury. 2100-00

1117a **-- do --** with scale 250-0-250 875-00

1118 - do - with scale 120-0-120 mm. 775-00

1119 **Vacustat Gauge**, "LABCO", Modified form of McLeod gauges, Range 10 mm to 0.01mm. Hg. Pressure. 6950-00

ELECTRODES APPARATUS

1121 **Hoffman's Voltameter,** "LABCO", to demonstrate that H_2O consists of two volumes of Hydrogen and one volume of Oxygen with 50 ml. graduated limbs and removable platinum electrodes 1025-00

1122 - do - with 25 ml. graduated limbs. 940-00

1123 Spare Platinum Electrodes Pair for Hoffman's Voltameter. 360-00

1124 Spare Carbon Electrodes Pair for Hoffman's Voltameter. 200-00

1136 **Transport Number, Determination Apparatus,** "LABCO", Findly U form with silver electrodes. 1800-00

1138 **Franz Diffusion Cell,** "LABCO", To stuy diffusion of transdermal drug delivery system through membranes. Supplied without membrane cap. 50 ml. 8500-00

1138a ---- do ---- Cap. 100 ml. 8800-00

1139 **Calomel Potential Vessel** "LABCO", Ordinary 375-00

1140 **Calomel Potential Vessel,** "LABCO", with stopcock and side tube 495-00

1141 **Calomel Electrode Vessel,** "LABCO", Ordinary Plain with rubber connected side tube. 390-00

1142 **Calomel Electrodes,** "LABCO",

Cat.No.	Description	Price/piece Rs.
1142/1	With Platinum foil of 8 mm square	1250-00
1142/2	With Platinum foil of 4 mm square	1150-00
1142/3	With Silver foil of 8 mm square	590-00
1142/4	With Silver foil of 4 mm square	500-00
1142/5	With Platinum Wire of 10 mm length	675-00
1142/6	With Platinum Wire of 20 mm length	850-00
1142/7	With Silver Wire and Copper Wire connected	850-00

1143a **Glass Electrode for pH meter** B.N.C. Type

	Temp. Range	Resistance Mohms	Rates
Breakable	0-17° C	200-300	1050-00
Unbreakable	0-17° C	200-300	3025-00





MOLECULAR WEIGHT APPARATUS

1157	**Beckmann's Depression of freezing Point Apparatus, "LABCO",** Comprising of outer jar with perspex cover & stirrer. Jacketed inner tube with nickel stirrer with Digital Pen type thermometer range from -50 to 300°C with resolution of ±0.1°C	4700-00
1158	**Beckmann's Molecular Weight, "LABCO",** for elevation of boiling point. Comprising of Air Jacket, Boiling Tube, Condenser, Drying Tube, Stopper etc.	6400-00
1159	**Cottrel Brown, "LABCO",** Boiling point apparatus.	2175-00
1160	**Molecular Weight Determination Apparatus, "LABCO",** McCoy's, ground glass fittings.	1175-00
1161	**- do-** with rubber cork fittings.	975-00
1162	**Molecular Weight Determination Apparatus, "LABCO",** (Land Berger's) Boiling Point method, modified by Walker and Lunsden	1075-00
1163	**Vapour Density Apparatus,** Victor Meyer's.	1175-00
1164	**Spare Inner Tube, "LABCO",** only for Victor Meyer's App.	345-00
1165	**Victor Meyer's Apparatus, "LABCO",** with glass jacket and Inner glass tube.	2900-00
1165/1	**- do - same as above** with copper jacket	4150-00

MISCELLANEOUS APPARATUS

1172	**Silicon Vaccum Greese (Indian)** 50gm pack	350-00
1173	**Diamond point glass marking pencil** Indian make.	575-00
1174	**Engraving Pen.** Battery operated, allows to write/etch and engrave either on glass, metal, plastic, wood, gadgets and other accessories, compact and light weight. Powered source : 2AA batteries	850-00
1175	**Lab Grade Alluminium Foil** Extra shining, Thickness 24 microns. Roll of 9 meters.	375-00
1176	**Schoinger Micro Combustion Flask, "LABCO",** (Oxygen Flask) with Platinum wire gauge sample carrier, for determination of Halogens, Sulphur Phosphorous metal etc.	27300-00
1180	**Kjeldahl bulb, "LABCO",** connecting, sloping, single.	

Cat. No.	Bulb O.D mm.mm.	Tube O.D. Rs.	Price/Piece
1180/1	50	10	155-00
1180/2	65	10	175-00

1181	**Kjeldahl bulb, "LABCO",** connecting, Vertical	225-00
1182	- do - with two bulbs, **"LABCO".**	325-00
1183	**Particle Size Determination Apparatus, "LABCO",** (Sedimentation Pipette, Anderson) consisting of 500 ml. graduated cylinder, graduation from 0 to 20 cm. and fitted with 10 ml. pipette with three way stopcock, the tip of pipette at the level of 0 mark at the cylinder scale.	2100-00
1184	**Dirt Correction Apparatus, "LABCO",** 1000 ml with stopcock.	
	1184/1 Plain	1780-00
	1184/2 Graduated	2050-00

1189 **Wash Bottles, "LABCO",** with interchangeable joints.

Cat. No.	Capacity ml.	Price/piece Rs.
1189/1	250	475-00
1189/2	500	550-00
1189/3	1000	745-00

1190 **Thiele's Melting Point Tubes, "LABCO".**

Cat. No.	Size mm.	Price/Piece Rs.
1190/1	150 x 18	84-00
1190/2	150 x 25	102-00

1192 **Melting Point Apparatus, "LABCO",** (junge's) as per I.S. specification 1000-00

1193 **- do -** with standard joint fittings. 1250-00

1194 **Viscometer, "LABCO",** Ostwald, standard size, College Pattern, Centre support. 195-00

1194/1 **- do -** 80-100 Sec. 245-00

1194/2 **- do** - 100-120 Sec. 245-00

1195 **Viscometer, "LABCO",** Falling sphere, standard joint fitting.

Cat. No.	Bore of Tube mm.	Price/piece Rs.
1195/1	25	445-00
1195/2	40	530-00

(Note: For other type of viscometers, rates on request)

1196 **Stalganometer, "LABCO",** Straight, graduated 125-00

1196a -- do --- Same as above but with Rotaflow Teflon stopcock 255-00

1197 **Stalganometer, "LABCO",** Bent, graduated 135-00

1198 **Stalganometer, "LABCO",** Set of Three (One straight, two bent) in velvet lined box. 680-00

1199 **Weight Thermometers "LABCO".**

Cat. No.	Capacity ml.	Price/Piece Rs.
1199/1	5	58-00
1199/2	10	64-00
1199/3	25	88-00

1200 **Pyknometers, "LABCO".**

Cat. No.	Capacity ml.	Price/Piece Rs.
1200/1	5	94-00
1200/2	10	102-00
1200/3	25	130-00

1201 **Dilatometer, "LABCO",** Designed for measuring the expansion of edible oil and fats, over the temperature range during melting. The ratio of solid to liquid present can be obtained. 650-00

1202 **Dilatometer, "LABCO",** consist of 50 ml. flask with 30cm long graduated capillary of 1 mm bore with standard B 14 joint fitting 425-00

1203 **Duma's Bulb, "LABCO",** 440-00















1204 **Retorts, "LABCO",** with interchangeable stopper.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
1204/1	100		2	330-00
1204/2	150		2	350-00
1204/3	250		2	390-00
1204/4	500		2	530-00
1204/5	1000		2	995-00

1205 **Filter Pump, "LABCO",** University pattern. 195-00

1206 **- do -** superior quality 240-00

1207 **FIlterPump, "LABCO",** Edward's type heavy pattern, Brass. 900-00

1208 **Adapter, "LABCO",** for Liebig's condensor straight or bent. 57-00

1209 **Adapter, "LABCO",** for Gooch Crucible.

Cat. No.	Capacity ml.	Price/piece Rs.
1209/1	15	84-00
1209/2	30	88-00
1209/3	50	118-00

1210 **Syphon, "LABCO",** with suction tube 18" long. 200-00

1211 **- do - with suction tube and stopcock 18" long, "LABCO".** 420-00

1212 **Funnel Filtering, "LABCO",** 60^0 angle with stem.

Cat. No.	Diameter mm.	Qty./Pack	Min. Rs.	Price/piece
1212/1	25		10	42-00
1212/2	38		10	48-00
1212/3	50		10	54-00
1212/4	65		10	63-00
1212/5	75		10	78-00
1212/6	100		2	118-00
1212/7	125		2	240-00
Powder Funnel with B/24 cone				
1212/8	100			240-00
1212/9	125			380-00
1212/10	150			695-00

1213 **Thistle Funnel, "LABCO",** 30 cm stem. 108-00

1214 **- do - for Kipp's apparatus, "LABCO".** 135-00

1215 **Polarimeter Tubes, "LABCO",** with Centre bulb, screw caps and cover glasses.

Cat. No.	Length mm.	Price/Piece Rs.
1215/1	100	1125-00
1215/2	200	1150-00
1215/3	400	1190-00

1216 **Polarimeter Tubes, "LABCO",** with Centre Cup, screw caps and cover glasses.

Cat. No.	Length mm.	Price/Piece Rs.
1216/1	100	1150-00
1216/2	200	1175-00
1216/3	400	1200-00

1217 **Dewar flask, "LABCO",** Double walled, cylindrical, evacuated, unsilvered.

Cat. No.	Inner Tube mm.ml.	Approx. cap. Rs.	Price/piece
1217/1	50 x 200	300	2000-00
1217/2	50 x 250	400	2200-00
1217/3	60 x 200	475	2450-00
1217/4	60 x 250	600	2500-00
1217/5	75 x 200	750	3300-00
1217/6	75 x 250	950	3650-00
1217/7	100 x 300	2000	6000.00

1218 **Dewar flask, "LABCO",** Double walled, cylindrical, evacuated, silvered.

Cat. No.	Inner Tube mm.ml.	Approx. cap. Rs.	Price/piece
1218/1	50 x 200	300	3750-00
1218/2	50 x 250	400	3950-00
1218/3	60 x 200	475	4200-00
1218/4	60 x 250	600	4400-00
1218/5	75 x 200	750	6500-00
1218/6	75 x 250	950	8200-00
1218/7	100 x 300	2000	14000-00

1219 **Connection Tubes, "LABCO",** T shape

Cat.No.	Tube dia mm.	Price/Piece Rs.
1219/1	7	54-00
1219/2	10	60-00
1219/3	12	74-00

1220 **Connection Tubes, "LABCO",** Y shape

Cat.No.	Tube dia mm.	Price/Piece Rs.
1220/1	7	54-00
1220/2	10	60-00
1220/3	12	74-00

1221 **Connection Tubes, "LABCO",** U shape

Cat.No.	Tube dia mm.	Price/Piece Rs.
1221/1	7	50-00
1221/2	10	55-00
1221/3	12	66-00

1222 **Filter tubes, "LABCO",** with side tube.

Cat. No.	Tube Size mm.	Price/Piece Rs.
1222/1	100 x 12	34-00
1222/2	125 x 15	39-00
1222/3	150 x 18	52-00
1222/4	150 x 25	63-00

1223 **Chromatography Sprayers, "LABCO",** with rubber bellow.

Cat. No.	Capacity ml.	Price/Piece Rs.
1223/1	100	485-00
1223/2	150	500-00
1223/3	250	525-00



1217/18



1219



1220



1222 1221



1223



1224



1225



1226



1227



1228

1230

1224 **Chromatography Sprayers, "LABCO",** Bottle type with interchangeable joints, rubber bellow.

Cat. No.	Capacity ml.	Price/Piece Rs.
1224/1	25	530-00
1224/2	50	560-00
1224/3	100	600-00

1225 **Dessicator with Lid, Plain, Die pressed, Borosilicate Neutral Glass with porocelain perforated plate, "LABCO".**

Cat. No.	I.D. mm	Price/Piece Rs.
1225/1	120	1325-00
1225/2	160	1825-00
1225/3	210	3100-00
1225/4	240	4700-00
1225/5	300	6800-00

1226 **Dessicator with Lid,** Vacuum, Die pressed, **made of Borosilicate neutral Glass (with porocelain perforated plate and glass sleeve "LABCO")**

Cat.No.	I.D. mm.	Price/Piece Rs.
1226/1	160	2200-00
1226/2	210	4350-00
1226/3	240	6800-00
1226/4	300	9400-00

1227 **Specimen Jars, "LABCO",** with bakelite screw cap, suitable for Culture, Autoclaveable

Cat. No.	SizeApprox. Cap. mm. ml.	Price/piece Rs.	
1227/1	50 x 75	100	235-00
1227/2	60 x 110	250	330-00
1227/3	75 x 130	500	475-00
1227/4	90 x 185	1000	710-00

1228 **Weighing Scoops, "LABCO",** with open tubular arm, nominal capacity 3 ml., 6 ml. or 10 ml. Suitable for use when small quantity of dyes or powders are to be weighed 200-00

1229 **Spatula Ended Spoon, "LABCO",** used for ointments and lotions, suitable for the quick dispensation of Phosphorous and Sodium. 60-00

1230 **Kjeldahl Digestion Tubes, "LABCO",** with constriction on top.

Cat. No.	Tube Size mm.	Price/Piece Rs.
1230/1	24 x 250	185-00
1230/2	26 x 250	190-00
1230/3	26 x 300	240-00
1230/4	40 x 300	285-00
1230/5	42 x 300	350-00

1230a Stand Alluminium to hold & carry Kjeldhal digestion tubes "LABCO", for 15 tubes 2400-00

ARSENIC APPARATUS

1236 **Arsenic Apparatus,** Gutzeit modified form according to I.S. specification with Indian glass bottle. 395-00

1237 **Arsenic Apparatus,** "LABCO", According to B.P. Specification 660-00

1238 **Arsenic Apparatus,** "LABCO", (Silver Diethyldithio carbonate method) accord ing to I.S. specifications. 1190-00

1239 **Arsenic Apparatus** "LABCO", for the determination of Arsenic and Sb. in brasses, bronze, ferrous and non- ferrous alloys etc. by distillation, without stand, clamp and burner. 2775-00

1240 **Arsenic Determination Apparatus,** "LABCO", Gutzeit (modified) composing of 100 ml bottle with interchangeable fitting.The arsenic tube is in two parts with ground flange ends, together with 30 ml open top funnel attached in the bottle. 1840-00

1241 **Arsenic Apparatue** "LABCO", as per USP 211, organic & inorganic materials 1525-00

1242 **Apparatus for Limit Test** for Arsenic as per IP 1425-00

1243 **Arsenic Limit Test Appatatus** As per JP 1425-00



COLUMN STORAGE CABINET

1245 **Column Storing Cabinet** "LABCO", for storing columns upto 100-300 mm length. With locking arrangement & moving wheels. Complete Cabinet made of Stainless Steel grade SS316.

Column Length(mm)	No. of Columns	Each Drawer Cap. Column	No. of Drawers	Price/Piece Rs.
a. 100-300	315	15	22	99900-00
b. 100-300	150	15	11	79000-00

Note :- One last drawer in each above Cabinet will have four equal cushioned Compartments for keeping end fittings, Cartridges, couplings & other spares etc.

CARBON, SULPHUR DETERMINATION APPARATUS GLASS PARTS

1250 **Absorption Vessel,** "LABCO", with 3 valves, for KOH 2975-00

1251 **Carbon Burettes Double Walled,** "LABCO", Inner tube permanently graduated, with one valve at the top.

Cat. No.	Size %	Price/piece Rs.
1251/1	0.25	2950-00
1251/2	0.50	2950-00
1251/3	1.50	2950-00
1251/4	4.50	3075-00

1252 **Thermometer Enclosure** Type, 50°C, Alcohol filled for above Carbon Burettes. 590-00

1253 **Thermometer StemType**, 50°C, Alcohol filled for Carbon Burettes. 325-00

1254 **Sulphur Burette,** "LABCO", 4 ml with automatic Zero, three way double oblique bore stopcock at the bottom. 860-00





1255	**Stopcock,** "LABCO", three way, C bore, T shape.	725-00
1256	**Stopcock,** "LABCO", 'L' Shaped, Long Glass Tube, Twin Bore stopper.	725-00
1257	**Spiral Cooling Condenser,** "LABCO".	470-00
1258	**Automatic Pipette,** "LABCO", 15 ml.	475-00
1259	**Automatic Pipette,** "LABCO", 10 ml.	500-00
1260	**Titration Vessel,** "LABCO", 100 ml.	940-00
1261	**Oxygen Purifying Assembly,** "LABCO".	490-00
1262	**Aspirator Bottle (Levelling Bottle)** for carbon burette, 1000 ml. capacity.	750-00
1263	**- do -** long form	990-00
1264	**View Bulb,** "LABCO", for combustion tube.	58-00

PLANT PHYSIOLOGICAL APPARATUS

1270	**Potometer, Ganog's** Borosilicate glass	680-00
1271	**Potometer, Farmer's** Soda Glass bottle Borosilicate glass fitting.	1000-00
1272	**Potometer** for observing the rate of absorption of water by transpiring plants under varying circumstances, complete	1125-00
1273	**Appratus for demonstrate** sunction due to transpiration. A capillary tube with funnel at top and scale atteched	325-00
1274	**Respirometer,** Complete with graduated and levelling tubes, Rubber tubing and stand.	1375-00
1275	**Willmout Bubbler** with Soda glass bottle.	675-00
1276	**Demonstration Respiroscope,** with soda glass bottle.	945-00
1277	**Apparatus for experiments,** on root pressure, T-tube with stopcock and Soda Glass, Graduated Jar, Without Pot.	770-00
1278	**High Pressure Manometer,** Ganong's.	375-00
1279	**Apparatus for the determination** the quality of water absorhed and Given off by transption plants, Soda Glass bottle, Borosiicate Glass side tubes.	640-00
1280	**Apparatus for the demonstration** of osmotic pressure, Pfeffer's complete Soda Glass Jar	640-00
1281	**Retort Shaped Vessel,** for the culture of plants in a space devoid of Oxygen.	330-00
1282	**Photosynthesis Apparatus,** Comprises two syringes connected to a collecting tube via a 3-way tap. This arrangement enables the gas to be drawn along the capillary tube by on syringe and collected into the second syringe for analysis. The apparatus is mounted on a background 240x100mm Capillary bore 1mm.	1650-00
1283	**Apparatus for investigating,** transpiration complete on stand.	1540-00
1284	**Fermentation Vessel,** Kuhn's on stand.	415-00

DAIRY AND MILK TESTING APPARATUS

1291	**Butyrometer** ISI marked (Pack of 10 Pcs.	730-00
1292	**Butyrometer** Butter grade 0-70-90% with capacity 5 gm., flat scale, weighing type.	615-00
1292/1	**Butyrometer Butter,** milk powder, Grade 0 - 35% with cup & stopper, weighing type	615-00
1293	**Butyrometer** Cream 0-70% weighing type 5 gm flat scale as per ISI specifications.	615-00
1293/1	**Butyrometer** Ice cream, 0 - 20% volumetric method as per ISI specs	615-00
1293/2	**Butyrometer** cheese, 0 - 40% volumetric method as per ISI specs	615-00
1293/3	**Butyrometer** chocolate, 0 - 20% volumetric method as per ISI specs	615-00
1294	**Butyrometer** Skim milk 0-4% flat scale as per ISI specifications.	615-00
1294a	**Lactometer,** Sp. Gr. range 0-40	160-00
1294b	--- do --- same as above, range 15-40	160-00
1294c	**Lactometer Jar** Polypropylene	78-00
1295	**Lock Stopper** for Butyrometer (Pack of 12 pcs)	155-00
1295a	SS key for Butyrometer stopper	145-00
1296	**Mojjonier flask** as per ISI specifications.	510-00
1296a	**Silicon cork** for Majjonier flask	54-00
1296b	**Majjonier flask Stand,** "LABCO", Made of Imported transparent sheet. Holding Capacity 6 Nos.	4900-00Ea
1297	**Rilchert Wollney's Apparatus,** "LABCO", for the determination of volatile fatty acids in magarine and butter, with rubber cork fitting without stand and burner.	1000-00
1298	**- do -** with standard joint fitting.	1290-00
1299	**Polenske's Apparatus, (R.M. value Apparatus),** "LABCO", for the determination of butter fat and analysis of oil, fats, waxes with rubber cork fitting.	1000-00
1300	**- do -** with standard joint fitting.	1380-00
1301	**Flask flat bottom** 300 ml for Cat. No. 1297 & 1299	165-00
1302	**- do -** with B 24 socket for Cat No. 1298 & 1300	215-00
1303	**Condenser for Polenske's Apparatus** or Reichert Wollney's Apparatus, "LABCO".	345-00
1304	**- do -** with B 24 socket.	385-00
1305	**Still Head** for Cat. no. 1297 or 1299	170-00
1306	**- do -** with standard joints 1298 & 1300	290-00
1307	**Flask standard 100-110 marked,** "LABCO".	340-00



1291



1296



1297



1299

THERMOMETERS

1310

1311

1311a

1312

1312 a & b

1313

1310 **Chemical Thermometers, "LABCO",** Alcohol/Mercury Filled 30 cm. long, accuracy ± 1 division.

Cat. No.	Range	Division	Superior quality (Indian)	Imported Capillary (Zeal Type)
1310/1	0-50°C	1/1	135-00	265-00
1310/2	0-50°C	1/2	135-00	265-00
1310/3	0-100°C	1/1	120-00	265-00
1310/4	-10-100°C	1/1	120-00	265-00
1310/5	-10-110°C	1/2	120-00	265-00
1310/6	0-150°C	1/1	120-00	265-00
1310/7	0-200°C	1/1	130-00	265-00
1310/8	0-250°C	1/1	130-00	265-00
1310/9	0-300°C	2/1	130-00	265-00
1310/10	0-360°C	2/1	130-00	265-00
1310/11	0-222°F	1/1	130-00	265-00
1310/12	0-80°R	1/1	140-00	265-00

1311 **Digital Pen Type Thermometer, "LABCO",** easy to use. Touch the object and press the ON button to measure the temp. Range : -50 to 300°C (-58 to 570°F) Resolution ± 0.1°C/°F — 985-00

1311a **LCD Portable Digital Multi Thermometer, "LABCO",** with external sensing probe. Temp. Range -50°C to 300°C (58°F to 572°F) Resolution ± 0.1°C/°F Accuracy ± 1°C upto in the range -50 to 200°C — 1550-00

1312 **Precision Chemical Thermometers, "LABCO",** Accuracy ± 1 division.

Cat. No.	RangeDivision	Superior Quality	
1312/1	-10-50°C	1/5	170-00
1312/2	-10-50°C	1/10	255-00
1312/3	-10-110°C	1/5	280-00
1312/4	-10-110°C	1/10	310-00

1312a **Precision Digital Thermometers, "LABCO",** 3½ LCD portable digital thermometer. Temp. range -50 to +200°C, resolution 0.1°C, accuracy ±1 digit, Sensor input - PT 100 — 8900-00

1312b **Precision Digital Thermometers, "LABCO",** 3½ LCD portable digital thermometer. Temp. range 40 to +1000°C, resolution 1°C, accuracy ±1% Sensor input - K type thermocouple — 12500-00

1313 **Thermometers, "LABCO",** with cone, enclosed type. Accuracy ± division.

Cat. No.	RangeCone	Price/Piece Rs.	
1313/1	-10-50°C	B 10	325-00
1313/2	-10-110°C	B 14	465-00
1313/3	0-250°C	B 14	465-00
1313/4	0-360°C	B 14	470-00
1313/5	-10-110°C	B 19	545-00
1313/6	0-250°C	B 19	545-00
1313/7	0-360°C	B 19	550-00

1314 **Immersion Thermometers, "LABCO",** Mercury in glass, engraved on stem, Accuracy ± 1 division.

Cat. No.	Range	Immersion length cms	Total length cms	Price/Piece Rs.
1314/1	110°C	15	45	255-00
1314/2	250°C	15	45	255-00
1314/3	360°C	15	45	255-00
1314/4	110°C	30	60	325-00
1314/5	250°C	30	60	325-00
1314/6	360°C	30	60	325-00

1315 **Low Temperature Thermometers, "LABCO",** (Alcohol filled) 30 cms. long. Accuracy ± 1 division.

Cat. No.	RangeDivision	Price/Piece Rs.	
1315/1	-30 to +50°C	1°C	215-00
1315/2	-50 to +50°C	1°C	235-00
1315/3	-50 to +100°C	1°C	235-00
1315/4	-100 to + 50°C	1°C	300-00

1316 **Oven/Incubator Thermometers, "LABCO",** L shaped size 200 mm. X 200 mm., mercury in glass. Accuracy ± 1 division.

Cat. no.	RangeDivision	Price/Piece	
1316/1	110°C	1°C	275-00
1316/2	250°C	2°C	275-00
1316/3	360°C	2°C	275-00

1318 **Maximum and Minium Thermometer, "LABCO".** 240-00

1319 **Maximum and Minium Thermometer, "LABCO",** superior Quality Indian 675-00

1319a **Maximum and Minium Thermometer, Imported** U.K. make 950-00

1320 **Wet and Dry thermometer, "LABCO",** 240-00

1321 **Wet and Dry thermometer, "LABCO",** Superior Quality Indian 675-00

1321a **Wet and Dry thermometer, Imported** U.K. make 950-00

1322 **Wall Thermometer, "LABCO",** in PVC Groove type, base plate 20 cms 80-00

1323 **Wall Thermometer, "LABCO",** in PVC Groove type, base plate 40 cms 270-00

1324 **Wall Thermometer, "LABCO",** wooden base half meter long 520-00

1325 **Wall Thermometer, "LABCO",** One meter long 845-00

1326 **Human Thermometer,** Analogue type 140-00

1326a **Human Thermometer,** Digital 675-00

1327 **Digital Humidity and Temperature Clock, "LABCO",** Temp. Range : Indoor : -10°C to 50°C (+14°F to +122°F), **Humidity Range :** Indoor : 20% to 99% RH. Memory of MAX / MIN values of Temp. & Humidity 1250-00

1328 **Infra Red Thermometer, "LABCO",** Laser targeting, one hand operation, LCD with back light. Range -50 to 550°C 2950-00

1329 **Soil Thermometer,** with brass cone at bottom, Range 100°C or 180°F, 100 mm long brass cone. 580-00



1332

1331 1333



1334

1341

1342a

1331 **Soil Survey Instrument (4 in 1), "LABCO",** It can test moisture of soil, pH value, Temp. & Environment sunlight intensity using a probe with length of 200mm. The unit can easily display various readings with oversize LCD. Unit also has low battery indication and auto power off function. It is saving time, energy of high efficiency. This unit assures quality of flowers and grasses plsnting and garden virescence. 6500-00

1332 **Psychrometer,** (Whirling Hygrometer) in plastic frame, with chart. 690-00

1333 **Barometer/Altimeter/Timer, Digital, Barometer Range :-** 200-1050mbar/hPa, **Altimeter Range :-** 703-4191 meter, **Temp. Range :-** 10-60°C. **Resolution :-** 1 meter/0.1mbar/0.1°C 9500-00

1334 **Bi-Metal Dial thermometer**, Stem length 30 cm., stem at back, made of brass.

Cat. No.	RangeDial dia mm.	Price/Piece Rs.	
1334/1	0-100°C	65	990-00
1334/2	0-150°C	65	1000-00
1334/3	0-200°C	65	1000-00
1334/4	0-250°C	65	1000-00
1334/5	0-300°C	65	1000-00
1334/6	0-350°C	65	1000-00
1334/7	0-100°C	100	1175-00
1334/8	0-150°C	100	1175-00
1334/9	0-200°C	100	1175-00
1334/10	0-250°C	100	1200-00
1334/11	0-300°C	100	1200-00
1334/12	0-350°C	100	1200-00

HYDROMETERS

1341 **Specific gravity Hydrometers**, in 100 degree range, shot weighted with paper scale.

Cat. No.	Range	Price/Piece Rs.
1341/1	600-700	235-00
1341/2	700-800	235-00
1341/3	800-900	235-00
1341/4	900-1000	235-00
1341/5	1000-1100	235-00
1341/6	1100-1200	235-00
1341/7	1200-1300	250-00
1341/8	1300-1400	250-00
1341/9	1400-1500	265-00
1341/10	1500-1600	265-00
1341/11	1600-1700	265-00
1341/12	1700-1800	280-00
1341/13	1800-1900	540-00
1341/14	1900-2000	540-00

1342 **Universal Hydrometer** Range 700-2000 Sp.Gr. 175-00

1342a **Density Hydrometers** for Analytical laboratories **ISI marked.** Shot & Wax Poised, Adjusted for use at 15°C M-50 SP.

Cat. No.	Sp. Gr. Range	For	Length (mm)	Price/Piece Rs.
1342a/1	0.650-0.700	ATF(Sea)	270	365-00
1342a/2	0.700-0.750	Petrol	270	365-00
1342a/3	0.750-0.800	Kerosene	270	365-00
1342a/4	0.800-0.850	Diesel	270	365-00
1342a/5	0.850-0.900	Mobile Oil	270	365-00
1342a/6	0.900-0.950	Oils	270	365-00
1342a/7	0.950-0.1000	Petroleum Ether	270	365-00

1343 **Beaume Hydrometer,** Shot weighted with paper scale.

Cat. No.	Range	Price/Piece Rs.
1343/1	Light Liquid range 10-70 Be, 0.700-1.000 Sp.Gr.	102-00
1343/2	Heavy liquid range 0-70 Be, 1.000-2.000 Sp.Gr.	102-00
1343/3	Beaume Hydrometer range 0-50 Be, 1.000-1.500 Sp. Gr.	115-00
1343/4	Beaume Hydrometer range 50-70 Be, 1.500-2.000 Sp. Gr.	115-00

1344 **Beaume Hydrometer** , In 20 degree range, shot weighed with paper scale.

Cat.No.	Range	Price/piece Rs.
1344/1	0-10 Be	235-00
1344/2	10-20 Be	235-00
1344/3	20-30 Be	235-00
1344/4	30-40 Be	235-00
1344/5	40-50 Be	235-00
1344/6	50-60 Be	265-00
1344/7	60-70 Be	265-00

1345 **Beaume Hydrometer,** in 20 degree range shot weighted with paper scale.

Cat No.	Range	Price/Piece Rs.
1345/1	0-20 Be	265-00
1345/2	20-40 Be	265-00
1345/3	40-60 Be	265-00

1346 **Brix Hydrometer,** Shot Weighed with paper scale, without thermometer.

Cat.No.	Range	Price/Piece Rs.
1346/1	0-10 Bx, 10-20 Bx, 20-30 Bx 30-40 Bx, 40-50 Bx, 50-60 Bx 60-70 Bx, 70-80 Bx, 80-90 Bx	410-00
1346/2	0-20 Bx, 20-40 Bx, 40-60 Bx, 60-80 Bx	410-00
1346/3	0-30 Bx, 30-60 Bx, 60-90 Bx	410-00

1347 **Brix Hydrometer,** Shot weighed with paper scale with built in thermometer.

Cat. No.	Range	Price/Piece Rs.
1347/1	0-10 Bx, 10-20 Bx, 20-30 Bx 30-40 Bx,40-50 Bx, 50-60 Bx	865-00

1348 **Sike's Hydrometer,** Shot weighed with paper scale.

Cat.No.	Range	Price/Piece Rs.
1348/1	0-20,20-40, 40-60, 60-80, 80-100	415-00

1349 **Twaddle Hydrometers.**

Cat.No.	SizeRange	Price/Piece Rs.	
1349/1	1	0-24	255-00
1349/2	2	24-48	255-00
1349/3	3	48-72	255-00
1349/4	4	72-102	255-00
1349/5	5	102-138	270-00
1349/6	6	138-170	270-00

1350 **Battery Hydrometers,** Complete with specific gravity hydrometer range 1.1 to 1.3, glass jar, rubber stopper and rubber bulb. Superier quality. 625-00

1350a ---- **do** ---- Routine quality 375-00

SEMI MICRO ANALYSIS APPARATUS



1355. Boiling tubes with rim.

Cat. No.	Size mm.	Price/Piece Rs.
1355/1	75 x 10	6-75
1355/2	75 x 12	6-90
1355/3	100 x 12	8-75
1355/4	60 x 15	17-75
1355/5	60 x 25	24-50

1356 Dropping Bottle, Indian glass with dust proof head, glass dropper and rubber teat.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
1356/1	30		12	86-00
1356/2	60		12	110-00
1356/3	120		12	128-00

1357 Dropping Bottle, Indian glass amber colour with dust proof head, glass dropper and rubber teat.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
1357/1	30		12	148-00
1357/2	60		12	160-00
1357/3	120		12	210-00

1358 Dropping Bottle, T.K.Pattern Indian glass with grooved stopper.

Cat. No.	Capacity ml.	Qty./Pack	Min. Rs.	Price/Piece
1358/1	30		12	94-00
1358/2	60		12	108-00
1358/3	120		12	142-00

1360 Dropper, with rubber teat.

Size	4"	6"	8"	
	24-00	25-00	33-00	each

1362 Micro Funnel, 20 mm dia. 44-00

1363 Gas Absorption Pipette, with rubber cork fitted in 75 x 10 mm. test tube. 58-00

1364 Filter Tube, Test Tube 75 x 10 mm with 55 x 7 mm filter tube. 38-00

1368 Semi Micro, Test Tube holder with wooden handles & brass strip. Superior quality (Pack of 12 Pcs) 355-00Pk.

1368a --do-- Same as above with wooden handles. Routine quality (Pack of 12 Pcs) 335-00Pk.

1368b Test tube holder for holding large dia (upto 25mm) Test tube. Superior quality pack of 12 pcs. 390-00Pk.

1369 Semi Micro, Test Tube brush. (Pack.50Pcs.) 790-00Pk.

1369a Test tube brush for large test tubes (upto 25mm dia) Pack of 50 pcs. 900-00Pk.

1370 Semi Micro, Test Tube Stand. (Pack of 12 Pcs.) 1450-00Pk.

1371 Semi Micro, Stainless steel spatula (Pack of 12 Pcs.) 455-00Pk.

1372 Inoculation Loop with holder 250-00Each

1374 Platinum Wire, 35 x 0.2 mm Fused in glass rod and fitted in test tube. 385-00

1375 Agate Motor & Pestle, Black

Cat. No.	Size mm	Minimum Rs.	Price/Piece
1375/1	50	2	800-00
1375/2	75	1	1300-00
1375/3	100	1	2390-00
1375/4	125	1	3650-00
1375/5	150	1	6950-00

1376 **Wire gauze heavy type superior quality** (Pack of 12 pcs) 410-00 Pack

1377 **Filter Paper Circles,** Superior quality (Pack of 100 Circles) 160-00 Pack

1377a -------- do --------- Routine Quality 110-00 Pack

1378 **Filter Paper Sheets** Good quality (Pack of 500 Sheets) Sheet Size 18"x22" 2450-00 Pack

1379 **Water bath Made of Copper,** Round type 6" dia with accentric rings, heavy quality 650-00 Ea

1381 **Watch glass** (Pack of 12 pieces)

Size	50 mm	75 mm	100 mm	150mm
Rate	200-00pak	285-00pak	380-00pak	860-00pak

1382 **Nickle Crucible,** with lid

Cat. No.	Capacity ml	Price/Piece Rs.
1382/1	25	625-00
1382/2	50	750-00

1385 **Glass Rod,** Hard glass assorted 6 mm-8mm **(pack of 5 Kgs.)** 1100-00 Per Pack

1385a **Glass Tube,** Hard Glass assorted 6mm - 10mm **(pack of 5 kgs)** 1100-00 Per Pack

1385b **Fusion Tubes** (Ord. Glass) (1 Gross Pack) 90-00 Per Pack

1386 **Kipp's Apparatus,** 100 ml. 1050-00 Ea

1387 **Spirit Lamp** Make 'LABCO' capacity 100-125ml Glass 170-00 Ea.

1387a **-do- same as above,** Made of Brass 195-00 Ea.

1387b **-do- same as above,** Made of alluminium 120-00 Ea.

1388 **Gas Delivery tubes** Dia 6mm (A, B & C) set of 3 325-00 set

1389 **Magnifying Glass,** Brass Frame with chrome plated handle. With 2.25X Zoom

Cat. No.	Lens Dia In Inches	Price/Piece Rs.
1389/1	2	75-00
1389/2	3	150-00
1389/3	4	225-00

1390 **Magnifying Glass,** Brass Frame with chrome plated handle. Lens Dia 6", with 1.83X Zoom 840-00

1391 **Multi functional 3 in 1 hand held folding lighted high powered Magnifier glass** with 3X Zoom and 2 LED Lights. Lens Dia. 65mm The 3 in 1 magnifier with 3X Zoom can be folded and can be transformed into a hands free stand. It works on 2AA batteries. 1050-00


1376

1379


1381

1386



1387

1388

1389

1391

SILICA LABORATORY WARE



1418



1419

1420

1421

1443

1444

1418 **Silica Crucibles, "LABCO",** with lid, withstands 800°C.

Cat. No.	Capacity	Price/Piece Rs.
1418/1	15	655-00
1418/2	25	715-00
1418/3	50	1325-00
1418/4	100	3175-00
1418/5	150	3340-00

1419 **Silica Crucibles, "LABCO",** without lid, withstands 800°C.

Cat. No.	Capacity	Price/Piece Rs.
1419/1	15	340-00
1419/2	25	360-00
1419/3	50	650-00
1419/4	100	1460-00
1419/5	150	2000-00

1420 **Silica Basins, "LABCO",** with spout, Round Bottom, translucent, withstands 800°C.

Cat. No.	Capacity ml. mm	Dia x ht. Rs	Price/Piece
1420/1	20	35 x 40	575-00
1420/2	45	75 x 27	870-00
1420/3	70	87 x 33	1175-00
1420/4	100	80 x 85	2175-00
1420/5	200	98 x 103	2600-00

1421 **Quartz cell with PTFE cover, "LABCO",** 10 mm path, 3.5 ml in pair 3150-00

1421/1 **Glass cell with PTFE cover, "LABCO",** 10 mm path, 3.5 ml in pair 1050-00

ANAEROBIC CULTURE JAR

1443 **Anaerobic Culture Jar, "LABCO", (Anaerobic system without Catalyst)** Supplied with transparent unbreakable polycarbonate Jar of 3.5 Ltr. capacity having **Sturdy ABS moulded Lid,** clamp and sealing rubber "O" ring.

Supplied Complete with :

A) Stainless Steel Petri plate carrier for 10 Petri plates- 1Pc.
B) Stainless Steel test tube carrier 21000-00

1444 **Anaerobic Culture Jar, "LABCO", (With Vacuum cum Pressure guage)** Supplied with transparent unbreakable Polycarbonate jar of 3.5 liters capacity having **Sturdy Aluminium Casted Lid** and with built-in Pressure **Valve, Safety Valve & 2 way Pressure cum vacuum Gauge,** aluminium clamp and sealing "O" ring.

Supplied Complete with :

A) Stainless Steel Petri plate carrier for 10 Petri plates- 1Pc.
B) Stainless Steel test tube carrier 22000-00

MICROPIPETTE AUTOMATIC

1447 Micropipette, "LABCO", Fixed Volume

Cat. No.	Range (µl)	Price Ea Semi Autoclavable	Price Ea Fully Autoclavable
1447/1	1	1650-00	3100-00
1447/2	2	1650-00	3100-00
1447/3	5	1650-00	3100-00
1447/4	10	1650-00	3100-00
1447/5	20	1650-00	3100-00
1447/6	25	1650-00	3100-00
1447/7	50	1650-00	3100-00
1447/8	100	1650-00	3100-00
1447/9	200	1650-00	3100-00
1447/10	250	1650-00	3100-00
1447/11	500	1650-00	3100-00
1447/12	1000	1650-00	3100-00
1447/13	2000	1975-00	3100-00
1447/14	5000	1975-00	3100-00
1447/15	10000	1975-00	3100-00

1448 Micropipette, "LABCO", Variable Volume

Cat. No.	Range (µl)	Price Ea Semi Autoclavable	Price Ea Fully Autoclavable
1448/1	0.2 - 2.0	3000-00	5000-00
1448/2	0.5 - 10	3000-00	5000-00
1448/3	2 - 20	3000-00	5000-00
1448/4	5 - 50	3000-00	5000-00
1448/5	10 - 100	3000-00	5000-00
1448/6	20 - 200	3000-00	5000-00
1448/7	100 - 1000	3000-00	5000-00
1448/8	0.5 - 5ml.	3000-00	5000-00
1448/9	1 - 10ml.	3800-00	5800-00

1449 Micropipette, "LABCO", Multichannel with digital display tip ejector, two step operation, easy adjustment, of volume by turning the plunger.

Cat. No.	Range (µl)	Price Ea
1449/1	5 - 50	19700-00
1449/2	40 - 200	19700-00

1450 Tips for Micropipette, "LABCO".

Cat. No.	Range (µl)	Qty./Pack	Price/Pack
1450/1	Yellow Tip upto 200	1000	570-00 Pk
1450/2	Blue Tip upto 1000	500	570-00 Pk

1451 Stand for Micropipette 1175-00 Ea

1452 Bottle Top Dispensers : All parts which comes in contact with reagents are made of PTFE, FEP and Borosilicate Glass, so can be used for all Laboratory Reagents dispensing needs. High accuracy and precison is ensured through several stages of strict quality checks during manufacturing. Each Dispenser is calibrated in accordance with ISO 8665 Standard, and supplied with certificate.

Product Information :

Description	Models
Piston	PTFE
Cylinder	Glass
Value Housing	Polypropylene
Value Assembly	Glass
Volume adjustment	Screw Type
Delivery Tube	FEP
Inlet Tube	FEP
Compatibility	Excellent with all reagents except HF.

1447

1448


1449

1450

1451

1452

1452



1490

1491



1493 1492 1494 1495



1497 1496

1499

Each dispenser is supplied with 1 standard adapter of 30 mm thread and 5 adapters of 28, 32,36, 40 & 45mm. To fit in most of the reagent bottles in Laboratories.

Note : Instrument is fully autoclavable.

Model	Vol. Range (ml)	Increment ml.	Accu. ±%	Accu. ±ml.	Price/piece Rs.
LB-a	0.25 - 2.5	0.05	0.6	0.015	24500-00
LB-b	0.5 - 5	0.1	0.6	0.030	24500-00
LB-c	1 - 10	0.2	0.6	0.060	24500-00
LB-d	2.5 - 30	0.5	0.6	0.180	26800-00
LB-e	5 - 60	0.5	0.6	0.360	26800-00
LB-f	10 - 100	2.0	0.6	0.380	32500-00

"LABCO" LABORATORY TEFLON WARES

1490 **PTFE (Teflon) Beaker** Low form with pour out & reinforced rim. Thickwall.

Cap.	25ml.	50ml.	100ml.	250ml.	500ml.	1000ml.
Rate	650-00	1200-00	2200-00	4000-00	5400-00	8600-00

1491 **PTFE (Hexagonal) Stoppers, "LABCO".**

Size	B10	B14	B19	B24	B29	B34
Rate	210-00	375-00	515-00	715-00	860-00	1150-00

1492 **PTFE bottles** with screw cap, Thick wall 'Labco'

Cap.	25ml	50ml	100ml	250ml	500ml	1000ML
Rate	3800-00	3900-00	4900-00	6000-00	11500-00	20550-00

1493 **PTFE (Teflon) Centrifuge tubes, "LABCO".**

Cap.	15ml	25ml	50ml
Rate	1030-00	1300-00	1550-00

1494 **PTFE Plain Stirring rod** 250mm long, **"LABCO".**

Dia	8mm	10mm	12mm
Rate	325-00	375-00	500-00

1495 **PTFE (Teflon) Test tubes** without rim, **"LABCO".**

Size	10x75mm	12x75mm
Rate	1450-00	1650-00

1496 PTFE (Teflon)Reduction Adaptors, **"LABCO",** Socket/Cone

B14/B19	B19/B24	B24/B34	B34/B55
940-00	1180-00	1400-00	3800-00

1497 **PTFE (Teflon) Expansi**on Adaptors, **"LABCO",** Cone /Socket

B19/B14	B24/B19	B34/B24	B55/B34
940-00	1180-00	1400-00	4800-00

1498 **PTFE (Teflon) Double Spatulas, "LABCO".**

Length	120mm	150mm
Rate	1750-00	1950-00

1499 **Magnetic Beads** Teflon coated. (Moulded) **Remi.**

Size in	15 mm	20-25 mm	35 mm	50 mm
Length	148-00	200-00	260-00	375-00

CHROMATOGRAPHY APPARATUS (T.L.C.)



1512

1512 **Thin Layer Chromatography Kit, "LABCO",** Comprising of moveable applicator (Spreader) with built in arrangement, 0-2mm, perspex base plate 114 x 23 cm, Aluminium carrier, perspex spotting temp plate, developing chamber with lid, five T.L.C. plate 20 x 20 cm, two T.L.C. plate 20x5cm, scriber for marking lines, micropipette and glass sprayer with rubber bellow.

Cat. No.	Description	Price/Piece Rs.
1512/1	With Crome Plateed Brass Applicator	14000-00
1512/2	with Aluminium Applicator	11900-00

SPARE & ACCESSORIES 'LABCO'



1512/1

1512/3	Applicator Brass	6500-00
1512/4	Applicator Aluminium	3500-00
1512/5	Spotting Temp. Plate perspex	640-00
1512/6	Aluminium carrier for ten plates of 20 x 20cm	1475-00
1512/7	Plate rack of S.S. for two plates, 20 x 20cm	640-00
1512/8	T.L.C. glass plates 20 x 20cm	80-00
1512/9	-do- 20 x 10 cm	50-00
1512/10	-do- 20 x 5 cm	42-00
1512/11	**Chromatography Tank** (Developing Chamber, 250 x 250 x 150mm) with cover for T.L.C. Plate of size 20x20cm	3100-00 Ea
1512/12	------- do -------Size 225 x 225 x 125mm	2400-00 Ea
1512/13	------- do -------Size 220 x 140 x 140mm	1600-00 Ea
1512/14	Perpex base size approx. 114 x 23 cm	2050-00
1512/15	Desicator cabinet 30 x 50 x 35cm	10300-00

1513

1513 **Paper Chromatography Cabinet, "LABCO",** Ascending or Descending, model of teak wood and glass construction. It can accommodate two (Troughs) and six glass rods.

Cat. No.	Description	Price/Piece Rs.
1513/1	Cabinet Size 60 x 30 x 60 cm Approx. for 4 filter papers of 46 x 57 cm Size	19400-00
1513/2	Cabinet Size 80 x 37.5 x 65 cm Approx. for 6 filter papers of 75 x 75 cm Size	21200-00
1513/3	Glass Boat for Cabinet 1513/1	1325-00
1513/4	Glass Boat for Cabinet 1513/2	1525-00

1514

1514 **Ultra Voilet Chromatography** Inspection cabinet, **"LABCO",** For viewing and detecting separated substances on T.L.C. layers, fitted with long wave (365nm) U.V. lamp for use on 220volts A.C. 8600-00

1514/1 **Ultra Voilet Chromatography** Inspection Cabinet, **"LABCO",** For viewing and detecting separated substances of T.L.C. layers, fitted with one long wave (365 nm), U.V. tubes for use on 220 volts A.C. 9500-00

1514/2 **Ultra Voilet Chromatography** Inspection Cabinet, **"LABCO",** Dual Wave, having Filter fitted with separate low pressure mercury vapors tubes for short ultra voilet (254 nm) and long UV (365 nm) plus separate lamp for visible light. The low pressure mercury vapour tubes facilitate immediate use. 16200-00

1514/3 **Spare Ultra Voilet Tube,** 254 nm 900-00

1514/4 **Spare Ultra Voilet Tube,** 365 nm 925-00

1515

1516

1517



ROTARY VACCUM EVAPORATOR

1515 **Rotary Vaccum flash Evaporator** (Buchhi Type), **"LABCO",** comprising of AC non-sparking geared drive unit, support stand fitted with jack arrangement on S.S. rod, continuously variable speed regulator, **with Microprocessor based PID Digital Temperature Indicator cum controlled** water bath, double coil glass condenser, pear shaped evaporating flask cap. 800 ml, 1000ml. Receiving Flask with ball joints, feeding tube, rubber tube & vapour path tube, with Teflon & rubber seals for maintaining complete vacuum. 69000-00

1516 ....do.... Same as above, **but with LCD Display Micro Controller Based Digital Temperature Indicator Cum Controller** 74000-00

Spare Parts of Rotary Flash Evaporator, Buchhi Type, "LABCO",

1516/1	Condenser double coil with S-35 ball joint & feed tube	7400-00
1516/2	Receiving flask, Cap. 1000 ml with S-35 cup joint	1075-00
1516/3	Boiling flask 800 ml with 24/29 socket. For other capacities Refer Cat. No. 694A	925-00
1516/4	Feed tube for condenser, with cone & Teflon tube	1100-00
1516/5	Vapour Path tube	875-00
1516/6	Silicon Washer for Condenser	225-00
1516/7	Oil seal rubber	160-00
1516/8	Tension spring for holding condenser	110-00
1516/9	Vacuum Pump for Rotary Flask Evaporator Oil Free	25300-00

KJELDHAL DIGESTION UNIT

1517 **Kjeldhal Digestion Unit, "LABCO",** Complete with heating box and fume duct. The 500 watts heaters are 6 inches apart having individual On/OFF switches and energy regulators. The height of the side clamps provided, is adjustable to accommodate Kjeldhal Flasks of 300ml. 500ml or 800ml. Without glass parts but with fume duct.

1517/1S	Unit with individual energy Regulators for 3 Tests with 3 x 500ml flasks	13700-00
1517/2	Unit with individual energy Regulators for 3 Tests without flasks	10500-00
1517/3S	Unit with individual energy Regulators for 6 Tests with 6 x 500ml flasks	21000-00
1517/4	Unit with individual energy Regulators for 3 Tests without flasks	18300-00
1517/5	Fume Duct for 3 Tests	2875-00
1517/6	Fume Duct for 6 Tests	3550-00
1517/7	Flask Kjeldhal plain neck 300ml	270-00
1517/8	Flask Kjeldhal plain neck 500ml	460-00
1517/9	Flask Kjeldhal plain neck 800ml	580-00

1518 **Kjeldhal Digestion Unit, "LABCO",** complete with heating box fume duct. 500 watts heaters are 6 inches apart having individual ON/OFF switches & energy regulators. The height of the side clamps provided, is adjustable to accommodate Kjeldhal flasks of 300/500 or 800ml with specially designed fume duct to totally avoid leakage of fumes with 24/29 cone adapters for opening suitable to fit Kjeldhal Flasks having 24/29 sockets.

1518/1S	Unit with individual energy Regulator for 3 Tests with 3 x 500ml Kjeldhal flasks	14700-00
1518/2	Unit with individual energy Regulator for 3 Tests without flasks	12500-00
1518/3S	Unit with individual energy Regulator for 6 Tests with 6 x 500ml Kjeldhal flasks	24000-00
1518/4	Unit with individual energy Regulator for 6 Tests without flasks	21500-00
1518/5	Specially designed Fume Duct with adapters, for 3 Test of Cat. No. 1518/1S and 1518/2	3900-00
1518/6	Specially designed Fume Duct with adapters, for 6 Test of Cat. No. 1518/3S and 1518/4	6400-00
1518/7	Kjeldhal Flasks suitable for above unit 300ml capacity with 24/29 socket	340-00
1518/8	-- Do -- 500ml with 24/29 socket	590-00
1518/9	-- Do -- 800ml with 24/29 socket	690-00



1518

KJELDHAL DISTILLATION UNIT

1519 **Kjeldhal Distillation Unit, "LABCO",** Complete with mild steel tubular stand provided with one heating Box, Brass Condenser rack with water circulation system, condenser clamps. Heater box is provided with top to receive the Kjeldhal flask, with electric heating elements of 500 watts each connected through ON/OFF switches and energy regulators, supplied with or without glass parts.

1519/1	Unit with individual energy Regulator for 3 Tests w/o glass parts	13250-00
1519/2S	-- do -- Same as above wtih glass parts	20500-00
1519/3	Unit with individual energy Regulator for 6 Tests w/o glass parts	18750-00
1519/4S	-- do -- Same as above with glass parts	33000-00
1519/5	Kjeldhal Distillation Unit Glass Parts, consisting of Kjeldhal Flask 500ml, mutiple adapter, dropping funnel, splash head, Liebig Condenser, receiving adapter & receiving flask 250ml. Complete with standard joint fittings. (set for 3 tests)	7050-00
1519/6	-- do -- Same as above but Set for 6 tests	14100-00

1519

KJELDHAL DISTILLATION AND DIGESTION COMBINED

1520 **Universal combined Kjeldhal distillation & Digestion unit, "LABCO",** Electrically heated comprising of one single mild steel tubular stand provided with two shelves one above the other. As specially designed glass fume duct with B24 cone openings (suitable for flasks having 24/29 socket) having such provision so that no leakage of fumes takes place. One heater box having individual energy regulators for 500 watts heaters are supplied in digestion part at lower side. One heater box of above design is supplied in distillation part as the upper side. Distillation part is also provided with brass condenser rack with wter circulation systems and clamps. the whole unit is operated on 220 volts AC mains.

1520/1S	Complete unit with glass parts for 6 tests	54000-00
1520/2	—do— without glass parts for 6 tests	31500-00
1520/3S	Complete unit with glass parts for 3 tests	33600-00
1520/4	-- do -- without glass parts for 3 tests	21000-00
	Note : If above apparatus required with individual energy regulators then add extra.	2400-00

1520



1521

1521a



1521c

1522

1522

1523

SOXHLET'S EXTRACTION HEATING UNIT

1521 **Soxhlet's extraction heating unit,** "LABCO", suitable for flasks of 100ml, 150ml, 250ml, or 500ml Capacity. Unit is supplied with Heating Box fitted with Heaters (Hot Plates or Heating Mantles) individual energy regulators, neon lights, etc. adjustable rod, clamps & boss heads, but without glass parts.

1521/1	Unit with 3 Hot Plate Type Heaters	10500-00
1521/2	Unit with 6 Hot Plate Type Heaters	15500-00
1521/3	Unit with 3 Mantle Type Heaters	9200-00
1521/4	Unit with 6 Mantle Type Heaters	14000-00

1521a **Colony Counter** Digital 9200-00

CRUDE FIBER ESTIMATION APPARATUS

1521c **Crude Fibre Estimation Apparatus,** "LABCO", Hot Plate Type for 6 tests, complete with 6 x 1000ml tall form beakers, 6 bulb shape condensers, clamps and connecting rubber tube. 26000-00

HEATING MANTLES

1522 **Heating Mantles,** "LABCO", made of Knitted Glass yarn, heaters are fitted beneath it, which provides uniform heating of flasks upto 400°C. The mantles are fitted in a nicely painted sheet metal case, fitted with Glass Wool insulations, provided with an energy regulator, indicator and a cord.

Cat.No.	Capacity ml (W)	Watt.	Price/Piece Rs.
1522/1	50	60	2100-00
1522/2	100	60	2150-00
1522/3	250	150	2275-00
1522/4	500	200	2475-00
1522/5	1000	300	2750-00
1522/6	2000	450	3450-00
1522/7	3000	450	4275-00
1522/8	5000	600	4700-00
1522/9	10000	2x600	7300-00
1522/10	20 Litres	3x600	9600-00
1522/11	50 Litres	6x600	21800-00
SPARE MANTLES WITH HEATERS FOR REPLACEMENT			
1522/12	50	60	500-00
1522/13	100	60	500-00
1522/14	250	150	510-00
1522/15	500	200	575-00
1522/16	1000	300	710-00
1522/17	2000	450	940-00
1522/18	3000	450	1025-00
1522/19	5000	600	1425-00
1522/20	10000	2x600	2175-00
1522/21	20 Litres	3x600	3800-00
1522/22	50 Litres	6x600	7900-00

TISSUE HOMOGENISER

1523 Fitted with standard high quality speed Controlled motor of 1/20 H.P. with teflon Rotor and heavy Glass Grinder well ground

Cap. 25 ml	14500-00
Cap. 50 ml	15200-00

HOT PLATES

1524 **Hot Plates, "LABCO", Mounted on thick M.S. Sheet body** a Smooth surface cast iron top, heated with an electric element of Oxidised Kanthal Wire laid under the plate **fitted with Energy Regulator** . A three stem Rotary Switch works on 220/230 AC controls Heating. The top is finished with Heat Resistant black and the body is finished scratch proof powder coating.

Cat. No.	Top Type	Dimensions Inches	Power Rating	Price/Piece Rs.
1524/1	Round (Single)	8"	1 KW	5000-00
1524/2	Round (Double)	8"	1 Kw	9500-00
1524/3	Coil Type	8"	1.5 Kw	5200-00
1524/4	Rectangular	12 x 10 x 6"	1 Kw	6700-00
1524/5	Rectangular	16 x 10 x 6"	1.5 Kw	7800-00
1524/6	Rectangular	18 x 12 x 6"	2 Kw	8400-00
1524/7	Rectangular	24 x 18 x 6"	3 Kw	14250-00

1524A **Hot Plates, "LABCO", Mounted on thick M.S. Sheet body** a Smooth surface of **Stainless Steel Plate** fitted with an electrically operated element laid under the plate. A three stem Rotary Switch works on 220/230 AC controls Heating.

Cat. No.	Top Type	Dimensions Inches	Power Rating	Price/Piece Rs.
1524A/1	Round	8"	1 Kw	7450-00
1524A/2	Rectangular	12 x 10 x 6"	1 Kw	9950-00
1524A/3	Rectangular	16 x 10 x 6"	1.5 Kw	11000-00
1524A/4	Rectangular	18 x 12 x 6"	2 Kw	17900-00
1524A/5	Rectangular	24 x 18 x 6"	3 Kw	39700-00

Fitted with Digital Controller (PID)

Cat. No.	Top Type	Dimensions Inches	Power Rating	Price/Piece Rs.
1524A/6	Round	8"	1 Kw	17000-00
1524A/7	Rectangular	12 x 10 x 6"	1 Kw	19700-00
1524A/8	Rectangular	16 x 10 x 6"	1.5 Kw	20900-00
1524A/9	Rectangular	18 x 12 x 6"	2 Kw	28900-00
1524A/10	Rectangular	24 x 18 x 6"	3 Kw	46700-00

PIPETTE WASHERS

1526/1 **Automatic Pipette Washer, "LABCO",** 63cm high, 15cm dia approx. Stainless Steel. Cylinderical Jar with syphon system, water inlet and outlet and a pipettes holding device. 8400-00

CENTRIFUGAL MACHINES

1527/1	Medico Swing out Head 4x15 ml with heavy Motor (Dome Type)	4400-00
1527/2	-- do -- 8x15 ml	4650-00
1527/3	Centrifugal Machine (Doctor Model) Superior Quality, 3500 RPM	4400-00
1527/4	Centrifugal Machine Hand Driven, two tube, with ball bearings	1550-00
1527/5	-- do -- with four tubes	1700-00

1524/1

1524/2

1524/3

1524/5

1526/1

1527/1

1527/4 1527/3

1528/1

1528/2

1530

1530/2



1530/3

1530/4d

1530/4e

MELTING POINT APPARATUS

1528/1 Melting Point Apparatus, "LABCO", A metallic heating block heated with superior quality element. A focusable lens, shadowless lamp, regulator to control the heat. Unit is housed in a cast metal, panel fitted with neon light, ON/OFF switch & regulator, knob & a thermometer holding rod. 4100-00

1528/2 Digital Melting point Apparatus, "LABCO", Degined for Accurate determination of melting points of solid samples. Apparatus comprises of Cylindrical Silicon oil bath, built in magnetic stirrer with speed controller, electronic heat controller, Digital Temp. display with PT 100 sensor, Glass free background light with adjustable light intensity, provision for holding the melting point display.

Cat. No.	Description	Price/Piece Rs.
1528/2	Temp. range 2°C above Room Temp. to 250°C ±1.0°C, 3½ Digit LED	26000-00
1528/2A	Temp. range 2°C above Room Temp. to 250°C ±0.1°C, 4½ Digit LED	32750-00

STIRRERS AND MAGNETIC STIRRERS

1530 Laboratory Stirrer, "LABCO", Equipped with noiseless universal motor fitted with chuk, stainless steel stirring shaft fitted with three bladed propeller and retort stand having cast iron base, S.S. vertical and horizontal rods and a mount, continuous speed control for varying speed upto 4000 RPM 13250-00

1530/1 -- do -- with Digital RPM Display 17500-00

1530/2 Laboratory Stirrer Make, "LABCO", with AC/DC PMDC Motor with an arrangement to affix glass stirring rod through rubber tube. All fitted on a heavy and stable base with Thick rod at Centre, having the provision for up & down & to & fro adjustment, with speed controller (Potentiometer) to control upto minimum speed. Maximum 475 RPM 19500-00

1530/2a ---- do --- Same as above but supplied with **Digital speed indicator** for display of stirring speed 22500-00

1530/3 Auto Variac (Dimmerstat 2-3 Amp.) 6950-00
-- do -- 6/8, Amp 9500-00
--do -- 10/12 Amp 17500-00

1530/4 Magnetic Stirrer Heavy Duty, with Hot Plate, Extra Heavy body of Mild Steel white stoving paint, with electronic speed controller, on heavy casted base.

Cat. No.	Pan Size mm	Beaker Cap. Ltr.	Price/Piece Rs.
1530/4a	150 x 150, without Hot plate	2	6800-00
1530/4b	150 x 150, with Hot Plate & Energy Regulator	2	7850-00
1530/4c	200 x 200, without Hot Plate	5	8750-00
1530/4d	200 x 200, with Hot Plate & Energy Regulator	5	9000-00
1530/4e	With hotplate & Digigal Controller & RPM Indicator	2	19700-00
1530/4f	With hotplate, Digital Temperature controller & RPM Indicator	5	20500-00
1530/4g	Rotamantle with Magnetic Stirrer	2	9500-00

SHAKING MACHINES

1531/1 Wrist Action, the machine is mounted on heavy cast iron, with the motor and speed control inside, and side wings to hold the flasks. The Shaking speed action is a variable and is controlled by regulator. **Equipped with Digital Timer**. Workable on 220 Volts AC. To hold 4 Flasks. 29000-00

1531/2 --do-- To hold 8 flasks. 30000-00

1531/1

1532 Rotary Shaker, "LABCO", Base assembly made from heavy mild steel section, compact counter which helps balanced drive mechanism ensures high stability, Universal platform to accommodate interchangeable clamps of assorted sizes for holding different capacity of Glass Vessel. Speed range upto 300 RPM, time option with DC drive supplied with cord and plug to work on 220V single phase A/C.

Cat.No.	Platform Size (cms)	Holding Cap.	Price/Piece Rs.
1532/1	45 x 45	25 Flask of 100ml	32000-00
1532/2	55 x 55	25 Flask of 250ml	42000-00
1532/3	65 x 65	36 Flask of 250ml	48500-00
1532/4	105 x 105	81 Flask of 250ml	72500-00
1532/1D	45 x 45 **with Digital RPM Timer)**	25 Flask of 100ml	40500-00
1532/2D	55 x 55 **(with Digital RPM Timer)**	25 Flask of 250ml	50500-00
1532/3D	65 x 65 **(with Digital RPM Timer)**	36 Flask of 250ml	55600-00
1532/4D	105 x 105 **(with Digital RPM Timer)**	81 Flask of 250ml	79600-00

1532

1532a

1532a V.D.R.L. Rotator, "LABCO", For V.D.R.L. and other agglutination tests, blood grouping test and for mixing of solutions in small flasks, beakers and bottles. Platform Size 300 x 300mm 7850-00

1532a/1 -- do -- With Digital RPM Metre 15900-00

1532a/2

1532a/2 Vortex Shaker (Test Tube Shaker) Vibration type, variable speed, Neoprene cup impart vigorous agitation to tubes, with touch ON/OFF switch 5900-00

1532b Dry bath Incubator, "LABCO", Digital Dry bath Incubator 24 holes for 12mm tubes +5°C above ambient to 100°C, Temperature sensor PT 100, maximum heating power 125w, Temperature controller PID, timer 1min. to 99 minutes, LCD display for time & temperature, Anodized Aluminum block, 220 volts A.C., Available with Buzzer alarm & Over Heat protection. 19500-00



1532b

GLASSWARE DRYER

1533 Glassware Dryer "LABCO", A powerful and heavy-duty electrically driven blower is fitted at the base. Air is forced through stainless steel pipes. Heating coils controlled through a energy regulator are provided above the blower to heat the blown air through the tubes. To work on 220 volts A.C. Supply. 48500-00

1533

WATER BATHS

1536

1536 **Precision Water Bath High, "LABCO",** Double walled, outer mild steel sheet, Powder coated, Inner chamber of Stainless Steel, Fitted with immersion heater, stirrer with speed regulator, Glass Window, Indicators and PID temperature Controller. Temperature range 5°C above ambient to 100°C ±0.1°C. Supplied with cord.

Cat. No.	Inner Chamber Size in Inches	Price/Piece Rs.
1536/1	17 x 10.5 x 9"	41500-00
1536/2	18 x 15 x 15"	46500-00
1536/3	24 x 18 x 18"	55500-00

1537

1537 **Water Bath Serological, "LABCO",** Double walled, outer mild steel sheet, Powder Coated, Inner Chamber of Stainless Steel with immersion heater, indicators, temperature upto 65°C ±1.0°C, is **thermostatically controlled** supplied with Pyramidal lid and cord, but without racks.

Cat. No.	Inner Chamber Size in inches	Capacity Ltr.	Price/Piece Rs.
1537/1	12 x 7 x 7"	12	7700-00
1537/2	12 x 10 x 7"	14	8450-00
1537/3	15 x 12 x 7"	18	12000-00
1537/4	18 x 12 x 7"	25	15000-00
1537/5	24 x 12 x 7"	32	17000-00

1537D

1537D **Water Bath Serological, "LABCO",** Double walled, outer mild steel sheet, Powder Coated, Inner Chamber of Stainless Steel with immersion heater, indicators, temperature upto 65°C ±1.0°C, is controlled by **PID Digital temperature controller cum indicator** supplied with Pyramidal lid and cord, but without racks.

Cat. No.	Inner Chamber Size in Inches	Capacity Ltr.	Price/Piece Rs.
1537/1	12 x 7 x 7"	12	17900-00
1537/2	12 x 10 x 7"	14	18500-00
1537/3	15 x 12 x 7"	18	24000-00
1537/4	18 x 12 x 7"	25	25000-00
1537/5	24 x 12 x 7"	32	27000-00

1538/1

1538 **Water Bath, "LABCO", Thermostatically Controlled.** Double walled temperature upto 95°C ±1°C, outer mild steel sheet and inner Stainless steel, with concentric rings.

Cat. No.	Description	Price/Piece Rs.
1538/1	6 Holes, Cap. 8 Ltrs.	8800-00
1538/2	12 Holes, Cap. 15 Ltrs.	12000-00
1538/3	Single wall 6 Holes w/o thermostat	4900-00
1538/4	Single wall 12 Holes w/o thermostat	6800-00

1538/3

1538D

1538D **Water Bath, "LABCO",** Temp. is viewed & Controlled by **Digital Temperature indicator cum Controller (Microprocessor Based),** Double walled temperature upto 95°C ±1°C, Outer Mild steel sheet and inner Stainless steel, with concentric rings.

Cat. No.	Description	Price/Piece Rs.
1538D/1	6 Holes, Cap. 8 Ltrs.	21000-00
1538D/2	12 Holes, Cap. 15 Ltrs.	23700-00

1539 **Water Bath Universal, "LABCO",** Temp. is controlled by **Hydraulic Thermostat,** Double walled, stainless steel chamber, one pyramidal lid and other rectangular with holes covered with cocentric rings, provided with water over flow arrangement, immersion heater pilot lamp and ON/OFF switch.

Cat. No.	Inner Chamber Size in Inches	Capacity Ltr.	Price/Piece Rs.
1539/1	12 x 9 x 7"	14	10500-00
1539/2	18 x 12 x 7"	25	14700-00

1539D **Water Bath Universal, "LABCO",** Temp. is viewed & Controlled by **Digital Temperature Indicator cum Controller (Microprocessor Based)** Double walled, stainless steel chamber, one pyramidal lid and other rectangular with holes covered with concentric rings, provided with water over flow arrangement, immersion heater pilot lamp and ON/OFF switch.

Cat. No.	Inner Chamber Size in Inches	Capacity Ltr.	Price/Piece Rs.
1539D/1	12 x 9 x 7"	14	21700-00
1539D/2	18 x 12 x 7"	25	25250-00

1540 **Cylinderical Oil Bath,** Double walled, inner chamber of stainless steel, duly Powder coated. The gap between two walls is fitted with high grade glass wool to minimize thermal loss. Temp. range 50° to 300°C, **temperature controlled by thermostat**. Supplied complete with plug and cord to work on 220/230 volts AC supply.

Cat. No.	Capicity Litre W	Watts Rs.	Price/Piece
1540/1	1	500	10500-00
1540/2	2	1000	10800-00
1540/3	3	1500	14700-00
1540/4	5	1500	15000-00
1540/5	10	2000	18400-00

1540D **Cylinderical Oil Bath,** Double walled, inner chamber of stainless steel, duly Powder coated. The gap between two walls is fitted with high grade glass wool to minimize thermal loss. Temp. range 50° to 300°C, **Digital Temp. Controller**. Supplied complete with plug and cord to work on 220/230 volts AC supply.

Cat. No.	Capicity Litre W	Watts Rs.	Price/Piece
1540D/1	1	500	21400-00
1540D/2	2	1000	21700-00
1540D/3	3	1500	25700-00
1540D/4	5	1500	26000-00
1540D/5	10	2000	29300-00

1539

1539D

15340

MUFFLE FURNACES



1541

1541A

1542

1542d

1542g

1544

1541 **"LABCO", Laboratory Muffle Furnaces** (Light weight) Controlled, with special pressed insulation blanket, to resist the high temperature upto 1000°c (Workable temperature 900°c) Outer casing made of thick PCRC sheet, duly powder coated. Heaters made of KANTHAL A-1 wire wounded on the ceramic Muffle. Temp. is controlled by Digital Temp. Indicator cum Controller (Microprocessor Based).

Cat. No.	Inner Muffle Size in Inches	Price/Piece Rs.
1541/1	9 x 4 x 4"	32000-00
1541/2	10 x 5 x 5"	39500-00
1541/3	12 x 6 x 6"	41500-00
1541/4	12 x 8 x 8"	56000-00

1541A **PID Microprocessor based Digital indicator controller, "LABCO",** A unit most appropriate for temperature study & Control consisting of housing containing the PID Controller (It gives an accuracy of plus/minus1DC), with off/on switches, lights, power indication. Range 0-100DC, 0-350DC, 0-1200DC 18500-00

DIGITAL PH / CONDUCTIVITY / TDS METER

1542 **Digital pH meter, "LABCO",** Auto Digital pH meter with manual temperature compensation, combination pH electrode, 3½ digit LED display. Useful for pH and Redox Potential measurements, Range 0.00 to 14.00, Touch bottom calibration (Table Model) 12500-00

1542a **Microprocessor based** Digital pH meter, **"LABCO".** 21000-00

1542b **Spare pH electrode either BNC** type or Jack plug type, temp range 0-17DC, Resistance Mohms 200-300 1400-00

1542c **Unbreakable pH electrode Gel filled BNC** type of Jack plug type, temp range 0-17DC. 3025-00

1542d **Digital Conductivity cum TDS meter, "LABCO",** 3½ digit LED display with facility for temp. compensation & digital cell constant adjustment alog with conductivity cell (Table Model) 14500-00

1542e **Microprocessor based** Digital conductivity /TDS/Salinity meter 24500-00

1542f **Conductivity cell (Cell Constant 1)** 2450-00

1542g **Portable TDS Meter, "LABCO",** 3½ digit LCD display Battery operated, ABS Plastic body 7950-00

WATER STILLS (S.S.)

1544 **Water Stills, Manesty type, "LABCO",** Complete S.S. heavy gauge body made of SS 304, electrically operated, easily replaceable immersion type heaters and wall mounting arrangement. Output 3-4 Ltr./hr. 14500-00

1544A Spare Heater for above water still 875-00

HOT AIR OVENS

1546 **Oven Universal, "LABCO",** temperature upto 250°C Double walled, outer body M.S. sheet duly powder coated paint, with glass wool insulation, inner chamber made of Stainless Steel Sheet, elements on three sides fitted with **imported thermostat to control temp.** +5°C ambient to 250°C ±2°C, 'L' type thermometer at the top of front, perforated adjustable shelves, two indicators, and on/off switch to work on 220/230 volts AC supplied wwith cord.

Cat. No.	Inner Chamber Size in mm	Inner Cavity Cap. in Litre	Price/Piece Rs.
1546/1	300 x 300 x 300	28	14200-00
1546/2	350 x 350 x 350	45	15000-00
1546/3	450 x 450 x 450	95	22000-00
1546/4	600 x 450 x 450	125	32200-00
1546/5	600 x 600 x 600	224	38200-00
1546/6	900 x 600 x 450	252	55500-00
1546/7	900 x 600 x 600	336	67500-00
1546/8	900 x 900 x 900	720	112500-00

Optional : Air Circulating Fan can be fitted in any of above sizes, if required at extra cost of Rs. 4700/-. Oven if required of 300° C 20% will be charged extra

1546

1546D **Oven Universal, "LABCO",** temperature upto 250°C Double walled, outer body M.S. sheet duly powder coated paint, with glass wool insulation, inner chamber made of Stainless Steel Sheet, elements on three sides fitted with **Microprocessor based Digital Temp. Indicator cum controller** +5°C ambient to 250°C ±1°C, perforated adjustable shelves, two indicators, fitted with Air Circulating Fan for maintaining uniform temp. throughout chamber. With on/off switch to work on 220/230 volts AC supplied with cord.

Cat. No.	Inner Chamber Size in mm	Inner Cavity Cap. in Litre	Price/Piece Rs.
1546D/1	300 x 300 x 300	28	29500-00
1546D/2	350 x 350 x 350	45	30500-00
1546D/3	450 x 450 x 450	95	37000-00
1546D/4	600 x 450 x 450	125	48000-00
1546D/5	600 x 600 x 600	224	54250-00
1546D/6	900 x 600 x 450	252	71250-00
1546D/7	900 x 600 x 600	336	82800-00
1546D/8	900 x 900 x 900	720	123500-00

Optional : Oven if required of 300° C 20% will be charged extra

1546D

VACUUM OVEN
(TEMPERATURE RANGE : 50°C TO 130°C)

1555 **Vaccum Oven, "LABCO",** Inner Chamber made of SS sheet, **Front Door SS Lined** outside of Mild steel duly powder coated, having small glass window with bakelite brackets. Temp. Range 50°C to 130°C with accuracy of ±1°C fitted with **Microprocessor based Digital Temp. Indicator Cum controller,** Capable of withstanding high vaccum. Provided with vaccum gauze, single shelf, Indicator lamp & on/off switch to work on 220 volts AC. (Supplied without vacuum pump)

Cat. No.	Size mm Dia. x Depth	Price/piece **Rs.**
1555/1	250 x 250	50000-00
1555/2	300 x 300	55000-00



1555

1555A

1555A **Vaccum Oven, "LABCO",** Hi-tech Vacuum Oven double walled. **Complete front Door made of SS 304,** Inside cylinder is made of thick stainless steel 304. Outer made of MS Sheet duly powder coated. High Grade glass wool insulation. Temperature range from 50°C to 150°C with ±1°C fitted with **Microprocessor based Digital Temp. Indicator Cum Controller** . Vacuum chamber is wrapped with a set of high quality heaters. Door has a thick tempered toughened glass window, perfectly sealed with neoprene rubber gasket, Proper door alignment to ensure excellent vacuum performance. Brackets to tighten the lid to obtain perfect seal.

Cat. No.	Size mm	Price
1555A/1	300 x 300mm	83500-00
1555A/2	300 x 500mm	90500-00

INCUBATOR BACTERIOLOGICAL

1556

1556 **Incubator Universal (Memmert Type), "LABCO",** Outer body made of thick M.S. Sheet duly scratch proof powder coated paint. Double walled construction with glass wool insulation. inner Chamber made of Stainless Steel. Elements on three sides fitted with imported **Hydraulic Thermostat** . Temp. range from +5° ambient to 80°C ±2°C. Fitted with main switch, pilot lamp, perforated shelves Workable on 220 volts 50Hz AC mains.

Cat. No.	Inner Chamber Size in mm	Inner Capacity in Litres	Price/Piece Rs.
1556/1	300 x 300 x 300	28	14000-00
1556/2	350 x 350 x 350	45	15000-00
1556/3	450 x 450 x 450	95	22200-00
1556/4	600 x 450 x 450	125	32500-00
1556/5	600 x 600 x 600	224	38500-00
1556/6	900 x 600 x 450	252	55500-00
1556/7	900 x 600 x 600	336	68500-00

Optional : Air Circulating Fan can be fitted in any of above sizes, if required on extra cost of Rs. 4700/-

1556D

1556D **Incubator Universal (Memmert Type), "LABCO",** Outer body made of thick M.S. Sheet duly scratch proof powder coated paint. Double walled construction with glass wool insulation. Inner Chamber made of Stainless Steel. Elements on three sides fitted with **Microprocessor Based PID electronic Digital Temp. Indicator Cum Controller.** Temp. range from +5° ambient to 80°C ±1°C. Fitted with Air Circulating Fan for maintaining uniform temp. throughout chamber. Fitted with main switch, pilot lamp, perforated shelves Workable on 220 volts 50Hz AC mains.

Cat. No.	Inner Chamber Size in mm	Inner Capacity Cap. in Litre	Price/Piece Rs.
1556D/1	300 x 300 x 300	28	28500-00
1556D/2	350 x 350 x 350	45	28800-00
1556D/3	450 x 450 x 450	95	36200-00
1556D/4	600 x 450 x 450	125	46500-00
1556D/5	600 x 600 x 600	224	51250-00
1556D/6	900 x 600 x 450	252	76500-00
1556D/7	900 x 600 x 600	336	92500-00



1557

1557 **C.O.D. Digestion Apparatus, "LABCO",** Aluminium Dry heating Block with 15 nos. cavities to accommodate 40mm dia. of tubes, heaters are placed below the block, ensures uniform heating, in a sheet metal housing, epoxy coated, temperature upto 200°C is controlled by **digital temperature indicator cum controller** , unit is fitted with timer, supplied with fifteen sets of glass reaction vessles and air condensers with standard joint fitting. 52000-00

1557A **Kjeldhal Reaction Vessel, "LABCO",** Cap. 100ml Centre Strong rib with B-24, Socket & Suitable Air Condensor with B-24 Cone. Size Tube O.D. x Rib O.D. x Length. 34mm x 38mm x 200mm 575-00

1557b **Spare : Glass Part** for C.O.D. Digestion Apparatus, per each 1set 540-00

1558 **Ultrasonic Cleaner (Sonicator) "LABCO", Micro Controller based Digital Timer.** With latest MOSFET base technology. Automatic frequency tuning for maximum output. Low transducer losses permit maximum cleaning action. Rugged and easy to clean stainless steel housing. Extensively protected electronics circuits for longer and safe operation. Frequency 40KHz, Input voltage range of 170AC-270AC. 50 Hz with inbuilt Digital Timer, auto degassing, SS tank fitted with drain valve, supplied with basket, with water heater and Digital Temperature controller.

Cat. No.	Tank Size, In Inches L x W x H	Capacity in Litre Approx.	Price/Piece Rs.
1558/1	6 x 5.5 x 4.5”	1.5	21800-00
1558/2	9 x 5.5 x 4”	2.5	27000-00
1558/3	12 x 6 x 4”	4	42000-00
1558/4	12 x 6 x 6”	6	59500-00
1558/5	12 x 9.5 x 6”	10	69000-00



1557A

1558

LABORATORY AUTOCLAVE VERTICAL

1561 **Laboratory Autoclave Vertical, "LABCO",** Used for sterility under saturated steam pressure at any selected point between 5-15 psi. Electrically operated double walled with inner and outer body made of Stainless Steel, having radial locking arrangement. Complete with water level indicator, safety valve, water ininlet and outlet system with vacuum breaker control box. Fitted with Automatic Pressure control switch, pressure gauge, steam release cock, low water auto cut off system, pilot lamp, on/off switch for operation on 220 volts AC main. Complete with stainless steel basket.

Cat. No.	Capacity Litremm	Dia x height Rs.	Price/Piece
1561/1	22	250 x 450	68500-00
1561/2	40	300 x 500	76000-00
1561/3	50	350 X 550	85000-00
1561/4	98	450 x 600	100000-00
1561/5	152	550 x 750	147000-00

1561

VACUUM PUMPS

1565 **Vaccum Pump, "LABCO",** Oil sealed, air cooled, V-belt driven and mounted on base plate with belt guard etc. **DOUBLE STAGE**

Cat. No.	Displacement in Lit./Min	Motor H.P. A.C. Single Phase	Price/Piece Rs.
1565/1	32	0.25	24500-00
1565/2	50	0.25	27200-00
1565/3	75	0.50	30500-00
1565/4	100	0.50	36900-00



1565

1565a **Optional parts for above (If Required) :** Moisture trap with non return valve and vacuum gauge with regulator 13500-00

1566 **Vacuum Pump, "LABCO",** Light weight, portable single stage 50 Lir/Min displacement, ultimate vacuum 0.05mm bar, motor 0.25 HP 16000-00

1566/1 -- do -- Double stage, ultimate vacuum 0.003m bar 22000-00

1566

TEST TUBES STAND (ALLUMINIUM)

1573a

1573a **Test Tube stands Alluminium,** "LABCO", made from thick hardened Gauge sheet three tier highly anodized.

Cat. No.	Dia. of Hole mm	No. of Holes	Minimum Qty./Pack	Price/Piece Rs.
1573a/1	12	12	2	250-00
1573a/2	18	12	2	275-00
1573a/3	25	12	2	375-00
1573a/4	12	24	2	290-00
1573a/5	18	24	2	390-00
1573a/6	25	24	2	600-00
1573a/7	12	36	2	380-00
1573a/8	18	36	2	510-00
1573a/9	25	36	2	750-00
1573a/10	38	12	2	650-00

1573b **Nessler Tube Stand for 50 ml** 625-00

1573c **--- do --- for 100 ml** 875-00

TEST TUBES STAND (PLEXI GLASS)



1573d

1573d **"Test tubes stand" Plexi** Glass, "LABCO", **Made from thick Imported acrylic sheet**

Cat. No.	Dia. of Hole mm	No. of Holes	Minimum Qty./Pack	Price/Piece Rs.
1573d/1	12	12	2	550-00
1573d/2	18	12	2	800-00
1573d/3	25	12	2	990-00
1573d/4	12	24	2	785-00
1573d/5	18	24	2	1425-00
1573d/6	25	24	2	1490-00
1573d/7	12	36	2	1175-00
1573d/8	18	36	2	2125-00
1573d/9	25	36	2	2235-00
1573d/10	38	12	2	1850-00

1573e 1573f

1573e **Pipette Can Stainless Steel "LABCO".**

Cat No. Inches	Dia.Height in Inches	Price/Piece Rs.	in
1573e/1	3	18	1150-00
1573e/2	4	18	1450-00

1573f **Petri dish Box,** S.S., to hold 10 Nos of 100mm dia dishes, with rack 1860-00

LABORATORY CLAMPS & STANDS



1574

1574 **Universal Clamps,** "LABCO", Sheet metal, Die-pressed, Cork lined jaws, can hold upto 12 to 50mm dia, all Brass Chrome Plated 190-00



1575

1575 **Universal Clamps,** "LABCO", (Condenser clamp), Made of casted alloy, cork lined jaws can hold 70mm dia, long mild steel rod for holding in the boss head. Brass Chrome Plated 490-00

1576 **Burette Clamps, "LABCO",** Made of thick Mild Steel Sheet, all die pressed, symmertical, non-breakable. One holds the burette rests and other presses it due to spring force. Boss head can accommodate upto 18mm dia. rod.

Cat. No.	Description	Price/Piece Rs.
1576/1	Single-For one Burette	110-00
1576/2	Double-For two Burettes	200-00

1577 **Finger Clamps (Condenser), "LABCO",** Made of casted alloy, prongs cross over one an other, with chrome plated 8mm dia., 175mm long mild steel rod for holding in the boss head.

Cat. No.	Description	Price/Piece Rs.
1577/1	3 Finger clamps-Hold upto 75mm dia., Alluminium Powder coated.	215-00
1577/1A	--do-- Brass, Chrome Plated	410-00
1577/2	4 Finger Clamps-Hold upto 75mm dia., Alluminium Powder coated.	215-00
1577/2A	--do-- Brass, Chrome Plated	475-00
	Condenser Clamps, "JUMBO"	
1577/3	4 Fingers covered with Silicon Sleeves, Jaws do not cross over, can hold upto 125mm dia. with 300 x 10mm C.P. rod. Brass casted, Chrome Plated	1475-00
1577/4	-- do -- Aluminium casted, Powder coated	625-00

1578 **Condenser Clamps, "LABCO",** 3 Fingers covered with Silicon Sleeves, two keys independently operated, chrome plated mild Steel Rod 300 x 10mm

Cat. No.	Description	Price/Piece Rs.
1578/1	Aluminium alloy, Powder coated	520-00
1578/2	Brass casted, Chrome plated	830-00

1579 **Condenser Clamp, "LABCO",** Co-axial , 3 Fingers covered with silicon sleeves, can hold from 18mm to 75mm dia. with 300 x 10mm C.P. Rod.

Cat. No.	Description	Price/Piece Rs.
1579/1	Brass casted, Chrome plated	650-00
1579/2	M.S. Sheet, Powder coated	515-00

1580 **Retort Clamps, "LABCO",** Cork lined cylindercial jaws, can hold upto 50mm, with 175 x 8mm Chrome plate M.S. Rod.

Cat. No.	Description	Price/Piece Rs.
1580/1	Aluminium casted, Powder coated	185-00
1580/2	Brass casted, Chrome plated	410-00

1581 **Boss Head, "LABCO",** Cast Iron Black Painted, with C.P. Screws

Cat. No.	Description	Price/Piece Rs.
1581/1	To hold upto 12 mm dia. rod	98-00
1581/2	To hold upto 16 mm dia. rod	150-00
1581/3	To hold upto 25 mm dia. rod	195-00
1581/4	Die Pressed	63-00



1582/6

1582

1582/7

1582 **Stands, "LABCO", Made of cast iron base** with vertical rod

Cat. No.	Base size	Rod size Length x Dia.	Base Powder Coated and Rod of **Stainless Steel**	Base Powder Coated and Rod of **Mild Steel**
1582/1	6" x 4"	18" x 3/8"	550-00	440-00
1582/2	7" x 5"	24" x 1/2"	700-00	600-00
1582/3	8" x 5"	44" x 1/2"	725-00	625-00
1582/4	9" x 6"	30" x 1/2"	975-00	850-00
1582/5	12" x 7"	36" x 1/2"	1585-00	1300-00

Triangular Hammerton painted base, with mild steel chrome plated rod

Cat. No.	Base Size in Inches	Rod Size Length x Dia.	Price/Piece Rs.
1582/6	9"	24" x 1/2"	775-00
1582/7	15"	36" x 3/4"	2875-00
1582/8	6.5" Side (A Base)	24" x 1/2"	820-00

1583

1583 **Tripod Stand, "LABCO",** Made of Heavy Cast Iron top triangular three balanced screwed legs.

Cat. No	Size	Superior Quality
1583/1	6" x 4"	118-00
1583/2	8" x 4"	130-00
1583/3	8" x 5"	175-00

1584

1584 **Retort Rings, "LABCO",** Made of cast iron with fixed boss head to take up 12 mm dia rod

Cat. No.	Size In Inches	Price/Piece Rs.
1584/1	2"	115-00
1584/2	3"	120-00
1584/3	4"	130-00
1584/4	5"	150-00
1584/5	6"	170-00

1585

1585 **Crucible Tongs Die pressed, "LABCO" Stainless Steel**

Cat.No.	Length In Inches	Price/Piece Rs.
1585/1	6"	88-00
1585/2	8"	110-00
1585/3	12"	285-00
1585/4	18"	410-00
1585/5	24"	920-00



1586

1586 **Spatula Stainless Steel, "LABCO",** one end flat, one end spoon.

Cat. No. Inches	SizeMinimum Qty./Pack	Price/Piece Rs.	in
1586/1	4"	10	25-00
1586/2	6"	10	28-00
1586/3	8"	10	38-00
1586/4	10"	10	54-00
1586/5	12"	10	88-00

1586A Spatula S.S wire type, "LABCO",

Cat. No.	Size in Inches	Minimum Qty./Pack	Price/Piece Rs.
1586A/1	6"	10	40-00
1586A/2	8"	10	68-00

1586b Sampling Spoon, "LABCO", All stainless steel 1975-00

1587 Tongs for holding Flasks, "LABCO", 12" long S.S 285-00

1588 Tongs for holding Beakers, "LABCO", 12" long S.S 285-00

1588A Scissor, "LABCO", Superior quality, Sharp ends, all S.S.

Cat. No.	Size in Inches	Minimum Qty./Pack	Price/Piece Rs.
1588A/1	4"	10	170-00
1588A/2	5"	10	220-00
1588A/3	6"	10	300-00

1588B Forceps, "LABCO", Pointed S.S.

Cat. No.	Size mm	Minimum Qty./Pack	Price/Piece Rs.
1588B/1	100	10	125-00
1588B/2	150	10	145-00

1589 Bunsen Burner, "LABCO", Made of thick Brass pipe 12mm dia., chrome plated, Screw type air Regulator. Painted heavy base, 150mm height approx. 260-00

1589A -- do-- with stopcock 355-00

1589B Electric Bunsen Burner 12250-00

1590 Mecker Burner, "LABCO", Made of chrome plated brass tube, Painted cast iron base, Height 180mm Approx, top dia 25mm with mesh, without stopcock 725-00

1590A ---- do --- with stopcock 825-00

1591 Teclu Burner, "LABCO", Made of Chrome plated brass tube with regulating cone, gives a powerful flame and higher temp., Painted cast iron base, height 160mm approx., with stopcock 995-00

(Please mention the gas to be used, while placing order for Burner against Cat. No. 1589 to 1591)

1592 Cork Boring Machine, "LABCO", Casted Body, hand operated with screw type shaft. With cork borer set of 12 and an ejector 8400-00

1593 Cork Borers, "LABCO", All Brass Chrome plated

Cat. No.	Set of	Pattern	Price/Piece Rs.
1593/1	3	Heavy	675-00
1593/2	6	Heavy	1325-00
1593/3	12	Heavy	2650-00

1593A Swan Neck Tap, "LABCO", Brass Chrome plated

Cat. No	Type	Superior Quality
1593A/1	One Way	1375-00
1593A/2	Two Way	2450-00
1593A/3	Three Way	3000-00


1586A

1587

1588

1588a

1588b

1589

1590

1591

1592

1593

1593A



1593B

1593B Enameled Tray, "LABCO", heavy type with tapered border ends.

Cat. No.	Size Inches	Minimum Qty./Pack	Price/Piece Rs.	in
1593B/1	6" x 8"	6	315-00	
1593B/2	8" x 10"	6	430-00	
1593B/3	10" x 12"	6	470-00	
1593B/4	12" x 14"	6	620-00	
1593B/5	12" x 18"	3	900-00	
1593B/6	15" x 18"	3	940-00	
1593B/7	18" x 24"	3	1790-00	

1593C Tray with Lid Stainless Steel

Cat. No.	Size Inches	Minimum Qty./Pack	Price/Piece Rs.	in
1593C/1	9" x 6"	6	510-00	
1593C/2	10" x 8"	6	598-00	
1593C/3	10" x 12"	3	870-00	
1593C/4	15" x 12"	3	1230-00	

1593C

WEIGHT BOXES

1594 Analytical Weight Boxes, "LABCO", All Brass Chromium plated Weights with ivory tipped forceps, fitted in beautifully polished box with fractional weights set.

1594

Cat. No.	Grade	Range	Price/Piece Rs.
1594/1	Class A	1 mg to 50 gm	2000-00
1594/2	Class A	1 mg to 100 gm	2275-00
1594/3	Class A	1 mg to 200 gm	2600-00
1594/4	Class B	1 mg to 50 gm	1550-00
1594/5	Class B	1 mg to 100 gm	1800-00
1594/6	Class B	1 mg to 200 gm	2000-00
1594/7	Class A	With NABL Certificate S.S. 100 gm	10900-00
1594/8	Class A	With NABL Certificate S.S. 200 gm	13400-00

1596

1596 Physical Weight Boxes, "LABCO", All Weights Chromium Plated brass, supplied with forceps and fractional weight set fitted in polished Box.

Cat.No.	Grade	Price/Piece Rs.
1596/1	1mg to 100gm	1550-00
1596/2	1mg to 200gm	1900-00
1596/3	1mg to 500gm	3900-00
1596/4	1mg to 1000gm	7000-00
1596/5	1mg to 2000gm	12500-00

1598

1598 Analytical Fractional Weights, "LABCO", All weights rust proof nickel alloy, aluminium metal in box. Capacity 1mg to 500mg

Cat. No.	Grade	Price/Piece Rs.
1598/1	B	175-00
1598/2	A	925-00

1599 Laboratory Rubber Tubing, "LABCO", Extra soft quality, Coil of 10 Meters.

Cat.No.	Approx. Bore (mm)	Wall Thickness (mm)	Price/Coil Rs.
1599/1	4.0	1.0	270-00
1599/2	5.0	1.5	330-00
1599/3	6.0	1.5	425-00
1599/4	7.0	1.5	510-00
1599/5	8.0	1.5	580-00
1599/6	9.0	2.0	680-00
1599/7	10.0	2.0	810-00
1599/8	12.0	2.5	930-00

1599

1600 High Pressure Rubber Tubing, "LABCO", Superior quality, Coil of 10 Meters

Cat.No.	ApproxWall Bore (mm)	Price/Coil Thickness (mm)	Rs.
1600/1	3.0	4.5	770-00
1600/2	4.5	4.5	910-00
1600/3	6.0	4.5	1050-00
1600/4	8.0	4.5	1325-00
1600/5	9.0	4.5	1470-00
1600/6	12.5	6.5	2250-00

1600

1600A Tube Vacuum, "LABCO", Made of pure Natural Rubber. Used for high pressure application. Wall does not collapse at high pressure application. (Available in 1mtr. Length only)

Cat. No.	I.D. mm	O.D. mm	Minimum Qty./Pack	Price/Meter/Pc Rs.
1600A/1	6	19	2	970-00
1600A/2	8	22	2	1025-00

1601 Silicon Rubber Tubing

Cat No.	O.D. mm	I.D. mm	Wall Thickness mm	Price/Coil of 5 Mtr.
1601/1	4	2	1.0	315-00
1601/2	5	3	1.0	515-00
1601/3	6	4	1.0	715-00
1601/4	7	5	1.0	865-00
1601/5	7	4	1.5	865-00
1601/6	8	6	1.0	1190-00
1601/7	8	5	1.5	1190-00
1601/8	9	6	1.5	1390-00
1601/9	10	7	1.5	1640-00
1601/10	10	6	2.0	1640-00
1601/11	11	8	1.5	1890-00
1601/12	11	7	2.0	1890-00
1601/13	12	8	2.0	1945-00
1601/14	14	10	2.0	3700-00
1601/15	14	8	3.0	4025-00
1601/16	16	12	2	4075-00
1601/17	16	10	3	4675-00
1601/18	19	12	3.5	6425-00
1601/19	23	15	4	8950-00

1601

1601a

1601A P.V.C. Tube for general Laboratory use, Petroplast, Chemical resistant Extra Soft, Roll of 30 meters.

Cat. No.	Inner Dia (mm)	Price/Roll Rs.
1601A/1	6	450-00
1601A/2	7	550-00
1601A/3	8	825-00
1601A/4	10	1385-00
1601A/5	12	1900-00
1601A/6	16	2200-00
1601A/7	19	2500-00

1602 Silicon Rubber Cork

Cat. No.	Bottom Dia mm.	Top Dia mm.	Height mm.	Price/Piece Rs.
1602/1	9	11.5	20.0	16-50
1602/2	11	14.0	24.0	25-75
1602/3	13	16.0	24.0	27-75
1602/4	15	18.0	24.0	38-00
1602/5	17	20.0	26.0	46-00
1602/6	18	21.0	26.0	53-00
1602/7	19	22.5	28.0	61-00
1602/8	23	25.5	28.0	84-00
1602/9	25	28.5	28.0	102-00
1602/10	27	31.0	32.0	132-00
1602/11	29	33.0	32.0	164-00
1602/12	31	36.0	35.0	215-00
1602/13	33	38.5	38.5	292-00

1602

1603 Turnover flange Septa : These Septa ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability. For Test Tube **Non - Serrated**

Cat. No.	Rubber Type	For Test Tube Size (mm)	Minumum Qty./Pack	Price/Pack Rs.
1603/1	Natural	12	100	2500-00
1603/2	Natural	15	100	2950-00
1603/3	Natural	18	100	4100-00
1603/4	Natural	25	100	5000-00
1603/5	Silicon	12	10	390-00
1603/6	Silicon	15	10	490-00
1603/7	Silicon	18	10	700-00
1603/8	Silicon	25	10	840-00

1603/1-4

1603A Turnover flange Septa : These Septa ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability. For Socket **Non - Serrated**

Cat. No.	Rubber Type	For Socket Size (mm)	Minumum Qty./Pack	Price/Pack Rs.
1603A/1	Natural	B14	100	3950-00
1603A/2	Natural	B19	100	5400-00
1603A/3	Natural	B24	100	6450-00
1603A/4	Natural	B29	100	8150-00
1603A/5	Silicon	B14	10	640-00
1603A/6	Silicon	B19	10	1000-00
1603A/7	Silicon	B24	10	1175-00
1603A/8	Silicon	B29	10	1800-00

1603/5-8

1604 **Turnover flange Septa :** These Septa ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability. For Test Tube **Serrated**

Cat. No.	Rubber Type	For Test Tube Size (mm)	Minumum Qty./Pack	Price/Pack Rs.
1604/1	Natural	12	100	2500-00
1604/2	Natural	15	100	2950-00
1604/3	Natural	18	100	4100-00
1604/4	Natural	25	100	5000-00
1604/5	Silicon	12	10	390-00
1604/6	Silicon	15	10	490-00
1604/7	Silicon	18	10	700-00
1604/8	Silicon	25	10	840-00

1604/1-4

1604A **Turnover flange Septa :** These Septa ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability. For Socket **Serrated**

Cat. No.	Rubber Type	For Socket Size (mm)	Minumum Qty./Pack	Price/Pack Rs.
1604A/1	Natural	B14	100	3950-00
1604A/2	Natural	B19	100	5400-00
1604A/3	Natural	B24	100	6450-00
1604A/4	Natural	B29	100	8150-00
1604A/5	Silicon	B14	10	640-00
1604A/6	Silicon	B19	10	1000-00
1604A/7	Silicon	B24	10	1175-00
1604A/8	Silicon	B29	10	1800-00

1605 **Rubber Cone** for filtration flask with Collar Neck.

Cat. No.	For Suitable Filter Flask (ml)	Price/Piece Rs.
1605/1	250	85-00
1605/2	500	85-00
1605/3	1000	145-00
1605/4	2000	145-00
1605/5	5000	200-00
1605/6	10000	380-00

1605

1605A	Crucible Sleeves for Glass Filtering Flask (Set of 7Pcs)	365-00
1605B	Police Man Silicon Rubber 5mm hole for insert	80-00
1605C	Pipette Bulb, Natural Rubber	

1605B 1605A

Cat. No.	Size	Price/Piece Rs.
1605C/1	Small	22-00
1605C/2	Medium	25-00
1605C/3	Large	32-00
1605C/4	Extra Large	34-00

1605C

1605E	Automizer Bulb	130-00
1605F	Rubber Teat for Dropper	5.75
1605G	Propiptor (Pipette Filler)	130-00
1605H	Silicon Propiptor (Auto Pipette Filler)	360-00



1605E

1605F 1605H

1605I

1605I Rubber Sheets, used to avoid direct surface contact of Glassware product on the solid surface.

Cat. No.	Size in Inches	Rubber Type	Minimum Qty./Pack	Price/Piece Rs.
1605I/1	9.5" x 9.5" x 2.7mm	Silicon	4	1275-00
1605I/2	9.5" x 9.5" x 2.7mm	Natural	4	175-00

1606

1606 Rubber Cork extra soft quality.(Pack 0f 100 pcs)

Cat. No.	Top Dia mm	Bottom Dia. mm	Height mm.	No.	Price/pack Rs.
1606/1	13.0	9.0	15.5	0	275-00
1606/2	14.0	11.0	18.5	1	335-00
1606/3	16.5	13.0	20.0	2	410-00
1606/4	19.0	14.0	21.0	3	500-00
1606/5	21.0	15.0	22.0	4	555-00
1606/6	22.5	17.5	23.0	5	635-00
1606/7	24.5	20.0	24.0	6	880-00
1606/8	26.0	20.0	27.5	7	1000-00
1606/9	26.5	21.0	27.5	8	1150-00
1606/10	28.0	21.5	31.0	9	1475-00
1606/11	30.0	26.0	32.0	10	1835-00
1606/12	33.0	29.0	32.0	11	2000-00
1606/13	34.5	30.0	34.5	12	2300-00
1606/14	38.5	31.0	37.0	13	3250-00
1606/15	41.5	32.0	42.5	14	3600-00
1606/16	43.5	34.0	40.5	15	4680-00
1606/17	45.0	35.5	36.5	16	4870-00
1606/18	49.5	40.0	40.5	17	5650-00
1606/19	53.5	48.0	33.5	18	6250-00
1606/20	58.0	44.0	45.0	19	7450-00
1606/21	60.0	51.0	56.6	20	11000-00

LABORATORY JACKS

1607

1607 Laboratory Jacks Box Type

Cat. No.	Height In Inches	Plate Size In Inches	MS Price/Piece	S.S. Top Price/Piece
1607/1	8"	6" x 6"	2150-00	5000-00
1607/2	14"	8" x 8"	2500-00	6900-00
1607/3	17"	10" X 10"	3650-00	9300-00
1607/4	21"	12" X 12"	4775-00	10250-00

HOFFMAN SCREW CLIPS



1608

1608 Hoffman Screw clip, Brass Chrome plated

Cat. No.	Size	Minimum Qty./Pack	Price/Piece Rs.	mm
1608/1	12	10	115-00	
1608/2	18	10	130-00	
1608/3	25	10	140-00	

1608A

1608A GAS TAPS, "LABCO", Brass moulded, Copper Oxidised/Chrome Plated

Cat. No.	Type	Price/ Piece Rs.
1608a/1	One Way	740-00
1608a/2	Two Way	940-00
1608a/3	Three Way	1175-00
1608a/4	Four Way	1325-00

PORCELAIN WARE (SUPERIOR QUALITY)

1628 **Porcelain Evaporating** Basin (China Dishes)

Cat. No.	Dia. mm	Capacity ml	Price/Piece Rs.
1628/1	50	30	39-00
1628/2	75	100	48-00
1628/3	100	175	72-00
1628/4	125	450	185-00
1628/5	150	850	210-00

1628

1629 **Porcelain Crucibles with lid**

Cat. No.	Capacity ml	Price/Piece Rs.
1629/1	15	48-00
1629/2	30	58-00
1629/3	50	82-00

1629

1630 **Gooch Crucibles.** Tall form fixed perforated bottom, all glazed except outer bottom, without lids.

Cat. No.	Capacity ml	Price/Piece Rs.
1630/1	30	75-00
1630/2	50	96-00

1630

1631 Pestle and Mortars (Outside Glazed)

Cat. No.	Size In Inches	Price/Piece Rs.
1631/1	3"	125-00
1631/2	4"	155-00
1631/3	5"	175-00
1631/4	6"	280-00
1631/5	8"	620-00

1631

1632 **Porcelain Buchner Funnels** With fixed perforated plates, all glazed.

Cat. No.	Size In Inches	Price/Piece Rs.
1632/1	3"	175-00
1632/2	4"	250-00
1632/3	5"	350-00
1632/4	6"	610-00
1632/5	8"	1700-00
1632/6	12"	5200-00
1632/7	16"	12500-00

1632

1633 **Spot Plate**

Cat. no.	No. of cavities	Price/Piece Rs.
1633/1	6	145-00
1633/2	12	150-00

1633

GENERAL LABORATORY PLASTICWARE AND RUBBERWARE

1650

1651

1652

1653

1654



1655

1656

1650 Beakers (Plastic) Superior quality.

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1650/1	50		12	18-00
1650/2	100		12	21-00
1650/3	250		12	36-00
1650/4	500		12	54-00
1650/5	1000		6	88-00
1650/6	2000		6	178-00
1650/7	5000		6	600-00

1651 Wash Bottles (Plastic).

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1651/1	250		12	54-00
1651/2	500		6	72-00
1651/3	1000		6	125-00

1652 Reagent Bottle Narrow Mouth.

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1652/1	60		12	25-00
1652/2	125		12	33-00
1652/3	250		12	52-00
1652/4	500		12	65-00
1652/5	1000		6	125-00

1653 Reagent Bottles wide mouth

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1653/1	60		12	26-00
1653/2	125		12	36-00
1653/3	250		12	60-00
1653/4	500		12	77-00
1653/5	1000		6	136-00

1654 Dropping Bottles

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1654/1	60		12	30-00
1654/2	120		12	39-00

1655 Pippete Stand

Cat. No.	Type	Minimum Qty./Pack	Price/Piece Rs.
1655/1	Horizontal	6	215-00
1655/2	Vertical	1	660-00

1656 **Retort Stand** Polypropylene, Non Corrosive, moulded Rod measuring – 12.5mm x 750mm

Cat. No.	Base Size (mm)	Minimum Qty./Pack	Price/Piece Rs.
1656/1	225mm x 150mm with side hole	1	660-00
1656/2	300mm x 200mm with Central hole	1	1120-00

1657 Fisher Clamp, Polypropylene to hold the burette vertically, Non-Corrosive

Cat. No.	For	Minimum Qty./Pack	Price/Piece Rs.
1657/1	Single Burette	1	90-00
1657/2	Double Burette	1	185-00

1658 Flask Stand, Polypropylene, provides excellent support to the round bottom flask upto 10 litre Cap. 200-00Ea

1659 Pippete Box, Polypropylene, it can hold pippetes of different lengths. 325-00Ea

1660 Funnel Filtering 60° angle

Cat. No.	Size Inches	Minimum Qty./Pack	Price/Piece Rs.
1660/1	2"	6	11-00
1660/2	3"	6	16-00
1660/3	4"	6	34-00

1663 Measuring Cylinder (S.Plastic)

Cat. No.	Size ml	Minimum Qty./Pack	Price/Piece Rs.
1663/1	10	12	23-00
1663/2	25	12	39-00
1663/3	50	12	48-00
1663/4	100	12	55-00
1663/5	250	6	115-00
1663/6	500	4	170-00
1663/7	1000	3	340-00
1663/8	2000	2	885-00

1664 Dessicators Plain (S.Plastic)

Cat. No.	Inner Dia. mm	Minimum Qty./Pack	Price/Piece Rs.
1664/1	150	1	1675-00
1664/2	200	1	2850-00
1664/3	250	1	3700-00
1664/4	300	1	6300-00

1665 Dessicators Vaccum (S.Plastic)

Cat. No.	Inner Dia. mm	Minimum Qty./Pack	Price/Piece Rs.
1665/1	150	1	2650-00
1665/2	200	1	4000-00
1665/3	250	1	5200-00
1665/4	300	1	7800-00

1666 Kipp's Apparatus (S.Plastic)

Cat. No.	Capacity ml	Minimum Qty./Pack	Price/Piece Rs.
1666/1	250	1	1250-00
1666/2	500	1	1500-00
1666/3	1000	1	1800-00

1657

1658

1659

1660


1663


1664


1665


1666



1668 1667

1669

1670



1671

1672

1673

1674

1675

1667 Pippete pump, Plastic

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1667/1	2		2	460-00
1667/2	10		2	460-00
1667/3	25		2	525-00

1668 Aspirator bottle with stopcock, Good quality Plastic.

Cat. No.	Capacity Litres	Qty./Pack	Minimum Rs.	Price/Piece
1668/1	2		1	935-00
1668/2	5		1	1250-00
1668/3	10		1	2200-00
1668/4	20		1	3200-00

1669 Centrifuge Tube conical bottom, Polypropylene, autoclavable tubes

Cat. No.	Capacity ml	Qty./Pack	Minimum Rs.	Price/Piece
1669/1	15		100	18-50
1669/2	50		100	20-50

1670 Test Tube baskets, Made of polypropylene, autoclavable, unbreakable & non corrosive baskets

Cat. No.	Size mm	Minimum Qty./Pack	Price/Piece Rs.
1670/1	140 x 120 x 110mm	6	132-00
1670/2	160 x 160 x 160mm	6	180-00

1671 Draining Basket, Made of polypropylene

Cat. No.	Particulars	Minimum Qty./Pack	Price/Piece Rs.
1671/1	400 x 400 x 100mm	6	660-00

1672 Measuring Jugs, with handle, moulded in polypropylene, autoclavable

Cat. No.	Capacity ml	Least Count ml	Minimum Qty./Pack	Price/Piece Rs.
1672/1	250	10	12	45-00
1672/2	500	10	12	55-00
1672/3	1000	10	6	98-00
1672/4	2000	20	6	175-00

1673 Laboratory Tray, Polypropylene

Cat. No.	Size mm	Minimum Qty./Piece	Price/Piece Rs.
1673/1	450 x 350 x 75mm	10	460-00
1673/2	375 x 300 x 75mm	10	330-00

1674 Carrier Tray, Autoclavable polypropylene tray

Cat. No.	Size mm	Minimum Qty./Piece	Price/Piece Rs.
1674/1	380 x 240 x 115mm	6	725-00

1675 Storage Boxes, Polypropylene

Cat. No.	Capacity ml	Qty./Piece	Minimum Rs.	Price/Piece
1675/1	250		12	56-00
1675/2	500		12	72-00
1675/3	1000		12	92-00

1676 **Coplin Jar,** Meterial Polypropylene can hold 10 slides of size 1" x 3" back to back 50-00

1677 **Cryo Box (Polycarbonate),**

Cat. No.	Particulars Qty./Pack	Minimum Rs.	Price/Piece
1677/1	50 places for 1 ml or 1.8 ml Cryo Vials	8	300-00
1677/2	80 places for 1 ml or 1.8 ml Cryo Vials	4	460-00
1677/3	81 places for 4.5 ml Cryo Vials	4	625-00
1677/4	100 places for 1 ml or 1.8 ml Cryo Vials	4	530-00

PLASTICWARES AS BELOW ARE ONLY AVAILABLE WITH MIN. PACK AS MENTIONED

1700 **Petri Dish,** Polypropylene clear unbreakable & autoclavable

Cat. No.	Size mm	Minimum Qty./Pack	Price/Pack Rs.
1700/1	50	36	560-00
1700/2	75	36	750-00
1700/3	100	36	900-00

1701 **RIA Vial,** material Polystyrene

Cat. No.	Size mm	Minimum Qty./Pack	Price/Pack Rs.
1701/1	12 x 75mm/PS	500	1150-00
1701/2	Cap for 12mm RIA tube	100	100-00

1702 **Storage Vial Leak proof,** Economical options for storage material : Polypropylene

Cat. No.	Capacity ml	Minimum Qty./Pack	Price/Pack Rs.
1702/1	2	500	2150-00
1702/2	5	500	3600-00

1703 **'L' Shaped Spreader,** Sterile smooth spreader, made of polypropylene (Pack of 100pcs) 1550-00

1704 **Micro Centrifuge Tube,** PP

Cat. No.	Capacity ml	Minimum Qty./Pack	Price/Pack Rs.
1704/1	0.5	1000	1200-00
1704/2	1.5	500	925-00
1704/3	2.0	500	975-00

1705 **CRYO Vial,** "LABCO", Graduated leak proof Cap. 1.8ml PP

Cat. No.	Capacity ml	Minimum Qty./Pack	Price/Pack Rs.
1705/1	1.8	1000	6900-00
1705/2	4.5	500	5000-00

1706 Dropper Pasteur Pipette "LABCO", **Disposable,** used to avoid cross contamination

Cat. No.	Capacity ml	Minimum Qty./Pack	Price/Pack Rs.
1706	3	500	1650-00

1676

1677

1700

1701

1702

1703


1706

1704

1705



LABORATORY SAFETY PRODUCTS DISPOSABLE WARE

1725	**Disposable Face Mask,** "LABCO", High tearing strength, skin friendly and comfortable to wear (pack of 100pcs)	425-00
1726	**Disposable Frill cap,** "LABCO", Superior finish & water proof. Alluring look (Pack of 100pcs)	425-00
1727	**Disposable Shoe Cover,** "LABCO", Highly strong and durable (Pack of 50 Pairs)	575-00
1728	**Disposable PVC Gloves,** "LABCO", Durable & strong (pack of 100 pcs)	165-00
1729	**Disposable Apron,** "LABCO", Durable & Strong (Pack of 10pcs)	400-00
1730	**Disposable Lab Coat,** "LABCO", Durable & Strong	115-00

HAND GLOVES

1731	**Rubber Hand Gloves,** "LABCO", Chemical & acid resistant Colour - Orange, Size 12" per pair	135-00
1732	-- do -- same as above size 14" per pair	170-00
1733	**House Hold Rubber Hand Gloves,** "LABCO", Superior quality per pair	85-00
1734	**Nitrile Industrial Gloves,** "LABCO", Durable against solvents, oil, fats and bleaching chemical agents, flocklined for easy on-off	170-00
1735	**Heat Resistant Asbestos Gloves,** "LABCO", size 12", Per pair	1500-00
1736	**Latex Examination Disposable Gloves,** "LABCO", Size -small, large or medium (box of 100 Nos)	420-00
1737	**Nitrile Examination Hand Gloves,** "LABCO", (box of 100 Nos) Size- Small, large, medium	660-00
1738	**Safety Hand Gloves,** "LABCO", Heavy duty, cotton hosiery hand gloves. per pair	135-00

SAFETY GOGGLES

1739	**Safety Goggles,** "LABCO", Routine quality	104-00
1740	**Safety Goggles,** "LABCO", Superior quality. Color white/black	180-00
1741	**Safety Goggles,** "LABCO", Chemical splash Goggles	235-00
1742	**Safety Goggles for Glass blowing,** "LABCO", This is most appropriate tool for glass blower, it saves eyes and keep cool from the dazzling sodium golden light. It is fitted with Neopham lenses	12500-00
1743	**Safety Eye Wash Wall Mounted,** "LABCO", with "C" Class heavy duty pipes of 4.05mm, Unicare Push-plate operated Eye/Face wash, fountain with twin cushion flow atomizers with pop-off covers. Automatic flow compensators. Along with set of 4 foundation Nuts & bolts	9400-00
1744	**Eye Wash Bottle,** "LABCO", Immediate flushing capability for crucial first few seconds of an eye injury by flushing the eyes in the event of an accident involving acids, caustic or other water soluble irritant. Portable light weight. available at any work place.	550-00

LAB. COATS

1745 **Cotton Lab Coat,** "LABCO", Available in medium, large & XLR size. (Superior Quality) 1200-00

1747 **PVC apron,** "LABCO", Yellow PVC chemical resistant apron with eyelettes and straps to tie. Size 24" x 48" 240-00

1748 **Chemical PVC Suit,** "LABCO", Heavy duty PVC chemical splash suit 1400-00

1749 **Superior quality 'Overall' Combination (Dangri),** "LABCO", Cotton coveralls, Blue in colour, made from cotton cloth. Two chest pockets and stitched with best fabrics 1575-00

GENERAL LAB. SAFETY PRODUCTS

1750 **Face Mask,** "LABCO", Comfort fold flat style, light weight and large surface area. Use for solid particles & non oil based liquid particles from sprays. Colour - Yellow (pack of 10 pcs) 600-00

1751 **Face Mask,** "LABCO", Strong & durable (pack of 20 pcs) 630-00

1752 **Ear Plug,** "LABCO", Soft, corded foam ear plug that conforms to the unique shape of each ear for excellent hearing protection and comfort. (pack of 10 Nos) 315-00

1753 **Ear Muff,** "LABCO". 830-00

1754 **First Aid Box,** "LABCO", Kit Casing is made of robust high grade ABS Plastic with Wall Mouting Bracket; with CE Approved Contents.
- Complies with ANSI Z308.1-2009 Type I Standards.
- Designed for mobile and stationary use 2250-00

STANDARD HEATING ELEMENTS METALLIC

1755 **Element for Water Still immersion Depth 112 MM**

Cat. No.	Power KW	Price/Piece Rs.
1755/1	1	870-00
1755/2	1.5	935-00
1755/3	2	990-00

1756 **Elements for Water Bath, for Sterlisers** Nipple type

Cat. No.	Power Wattage	Price/Piece Rs.
1756/1	1000	825-00
1756/2	1500	905-00
1756/3	2000	990-00

Wattage	1000	1500	2000
Depth	225	250	275
Price (Rs.)	750-00	825-00	900-00

TERMS OF BUSINESS

PRICES	:	All the prices in the list are Ex-works Ambala and subject to market fluctuation and alteration without notice.
PACKING & FORWARDING	:	Packing, Forwarding, Freight, Insurance and other Incidental Charges extra.
BREAKAGE	:	Every possible care is taken in packing. The company is not liable for any breakage, shortage and damage in transit. All the goods are supplied at purchaser's risk.
INSURANCE	:	Since goods are fragile in nature, transit insurance may be made at an extra cost.
GST	:	**GST** will be charged extra as applicable.
PAYMENTS	:	R.R./G.R./Docket and our bill will be sent throgh any scheduled bank or on DOD basis. New customers are requested to send draft for 25% amount of the estimated value of order as an advance.
ORDERS	:	All orders must accompany with full instructions for dispatch, viz. the name and address of the Bank/Cargo through which the documents are to be sent. Please always mention our catalogue, number with brief description while placing your value order.
DELIVERY	:	Whereever possible we shall effect immediate delivery, otherwise 4-6 weeks time will be required to execute the order. In case of unavoidable circumstances, company is not bound to execute the order.
DISPUTES	:	All disputes are subject to Ambala Jurisdiction.

THIS CANCELS OUR ALL PREVIOUS PRICE LISTS.

Exploring the
Laboratory Glassware

THE LABORATORY GLASSWARE CO.

3612, Timber Market, Ambala Cantt-133 001 (INDIA)
Factory: 73, Industrial Estate, Ambala Cantt.
PH. : (0171) 4000378
Mob: 9896000455, 9896200275
e-mail : labco_co@yahoo.in, maillabco@gmail.com
Web : www.labco.biz